

# OzSpy HAI2MP Firmware Update HDSmartIPC App User Manual

Home » Support » OzSpy HAI2MP Firmware Update HDSmartIPC App User Manual

#### **Contents**

- 1 OzSpy HAI2MP Firmware Update HDSmartIPC App User Manual
- 2 Getting started of Wi-Fi camera part
- 3 Set camera name and private code
- 4 APP introduction:
- 5 Live video page Click camera to check
- **6 DOWNLOAD**
- **7 Related Posts**

OzSpy HAI2MP Firmware Update HDSmartIPC App User Manual



#### Getting started of Wi-Fi camera part


#### Step1: Download and install APP

Search and download free APP named "HDSmartIPC" in Apple APP store, Google play or Electronic market, and install it.

#### Step 2: Plug in power and turn switch to ON, wait for 1 minute;

### Step 3:Connect WiFi


- 1. Open smartphone setting, search and connect the device's wireless signal named"Al/LM.....",wait Wi-Fi connected, and phone status bar appear Wi-Fi symbol.
- 2. Eneter APP, app will add just connected camera automatcially, Camera Online then;




**TIPS:** This step = P2P mode, can check video locally when without Wi-Fi.

3. Press the gear icon after the came

after the camera and select Other Config ,select Wi-Fi Config.



- 4. Select the router Wi-Fi and input password, camera will be connected to the router Wi-Fi. The smartphone will disconnect the signal from device and connect to the router Wi-Fi.
- 5. Quit APP, and device restart automatically and ready again in 30 seconds.
- 6. Enter APP and check live video locally or remotely anywhere.




## Set camera name and private code

Set name:Press the


Ø

after the camera, select Modify device, insert name like Office, Room.....


Set new password: Press the after the camera and select
Other Config ,select Change access code and change it to new one. Default one is 8888.




#### **APP** introduction:



Live video page - Click camera to check





TIPS:Each setting in Device Settings, please scroll down and press ok to save the setting.

Manuals+,