

Pablo Luci Table and Floor User Guide

Home » Pablo » Pablo Luci Table and Floor User Guide 🖫



LUCI TABLE USER GUIDE


Contents


- 1 ASSEMBLY
- **2 FUNCTION**
- **3 SPECIFICATIONS**
- 4 Documents /

Resources


- 4.1 References
- **5 Related Posts**

ASSEMBLY





FUNCTION



STANDBY	OFF
BATTERY LOW (BELOW 20%)	ON
CHARGING (090%)	FLASHING SLOWLY
CHARGING (90.100% COMPLETE)	ON

SPECIFICATIONS

LED Flat Panel (2700K-2200K) Warm Dim 2.2 Watt 150 Lumens 23-230 hr battery life 6 hr charge time (using 10W power block)

This device complied with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science, and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device must not cause interference
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant

to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is not guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



INFO@PABLODESIGNS.COM
INFO@PABLODESIGNS.EU

888 MARIN ST SAN FRANCISCO, CA 94124
PABLODESIGNS.COM
PABLODESIGNS.EU



 ϵ

Documents / Resources



<u>Pablo Luci Table and Floor</u> [pdf] User Guide Luci Table and Floor

References

• P Pablo

Manuals+,