



**64-PCR-1Z Multi
Color Single Zone
Switch Control
Transformer**



PAL LIGHTING 64-PCR-1Z Multi Color Single Zone Switch Control Transformer Instructions

[Home](#) » [PAL LIGHTING](#) » **PAL LIGHTING 64-PCR-1Z Multi Color Single Zone Switch Control Transformer Instructions** 

Contents

- [1 PAL LIGHTING 64-PCR-1Z Multi Color Single Zone Switch Control Transformer](#)
- [2 Product Overview](#)
- [3 Models](#)
- [4 Features](#)
- [5 Color Touch Technology](#)
- [6 Dimensions](#)
- [7 Contact Information](#)
- [8 FAQ](#)
- [9 Documents / Resources](#)
 - [9.1 References](#)
- [10 Related Posts](#)



PAL LIGHTING 64-PCR-1Z Multi Color Single Zone Switch Control Transformer



Product Overview

The EVENGLOW PCR-1Z-SM LED Light Controller is designed for efficient color control in pool and spa lighting systems. It features a switch mode transformer for enhanced performance.

*product images for illustrative purposes only
actual appearances may vary

Power Rating

- PCR-1Z-SM available in 16/35/65W / 24V rating.

Installation


- Easy installation with pre-moulded ½" conduit adapters and additional knock-outs



8 COLOR
MODES




AUTO SYNC



COLOR
MEMORY

*product images for illustrative purposes only
actual lighting colors and appearances may vary



Models

Model	Description	Voltage	Wattage
64-PCR-1Z-SM-16	PAL 16W Multi Color Single Zone Remote Control Transformer	24VDC	16W
64-PCR-1Z-SM-35	PAL 35W Multi Color Single Zone Remote Control Transformer	24VDC	35W
64-PCR-1Z-SM-65	PAL 65W Multi Color Single Zone Remote Control Transformer	24VDC	65W

Features

- Low Voltage 24V DC
- Fully serviceable and upgradeable

- UL Listed to UL676 Pool & Spa Lighting Class 2 LED Driver
- AS/NZ Approved

Color Touch Technology

Color Control

Choose between 8 pre-defined color modes

Memory Recall


Remembers last color, speed, and brightness

Auto Sync

Automatic sync of your PAL lights every time

Dimensions

The dimensions of the PCR-1Z-SM Lighting Controller are 7" (176mm) in width and 4 $\frac{3}{8}$ " (111mm) in height.



Contact Information

- Phone: [562-448-0990](tel:562-448-0990)
- Email: info@pallighting.com
- Website: www.pallighting.com

Mobile Apps

Apple and Android apps available at Google Play and iTunes.

FAQ

- **What is the power rating of the PCR-1Z-SM?**
 - The power rating is available in 16/35/65W / 24V.
- **How is the installation process?**
 - The installation is easy with pre-moulded 1/2" conduit adapters and additional knock-outs.

- **What technology does it use for color control?**

- It uses Color Touch Technology with 8 pre-defined color modes, memory recall, and auto sync.

Documents / Resources



[PAL LIGHTING 64-PCR-1Z Multi Color Single Zone Switch Control Transformer](#) [pdf] Instructions

64-PCR-1Z Multi Color Single Zone Switch Control Transformer, 64-PCR-1Z, Multi Color Single Zone Switch Control Transformer, Zone Switch Control Transformer, Control Transformer, Transformer

References

- [User Manual](#)

Manuals+. Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.