

# PAX A6650 Smart Handheld Computer User Guide

Home » Pax » PAX A6650 Smart Handheld Computer User Guide 🖔



# **PAX Technology Limited**

### **Contents**

- 1 Checklist
- 2 Installation
- 3 Instructions
- **4 General Usage Tips**
- **5 Battery Usage Tips**
- 6 Warning
- 7 Icons
- 8 Documents /

**Resources** 

8.1 References

# Checklist


Congratulations on receiving your PAX Smart Handheld Computer. We do hope you enjoy it! The box you have just opened should contain the following items:

- 1 x PAX A6650 Smart Handheld Computer
- 1 x AC Power Adapter
- 1 x Product Manual
- 1 x Cable
- 1 x Hand Belt (optional)

# Installation

# SAM/SIM/microSD Card:

Pull out the card slot (On the left side of the terminal). Insert the SAM/SIM card to the corresponding card slot.



#### Instructions

### a) Power On/Off

**Power on:** Press the side ON/OFF button two seconds until LCD backlight light, the terminal turns on successfully.

**Power off:** Press the side ON/OFF button two seconds until the shutdown menu pops up, click"Power off" to shut down the terminal

b) Magnetic Stripe Card

Place the magnetic strip end of the magnetic card toward the device and swipe the card smoothly in the magnetic reader slot.

c) IC Card

Insert the chip side of the IC card into the IC card slot and to bottom.

d) Contactless Card

Place the contactless card above the sensor area, within 4cm height. (on the top back area of A6650)

- d) NFC (Optional): Place the NFC terminal/card above the sensor area (on the battery cover).
- e) The label is inside the battery compartment and the battery cover is removable.

# **General Usage Tips**

- a) Avoid placing this product in direct sunlight for extended periods, nor in environments with excessively high temperature, moisture or dust.
- b) Only qualified personnel should repair this product.
- c) Before using cards in the chip reader, please ensure it is free from any foreign objects.
- d) Working environment:

Temperature range:-10°C ~ 50°C; Humidity range10% ~ 93% (non-condensation) Storage environment:

Temperature range:-20°C ~ 70°C; Humidity range::10% ~ 93% (non-condensation)

e)The adaptor with short circuit protection function

# **Battery Usage Tips**

### **WARNING:**

- a) The terminal is equipped with a field replaceable battery.
- b) Do not use the battery in direct sunlight or smoky and dusty environments.
- c) Do not strike, squeeze or step on the battery, nor throw it into liquid or fire.
- d) Any product warranty is only valid if batteries supplied by PAX Technology Limited are used.
- e) Charging time should not exceed 24 hours. Over-charging or over-discharging may damage the battery.
- f) If the product is not being used for an extended period, whether in storage or otherwise, make sure to recharge the battery at least every 6 months.
- h) PAX Technology Limited advises that best-practice is to replace batteries every 2 years/500 recharge cycles...
- i) Dispose of batteries in a responsible manner

# Warning

### FCC compliance statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by

turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### **FCC SAR statement**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA). These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

# ISED compliance statement

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.

#### ISED 5G Wi-Fi statement

The user manual for LE-LAN devices shall contain instructions related to the restrictions mentioned in the above sections, namely that:

- i. the device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- ii. where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

### **IC SAR statement**

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. The portable device is designed to meet the requirements for exposure to radio waves established by the ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body.

### **Icons**

	Dispose in a professional recycling manner
	Class II equipment
	For indoor use only
(VI)	Energy efficiency marking
~	AC voltage
===	DC voltage
Micro	microSD logo

### Trademark notice:

"microSD logo is a trademark of SD-3C LLC."

PAX continually invests to maintain its high quality products up to date with the latest certifications, therefore a comprehensive list can be requested via the website's contact form or on downloadable product brochures. Built by: PAX Computer Technology (Shenzhen) Co. Ltd.

Address: 4/F, No.3 Building, Software Park, Second Central Science-Tech Road, High-Tech Industrial Park, Shenzhen, Guangdong, China.

Tel: +86 755 86169630 Website: <u>www.pax.com.cn</u>



# **Documents / Resources**



PAX A6650 Smart Handheld Computer [pdf] User Guide

A6650 Smart Handheld Computer, A6650, Smart Handheld Computer, Handheld Computer, Computer

# References

- User Manual

Manuals+, Privacy Policy