


PAX E770 Integrate Smart Terminal Instruction Manual

Home » Pax » PAX E770 Integrate Smart Terminal Instruction Manual



E770 Integrate Smart Terminal Instruction Manual



PAX TECHNOLOGY LIMITED

Contents

- 1 E770 Integrate Smart
- **Terminal**
- **2 Contents Checklist**
- **3 Product Description**
- **4 Terminal Ports**
- 5 Power ON/OFF
- **6 Specifications**
- 7 Installation and Usage Tips
- **8 FCC Regulations:**
- 9 PAX TECHNOLOGY LIMITED
- 10 Documents / Resources
 - 10.1 References
- 11 Related Posts

E770 Integrate Smart Terminal


Note: Product images shown may be different than actual product received


Contents Checklist


Please check the components after unpacking. If any are missing, please contact the dealer.

Part	Qty
E770	1
AC Power Adapter	1
AC Power Cable	1
SIM card ejector	1

Product Description







Terminal Ports

The following ports are accessible on the back of the E700 Mini:

- Power Connect DC power supply to E770
- Cash Drawer Insert the cable from cash drawer to connect with cash register
- Audio Jack Allows hearing impaired to connect assistive listening device
- USB Host Connect USB device
- LAN Used for bi-directional Ethernet connections

Push SIM card ejector into the needle hole on the SIM card tray to eject SIM card:

MicroSD Card and SIM card share one card tray. SIM1 is always on SIM1 slot position. SIM2 and Micro SD card share the same slot, so SIM card tray only supports either 1 SIM and 1 Micro SD or 2 SIM cards.

Power ON/OFF

Power on: Press and hold the Power button for three seconds until themain screen displays normally.

Power off: Press and hold the Power button for three seconds until the shutdown menu displays.

Select Power off. The terminal turns off aftera few seconds.

Specifications

Operation System: Android 10.0

CPU: Quad-core CortexTM-A53,1.8GHz Memory: 2GB DDR+16GB eMMC

Main Display: 10.1 inch, 1280×800 resolution, capacitive touch screen

Payment screen3.5"

Audio: Built-in speaker, support headphone output

L-Sensor (Ambient Light Sensor): Automatically adjusts the back light brightness of the main display.

Wireless Communication: Supports LAN, Wi-Fi®, Bluetooth® Low Energy, 3G/4G

Peripheral Ports: Power port x 1

USB A ports x 3

LAN x 1

Cash drawer x 1 Audio jack x 1

Installation and Usage Tips

- Avoid exposing the device to an excessively hot, humid, dusty, orstrong electromagnetic environment.
- Do not vibrate, shake, or drop the device.
- Do not plug or unplug any part of the device while it is powered on. This may cause damage to an internal circuit.
- Please contact PAX technical support for assistance with the device.

Caution: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. In a domestic environment, this product may cause radio interference in which case the user may be required to take adequate measures.

FCC Regulations:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

ISED Notice

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- 1. this device may not cause interference, and
- 2. this device must accept any interference, including interference that may cause undesired operation of the device.

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter, except tested built-in radios.

The County Code Selection feature is disabled for products marketed in the US/ Canada.

Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

PAX TECHNOLOGY LIMITED

Manufacturer: PAX Computer Technology (Shenzhen) Co.,Ltd.
Address:4/F, No.3 Building, Software Park, Second Central Science-Tech
Road, High-Tech Industrial Park, Shenzhen, Guangdong, P.R.C.
Tel: 0755-86169630

Fax: 0755-86169634 Website: http://www.pax.com.cn

Documents / Resources



PAX E770 Integrate Smart Terminal [pdf] Instruction Manual

E770, Integrate Smart Terminal, E770 Integrate Smart Terminal, Smart Terminal, Terminal

References

 — PAX Technology | Global Website | Payment Terminals