

PCI RACE RADIOS Polaris PRO R GPS Elite and HDS Live GPS Bracket Installation Guide

Home » PCI RACE RADIOS » PCI RACE RADIOS Polaris PRO R GPS Elite and HDS Live GPS Bracket Installation Guide ™

PCI RACE RADIOS Polaris PRO R GPS Elite and HDS Live GPS Bracket Installation Guide



Contents

- 1 PROVIDED
- **HARDWARE**
- **2 TOOLS NEEDED**
- **3 INSTRUCTIONS**
- 4 Documents /
- Resources
 - 4.1 References

PROVIDED HARDWARE

- #6-32 x 1" SS Phillips Pan head screw
- #6-32 Zinc NY lock Nut
- #6 Zinc Washer

TOOLS NEEDED

- Drill
- Oscillating Multi tool with blade
- 1/4" Drill bit
- Silver Sharpie

INSTRUCTIONS


1. Remove cover on dash to expose the factory Ride Command mounting hole.



2. Place bracket on dash where it will be mounted.



a. Mark the 4 mounting holes with a silver sharpie. There are two on top and two on the bottom.



i. Use a 1/4" bit and drill all 4 holes



b. Mark and cut dash so the back of your **GPS** can recess into the hole.



3. Mount GPS to bracket.

NOTE: the Elite model has 4 individual covers in each corner and the **HDS** Live has a bezel around the whole **GPS** that needs to be removed to expose the through holes.

- 4. Run power to **GPS** and connect.
- 5. Secure bracket to dash with 4 push pins.



Symbols







Documents / Resources



PCI RACE RADIOS Polaris PRO R GPS Elite and HDS Live GPS Bracket [pdf] Installation G uide

PRO R Elite, HDS Live, Polaris PRO R GPS Elite and HDS Live GPS Bracket, Polaris PRO R G PS, Elite and HDS Live GPS Bracket, HDS Live GPS Bracket, Live GPS Bracket, GPS Bracket

References

• PCI Race Radios - Intercoms, GPS, Two-Way Radios, Headsets, Helmets

Manuals+, home privacy