



PDQ-6W Wide Escutcheon Trim for Use With 6300 Exit Devices Instructions

[Home](#) » [PDQ](#) » PDQ-6W Wide Escutcheon Trim for Use With 6300 Exit Devices Instructions 

Contents


- [1 6W ESCUTCHEON TRIM](#)
 - [1.1 FOR 6300 SERIES EXIT DEVICES](#)
- [2 Documents / Resources](#)
- [3 Related Posts](#)

6W ESCUTCHEON TRIM

FOR 6300 SERIES EXIT DEVICES

TEMPLATE: 639309
REV. 2 5-3-22

PULL SIDE FACE OF DOOR



1. 4X TRIM MOUNTING HOLES DRILL $\varnothing 1/2$ THRU
2. WIRE CHASE HOLE $\varnothing 1$ " THRU 99 FUNCTIONS ONLY
3. 6300 R/RF – V/VF – C/CF TRIM ACTUATING SHAFT HOLE DRILL $\varnothing 1$ " THRU 08, 09, 14, 99 FUNCTIONS ONLY
4. 6300M ONLY TRIM ACTUATING SHAFT $\varnothing 5/8$ " OUTSIDE 08, 09, 14, 99 FUNCTIONS ONLY


NOTES:

1. VERIFY PRINTED TO SCALE
2. REFER TO EXIT DEVICE TEMPLATE FOR BACKSET/DEVICE CENTERLINE
3. DIMENSIONS: ESCUTCHEON – 9" x 1 13/16" x 15/16" (15/16" DOES NOT INCLUDE LEVER) TOTAL TRIM PROJECTION – 3-1/8"
4. CHECK PDQ WEBSITE FOR MOST RECENT REVISION WWW.PDQLOCKS.COM



PDQ Manufacturing
 2230 Embassy Dr.
 Lancaster, PA 17603
 833-273-7832
 833-2 PDQTECH
www.pdqlocks.com

Documents / Resources



[PDQ PDQ-6W Wide Escutcheon Trim for Use With 6300 Exit Devices](#) [pdf] Instructions
PDQ-6W, Wide Escutcheon Trim for Use With 6300 Exit Devices, PDQ-6W Wide Escutcheon Tr
im for Use With 6300 Exit Devices