



Pearlfisher VT9 T-Mobile Hotspot v6 User Guide

[Home](#) » [Pearlfisher](#) » Pearlfisher VT9 T-Mobile Hotspot v6 User Guide 



<div><div>Pearlfisher.</div><div>Pearlfisher Inc. 455 Broadway New York NY 10013 USA T 212 604 0601 www.pearlfisher.com</div></div>	<div><div>Artwork scale100%</div><div>Date created12/01/20</div><div>Modified date01/19/21</div><div>Versionv6</div></div>	<div><div>Client/ProjectT-Mobile / Hotspot</div><div><div>IMPORTANT NOTES:</div><div>Please check this artwork proof thoroughly, including all copy, colors, dielines and legal/mandatory information, prior to approval. Once the artwork has been approved by you and released by Pearlfisher, we can no longer take responsibility for any errors or omissions, as outlined in our terms and conditions. If you have any questions relating to this or if you require any guidance on checking artwork proofs, then please let us know and we will happily advise. Barcode shown is for positional only and should be set by printer according to client's specifications.</div></div></div>
<div><div>Filename: 210119_TMO_Hotspot_Start-Guide-[en,sp].indd</div><div>FILE NOTES: Color laser copy is for layout purposes only. A color calibrated print-match sample will be supplied alongside this artwork if appropriate.</div></div>	<div><div>Booklet Lithographic Process + 1 Spot [TBC]</div></div>	
<div><div>Non-Adobe Fonts Used:</div><div>Font: TeleGrotesk Next</div><div>Foundry: URW</div></div>	<div><div>Printing Inks & Finishes</div><div><div><div><div></div><div>CYAN</div></div><div><div></div><div>MAGENTA</div></div><div><div></div><div>YELLOW</div></div><div><div></div><div>BLACK</div></div><div><div></div><div>T-Mobile Magenta</div></div></div></div></div>	

Contents

- 1 [Getting to know your T-Mobile®Hotspot](#)
- 2 [Connecting to your T-Mobile Hotspot](#)
- 3 [Accessing the WebUI Manager](#)
- 4 [Reading messages \(SMS\) sent by T-Mobile](#)
- 5 [Changing the Wi-Fi Network Name & Password](#)
- 6 [Connecting via WPS \(Wi-Fi Protected Setup\)](#)
- 7 [Connecting via WebUI Manager](#)
- 8 [Documents / Resources](#)
- 9 [Related Posts](#)

Getting to know your T-Mobile® Hotspot



Turning on your T-Mobile Hotspot

Power On Press and hold for 3 seconds

Power Off Press and hold for 3 seconds

LED Indicators – Definitions al



Signal Strength

Green – Strong Signal

Yellow – Weak Signal

Red – No Signal



Connected Devices

Solid – Device(s) is connected

Flashing – Device connecting via

WPS Off – Device is not connected



New Messages

Flashing – Unread message(s)

Always on – Inbox is full



Battery Level

Solid green – 26-100%

Solid red – under 15% charged

Flashing red – charging



Data Transmission

Connecting to your T-Mobile Hotspot

1. Turn on your mobile hotspot by pressing and holding the power button for 3 seconds.
2. Open your Wi-Fi network manager on your computer, smartphone, tablet, or another Wi-Fi-enabled device.
This will be typically found in your device's network settings or connections menu.

3. Connect your Wi-Fi-enabled device to the T-Mobile Hotspot by selecting your mobile hotspot's network name (SSID) "T-Mobile Hotspot_XXXX_2.4GHz" for the 2.4 GHz Wi-Fi network or "T-Mobile Hotspot_XXXX_5GHz" for the 5 GHz Wi-Fi network.
4. Once selected, enter the password (KEY) which is the last 8 digits of the device's IMEI. This IMEI can be found on the device label under the battery.
5. Open a web browser and visit your favorite website to confirm a successful connection.

Accessing the WebUI Manager

Manage your hotspot's additional features, settings, and controls through the WebUI on your web browser.

1. After connecting the hotspot to your Wi-Fi-enabled device, open a web browser and enter <http://192.168.0.1> in the address bar.
2. Enter your password and click Login. The default password is "Admin+last 4 digits of the IMEI" (ex. Admin1234).

Note: The admin password can be changed in the WebUI settings.

Reading messages (SMS) sent by T-Mobile

1. Log in to online WebUI Manager.
2. Go to the SMS tab.
3. A list of messages will be displayed.
4. Click on the message to open it in full display.

Changing the Wi-Fi Network Name & Password

1. Log in to online WebUI Manager.
2. Go to the Settings > Wi-Fi Basic Settings.
3. Select either the 2.4GHz or 5GHz Wi-Fi network and click Apply.
4. Update the Network Name & Password in the fields that appear below.
5. Click Save.

Connecting via WPS (Wi-Fi Protected Setup)

1. Keep the 1-Mobile Hotspot in range of the device you want to connect with.
2. Turn on your mobile hotspot by pressing and holding the power button for 3 seconds.
3. Open your Wi-Fi network manager on your computer, smartphone, tablet, or another Wi-Fi-enabled device.
4. Connect your Wi-Fi-enabled device to the Turbo Hotspot 2 by selecting your mobile hotspot's network name (SSID) "T-Mobile Hotspot_XXXX_2.4GHz" for the 2.4 GHz Wi-Fi network or "T-Mobile Hotspot_XXXX_5GHz" for the 5 GHz Wi-Fi network.
5. Press and hold the WPS button located on the bottom of the mobile hotspot for 5 seconds.
6. Your Wi-Fi-enabled device will start connecting.

Connecting via WebUI Manager

1. Log in to online WebUI Manager.
2. Go to the Settings > WPS.
3. Activate the WPS connection on the device you want to connect to the hotspot.
4. Click Push WPS Button on the Online WebUI Manager.
5. Your Wi-Fi-enabled device will start connecting.

Approved Firmware Versions


This device will only operate with firmware versions that have been approved for use by your wireless carrier and the device manufacturer. If unauthorized firmware is placed on the device, it will not function.

Information About Safeguarding Devices

We encourage customers to take appropriate measures to secure their devices and invite them to take advantage of the features available on this device to help secure it from theft and/or other unauthorized access and use. This device has a locking function (e.g., user-defined codes or patterns) that can serve as the first line of defense against unauthorized use or access to stored information. Preloaded security applications that allow customers to track or locate misplaced devices can be found on several devices. Lost or stolen devices should be immediately reported to your wireless carrier so that proper measures can be taken to protect accounts. For additional information, visit your wireless carrier's Privacy Policy.

Additional information

Plan data allotment applies to use by connected devices sharing Wi-Fi. Use of connected devices subject to Terms and Conditions. See Terms and Conditions (including arbitration provision) at T-Mobile.com, Sprint. com or MetrobyT-Mobile.com, for rate plan information, charges for features and services, and restrictions and details. T-Mobile and the magenta color are registered trademarks of Deutsche Telekom AG ©2021 T-Mobile USA, Inc. P1075364

Pearlfisher. Pearlfisher Inc. 455 Broadway New York NY 10013 USA T 212 604 0601 www.pearlfisher.com	Artwork scale 100% Date created 12/01/20 Modified date 01/19/21 Version v6	Client/Project T-Mobile / Hotspot IMPORTANT NOTES: Please check this artwork proof thoroughly, including all copy, colors, dielines and legal/mandatory information, prior to approval. Once the artwork has been approved by you and released by Pearlfisher, we can no longer take responsibility for any errors or omissions, as outlined in our terms and conditions. If you have any questions relating to this or if you require any guidance on checking artwork proofs, then please let us know and we will happily advise. Barcode shown is for positional only and should be set by printer according to client's specifications.
Filename: 210119_TMO_Hotspot_Start-Guide-[en,sp].indd <small>FILE NOTES: Color laser copy is for layout purposes only. A color calibrated print-match sample will be supplied alongside this artwork if appropriate.</small>	Booklet Lithographic Process + 1 Spot [TBC]	
Non-Adobe Fonts Used: Font: TeleGrotesk Next Foundry: URW	Printing Inks & Finishes 	

Documents / Resources

	Pearlfisher VT9 T-Mobile Hotspot v6 [pdf] User Guide VT9, T-Mobile Hotspot, v6
---	---