

peerless-AV™

**SF630(P)  
Universal  
Display  
Mounting  
Solutions**



# peerless-AV SF630(P) Universal Display Mounting Solutions User Guide

[Home](#) » [Peerless-AV](#) » peerless-AV SF630(P) Universal Display Mounting Solutions User Guide 

## Contents

- [1 peerless-AV SF630\(P\) Universal Display Mounting Solutions](#)
- [2 Product Usage Instructions](#)
- [3 Frequently Asked Questions](#)
- [4 Flat Wall Mounts](#)
- [5 Tilt Wall Mounts](#)
- [6 Articulating Wall Mounts](#)
- [7 Contact](#)
- [8 Documents / Resources](#)
  - [8.1 References](#)
- [9 Related Posts](#)

peerless-AV™

peerless-AV SF630(P) Universal Display Mounting Solutions



## Product Usage Instructions

### Flat Wall Mounts

Flat wall mounts are designed for mounting displays with sizes ranging from 10 to 98 inches. The following models are available:

- SF630(P) – Picture size 22-43 inches
- SF632(P) – Picture size 32-50 inches

### Mounting Instructions

To mount your display using a flat wall mount:

1. Identify the appropriate model based on your display size.
2. Ensure the mounting pattern matches your display's VESA pattern.
3. Attach the mount securely to the wall using the provided hardware.
4. Mount your display onto the bracket following the manufacturer's instructions.
5. Adjust the display to the desired viewing angle if applicable.

### Weight Capacity and Distance from Wall

The mounts have varying weight capacities and distances from the wall based on the model. Ensure you do not exceed the recommended weight for your specific mount.

## Frequently Asked Questions
























- **Q: Can I mount a display larger than 98 inches using these mounts?**
  - A: These mounts are designed for displays within the specified size ranges. For larger displays, consider alternative mounting solutions.
- **Q: Do I need additional accessories for metal stud mounting?**

- A: Yes, you can use the ACC215 accessory for metal stud mounting as indicated in the product specifications.

## Info
























## Flat Wall Mounts

Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting
Flat Wall Mounts	SMARTMOUNT	10"-29"		80lb (36kg)	VESA® 75 and 100mm	0.96" (24mm)	N/A	ACC215	Single
		22"-43"		115lb (52kg)	VESA® 75, 100, 200 x 100 and 200 x 200mm	1.02" (26mm)	N/A	ACC215	Single
		32"-50"		150lb (68kg)	450 x 405mm (17.72" x 15.95")	1.20" (30mm)	N/A	ACC415	Single / Double
		39"-75"		175lb (79kg)	742 x 405mm (29.21" x 15.95")	1.20" (30mm)	N/A	ACC415	Double
		39"-80"		200lb (91kg)	824 x 405mm (32.44" x 15.95")	1.20" (30mm)	N/A	ACC415	Double
		46"-90"		250lb (113kg)	895 x 450mm (35.25" x 17.72")	1.73" (44mm)	N/A	ACC615	Double / Triple
		60"-98"		350lb (158kg)	1100 x 650mm (43.29" x 25.59")	1.73" (44mm)	N/A	ACC615	Triple
		85" Microsoft® Surface™ Hub 2S & 3		350lb (158kg)	1100 x 650mm (43.29" x 25.59")	1.73" (44mm)	N/A	ACC615	Triple
		46"-90"		350lb (158kg)	494 x 650mm (19.45" x 25.59")	1.70" (43mm)	N/A	ACC615	Triple
		55"-98"		300lb (136.1kg)	1216 x 608mm (47.89" x 23.94")	2.13" (54mm)	N/A	ACC615	Double
		50" Microsoft® Surface™ Hub 2S & 3		80lb (36.3kg)	350 x 350mm (13.78" x 13.78")	0.52" (13mm)	N/A	ACC615	Double
		55" or 65" Samsung Flip 2		90lb (41kg)	400 x 400mm (15.75" x 15.75")	3.24" (82mm)	0°, -4.5°	ACC615	Double
	PARAMOUNT	10"-29"		50lb (23kg)	VESA® 75 and 100mm	0.64" (16mm)	N/A	ACC215	Single
		22"-43"		80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	0.64" (16mm)	N/A	ACC215	Single
		32"-46"		100lb (45kg)	450 x 305mm (17.72" x 12.01")	1.26" (32mm)	N/A	ACC415	Double
		39"-75"		150lb (68kg)	742 x 405mm (29.23" x 15.95")	1.26" (32mm)	N/A	ACC415	Double
		39"-90"		200lb (91kg)	825 x 405mm (32.48" x 15.95")	1.26" (32mm)	N/A	ACC415	Double
		37"-50"		150lb (68kg)	450 x 402mm (17.73" x 15.82")	0.33" (8mm)	N/A	ACC215	Double
	Designer Series™	37"-75"		150lb (68kg)	742 x 449mm (29.23" x 17.67")	0.33" (8mm)	N/A	ACC415	Double
		40"-80"		150lb (68kg)	825 x 449mm (32.48" x 17.67")	0.33" (8mm)	N/A	ACC415 / ACC615	Double / Triple
		24"-50"		150lb (68kg)	75 to 425mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double
		37"-75"		150lb (68kg)	150 to 400 & 550 to 700mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double
		40"-80"		150lb (68kg)	150 to 400 & 550 to 800mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double

## Tilt Wall Mounts



























Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting
Tilt Wall Mounts	SMARTMOUNT.	10"-29"	ST630(P)	 80lb (36kg)	VESA® 75 and 100mm	1.58"-2.23" (40-57mm)	+15°/-5°	ACC215	Single
		22"-43"	ST632(P)	 115lb (52kg)	VESA® 75, 100, 200 x 100 and 200 x 200mm	1.65"-2.82" (42-72mm)	+15°/-5°	ACC215	Single
		32"-50"	ST640(P)	 150lb (68kg)	458 x 405mm (18.02" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Single / Double
		39"-75"	ST650(P)	 175lb (79kg)	742 x 405mm (29.21" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Double
		39"-80"	ST660(P)	 200lb (91kg)	824 x 405mm (32.44" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Double
		46"-90"	ST670(P)	 250lb (113kg)	895 x 450mm (35.25" x 17.72")	3.00"-6.63" (76-168mm)	+15°/-5°	ACC615	Double / Triple
		60"-98"	ST680(P)	 350lb (158kg)	1061 x 650mm (41.76" x 25.59")	3.38"-10.58" (86-269mm)	+15°/-5°	ACC615	Triple
		46"-90"	STP680	 350lb (158kg)	455 x 650mm (17.91" x 25.59")	3.38"-10.58" (86-269mm)	+15°/-5°	ACC615	Double
	PARAMOUNT.	10"-29"	PT630	 50lb (23kg)	VESA® 75 and 100mm	2.01"-2.98" (51-76mm)	+15°/-5°	ACC215	Single
		22"-43"	PT632	 80lb (36kg)	VESA® 100, 200 x 100, and 200 x 200mm	2.01"-3.78" (51-96mm)	+15°/-5°	ACC215	Single
		32"-46"	PT640	 100lb (45kg)	450 x 305mm (17.72" x 12.01")	2.63"-4.74" (67-120mm)	+15°/-5°	ACC415	Double
		39"-75"	PT650	 150lb (68kg)	750 x 405mm (29.52" x 15.95")	2.63"-5.50" (67-139mm)	+15°/-5°	ACC415	Double
		37"-85"+	PT670	 165lb (74.8kg)	VESA® up to 600 x 400mm	2.83"-5.24" (72-133mm)	+15°/-5°	N/A	Double
Pivot Mounts	PARAMOUNT.	10"-29"	PP730	 25lb (11kg)	VESA® 75 and 100mm	2.75"-7.40" (70-188mm)	±15°	WSP700/701	Single
		22"-43"	PP740	 80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	2.78"-7.43" (70-189mm)	+15°/-5°	WSP700/701	Single
Scissor & Pull-Out Pivot Wall Mounts	SMARTMOUNT.	32"-65"	HPF650	 60lb (27kg)	400 x 400mm (15.75" x 15.75")	2.32"-11.29" (59-287mm)	N/A	N/A	Double
		55"-75"	HPF675	 80lb (36kg)	400 x 400mm (15.75" x 15.75")	2.83"-12.95" (72-329mm)	55" TVs: ±30° 75" TVs: ±22°	N/A	Double
		39"-85"+	STS650 Scissor Mount	 200lb (90.7kg)	VESA® 200 x 100 to 600 x 600mm	3.82"-12" (97-305mm)	+15°/-2°	ACC415	Double
		32"-65"	SP840	 60lb (27kg)	400 x 400mm (15.75" x 15.95")	2.64"-11.55" (67-293mm)	0°, 3.3°, 6.6° or 10°	N/A	Double
		49"-65"	SP850-UNM	 150lb (68kg)	400 x 400mm (15.75" x 15.75")	2.73"-11.14" (69-282mm)	0°, 5°, 10°	N/A	Double
		32"-80"	SP850-UNL(P)	 150lb (68kg)	600 x 400mm (23.62" x 15.75")	2.73"-11.18" (69-284mm)	0°, 5°, 10°	N/A	Double

## Articulating Wall Mounts




























Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting
Articulating Wall Mounts	SMARTMOUNT	10"-29"	SA730P	25lb (11kg)	VESA® 75 x 75, 100 x 100mm	2.77"-16.99" (70-432mm)	±35°	WSP700/701	Single
		22"-43"	SA740P	80lb (36kg)	VESA® 100 x 100, 200 x 100 and 200 x 200mm	3.03"-21.80" (77-554mm)	+15°/-5°	WSP700/701	Single
		32"-50"	SA746PU	80lb (36kg)	400 x 400mm (15.75" x 15.75")	3.46"-22.22" (88-564mm)	+15°/-5°	WSP700/701	Single
		43"-65"+	SA752PU	90lb (41kg)	600 x 400mm (23.62" x 15.75")	3.00"-30.10" (76-765mm)	+15°/-5°	For metal stud installations, refer to the product sell sheet for detailed information on maximum load capacities and wall construction requirements.	Single
		39"-75"+	SA761PU	150lb (68kg)	600 x 400mm (23.62" x 15.75")	3.00"-30.50" (76-774mm)	+15°/-5°		Double
		50"-90"+	SA771PU	200lb (90.7kg)	800 x 400mm (31.50" x 15.75")	3.00"-30.50" (76-774mm)	+15°/-5°		Double
	PARAMOUNT	43"-55"	HA746-STB	80lb (36kg)	400 x 400mm (15.75" x 16.22")	3.97"-22.22" (100-564mm)	+15°/-5°	N/A	Single/Double
		55"-75"	HPF665	60lb (27kg)	400 x 412mm (15.75" x 15.75")	4.40" (112mm)	N/A	N/A	Double
		10"-29"	PA730	25lb (11kg)	VESA® 75 and 100mm	2.73"-14.85" (69-377mm)	±15°	WSP700/701	Single
		22"-43"	PA740	80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	2.80"-14.91" (71-379mm)	+15°/-5°	WSP700/701	Single
		32"-50"	PA746	80lb (36kg)	VESA® 100, 200 x 100, 200 x 200, 300 x 200, 300 x 300, 400 x 200, 400 x 300 and 400 x 400mm	2.81"-15.08" (71-383mm)	+15°/-5°	WSP700/701	Single
		39"-75"	PA750	100lb (45kg)	600 x 400mm (23.62" x 15.75")	3.00"-21.35" (76-542mm)	+15°/-5°	N/A	Double
		39"-90"	PA762	150lb (68kg)	600 x 400mm (23.62" x 15.75")	3.00"-21.23" (76-539mm)	+15°/-5°	N/A	Double
		37"-85"+	PA775	154lb (69.9kg)	VESA® up to 600 x 400mm	2.76"-31.50" (70-800mm)	+15°/-2°	N/A	Double
		32"-43"	SUA740 for Ultra-thin displays only*	60lb (27kg)	VESA® 200 x 100 and 200 x 200mm	1.74"-24.74" (44-628mm)	+15°/-5°	WSP756	Single
		32"-50"	SUA747PU for Ultra-thin displays only*	60lb (27kg)	400 x 400mm (15.75" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Single
	Designer Series	37"-65"	SUA761PU for Ultra-thin displays only*	100lb (45kg)	600 x 400mm (23.62" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Double
		42"-90"	SUA771PU for Ultra-thin displays only*	125lb (57kg)	400 x 400mm (15.75" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Double
		55"-77"	OSUA771PU OLED/QLED for Ultra-thin displays only*	125lb (57kg)	800 x 400mm (31.50" x 15.75")	2.87"-25.87" (73-657mm)	+10°/-3°	WSP756	Double
		37"-65"	IM747PU for Ultra-thin displays only*	80lb (36kg)	400 x 400mm (15.75" x 15.75")	1.94"-25.03" (49-636mm)	+15°/-5°	N/A	Single/Double
		42"-90"	IM771PU for Ultra-thin displays only*	125lb (56.7kg)	800 x 400mm (31.50" x 15.75")	1.98"-24.98" (50-634mm)	+15°/-5°	N/A	Single/Double

## Media Storage, Multi-Display & Ceiling Mounts

Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall or Ceiling	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting
Media Storage, Multi-Display & Ceiling Mounts	26"-60"	DST360		150lb (68kg)	VESA® 100 x 100 up to 300 x 300mm	4.28" (109mm) from wall	+20°/-0°	N/A	Single/Double
	40"-70"	DST970X2		250lb (113kg)	600 x 400mm (23.62" x 15.75")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-80"	DST980-3		495lb (225kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-75"	DST975-4		500lb (227kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-42"	DST942-6		480lb (218kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	40"-60"	DST660		125lb (57kg)	VESA® 200 x 100 up to 400 x 400mm	2.83" (72mm) from wall	+10°/-0°	N/A	Double
	40"-95"	DST995		225lb (102kg)	VESA® 200 x 200, 300 x 300, 400 x 200, 400 x 300, and 400 x 400mm	Varies depending on extension column used	0°-15°	N/A	N/A
	40"-65"	DST965		300lb (136kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	20° fixed	N/A	N/A
	32"-90"	PLCM-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	43.23" (1098mm) from ceiling	+20°/-5°	N/A	N/A
	32"-90"	PLCM-UNL-CP		150lb (68kg)	600 x 400mm (23.62" x 15.75")	44.23" (1123mm) from ceiling	+20°/-5°	N/A	N/A
	32"-90"	PLCM-2-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	Varies depending on extension column used	+20°/-5°	N/A	N/A
	Up to 90"	PLCK-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	25.82" (656mm) from ceiling	+20°/-5°	N/A	N/A
	43"-90"+	PCM150		150lb (68kg)	609 x 400mm (24.00" x 15.75")	39.59"-63.21" (1006-1606mm) from ceiling	+20°/-5°	N/A	N/A
Floor to Ceiling Cable	46"-65"	DSF265L		65lb (29.5kg)	VESA® 600, 400, 300 and 200mm	N/A	N/A	N/A	N/A
	46"-65"	DSF265P		65lb (29.5kg)	VESA® 600, 400, 300 and 200mm	N/A	N/A	N/A	N/A
Modular Mounts	Up to 75"	MOD-FPSKIT100(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	38.47" (977mm) from ceiling	+20°/-5°	N/A	N/A
	Up to 75"	MOD-FPSKIT150(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	57.76" (1467mm) from ceiling	+20°/-5°	N/A	N/A
	Up to 75"	MOD-FCSKIT300(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	120.11" (3051mm) floor-to-ceiling	+5°/-5°	N/A	N/A
	46"-90"	MOD-FPS2KIT150(B)		211lb (96kg)	600 x 400mm (23.62" x 15.75")	59" (1.5m) from ceiling	+20°/-5°	N/A	N/A
	46"-90"	MOD-FCS2KIT300(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	118" (3m) floor-to-ceiling	+20°/-5°	N/A	N/A
	46"-90"	MOD-FW2KIT300(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	118" (3m) floor-to-wall	+20°/-5°	N/A	N/A
	46"-90"	MOD-FPP2KIT200(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	78" (2m) from floor	+20°/-5°	N/A	N/A
Round Column	Dependent on Mount Used	CMAL		225lb (102kg)	Dependent on Mount Used	N/A	N/A	N/A	N/A
Truss Mount	40"-90"	DSF290		175lb (79kg)	VESA® 100, 200, 300 and 400mm	N/A	N/A	N/A	N/A
I-Beam Mount	Dependent on Mount Used	IMAM* IMAL**		225lb (102kg)	Dependent on Mount Used	N/A	N/A	N/A	N/A

## Carts



Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall, Base or Floor	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting
Carts	SMARTMOUNT	42"-86"	SR598ML3	 280lb (127kg) display	VESA® 200 x 200 up to 800 x 600mm	47.33"-72.87" (1202-1851mm) from floor	-5°, +1°	N/A	N/A
		42"-86"	SR598ML3E	 280lb (127kg) display	VESA® 200 x 200 up to 800 x 600mm	46.88"-72.47" (1191-1841mm) from floor	N/A	N/A	N/A
		42"-86"	SR598ML3T	 220lb (99.8kg) display	VESA® 200 x 200 up to 800 x 600mm	31.11"-68.97" (790-1752mm) from floor	-90° - 0°	N/A	N/A
		55" or 65" Samsung Flip 2	SR560-FLIP2	 90lb (41kg) display	400 x 400mm (15.75" x 15.75")	64.23" (1632mm) from floor	0°, -4.5°	N/A	N/A
		32"-75"	SR560M	 150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	65.93" (1675mm) from floor	-5°, 0°	N/A	N/A
		32"-75"	SR575M	 150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		55"-98"	SR598	 300lb (136.1kg) display	VESA® 200 x 200 up to 900 x 600mm	71.19" (1808mm) from floor	-5°, 0°	N/A	N/A
		43"-75"+	SR860	 150lb (68kg) display	VESA® 200 x 200 up to 800 x 400mm	77.09" (1958mm) from floor	N/A	N/A	N/A
		55"-110"+	SR898	 300lb (136.1kg) display	VESA® 200 x 200 up to 900 x 600mm	77.54" (1970mm) from floor	N/A	N/A	N/A
		85" Microsoft® Surface™ Hub 2S & 3	SR598-HUB2	 300lb (136.1kg) display	VESA® 200 x 200 up to 600 x 600mm	71.19" (1808mm) from floor	-5°, 0°	N/A	N/A
		50" Microsoft® Surface™ Hub 2S & 3	SR560-HUB2	 65lb (29.5kg) display	VESA® 350 x 350mm	68.19" (1732mm) from floor	-4.5°, 0°	N/A	N/A
		(2) 40"-65"	SR555M	 75lb (34kg) display	VESA® 200 x 200 up to 400 x 400mm	75.41" (1915mm) from floor	-5°, 0°	N/A	N/A
PARAMOUNT		55"-75"+	PR565	 150lb (68kg) display	VESA® 200 x 200 up to 1000 x 600mm	72.40" (1841mm) from floor	N/A	N/A	N/A
Stands	SMARTMOUNT	42"-86"	SS598ML3	 280lb (127kg)	VESA® 200 x 200 up to 800 x 600mm	47.76"-72.42" (1213-1840mm) from wall	N/A	N/A	N/A
		32"-75"	SS575K	 150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	46.12" (1172mm) from floor	0°, +90°	N/A	N/A
Desktop & Tablet Mounts		32"-60"	PTS4X4	 60lb (27.2kg)	VESA® 200 x 100, 400 x 400mm	20.16"-25.67" 512-652 from desk	+10°/-5°	N/A	N/A
		55"-85"	PTS6X4	 115lb (52.2kg)	VESA® 600 x 200mm	23.97"-28.70" 609-729mm from desk	+3°/-0°	N/A	N/A
		26"-37"	HP432-002	 80lb (36.4kg)	VESA® 100 x 100, 200 x 100 and 200 x 200mm	see drawings	N/A	N/A	N/A
		32"-47"	HP447	 75lb (34.1kg)	VESA® 200 x 100, 200 x 200mm	see drawings	N/A	N/A	N/A
		49"-55"	HP455	 75lb (34.1kg)	VESA® 200 x 200, 200 x 400, 300 x 300 and 400 x 400mm	see drawings	N/A	N/A	N/A
		for Tablets less than 0.75" (19mm) deep	PTM200	 5lb (2.3kg)	VESA® 75 x 75mm	N/A	N/A	N/A	N/A
		for Tablets less than 0.75" (19mm) deep	PTM400	 5lb (2.3kg)	N/A	N/A	±30°	N/A	N/A
		up to 38" monitors	LCT100S	 20lb (9kg)	VESA® 75 and 100mm	see drawings	±40°	N/A	N/A
		up to 38" monitors	LCT620A(-G)	 8.4lb-17.8lb (3.8kg-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	N/A
		up to 38" monitors	LCT620AD(-G)	 8.4lb-17.8lb (3.8kg-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	N/A
		24" to 49" Ultra-Wide Curved Monitors	LCT650SD	 60lb (27.2kg)	VESA® 75 x 75mm & 100 x 100mm	see drawings	N/A	N/A	N/A
		up to 38" monitors	LCW620A	 8.4lb-17.8lb (3.8kg-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	Single

For over 80 years, passion and innovation continue to drive Peerless-AV forward. We proudly design and manufacture the highest quality products, including outdoor displays and TVs, dvLED and LCD video wall systems, completely integrated kiosks, professional carts and stands, and more. Whether a full-scale global deployment or high-volume custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way. For more information, visit [peerless-av.com](https://peerless-av.com)



Contact

- [peerless-av.com](https://peerless-av.com)
- [800-865-2112](tel:800-865-2112)

Documents / Resources

	<a href="#">peerless-AV SF630(P) Universal Display Mounting Solutions</a> [pdf] User Guide SF630 P, SF632 P, SF640 P, SF650 P, SF660 P, SF670 P, SF680 P, SFP680, SF630 P Universal Display Mounting Solutions, SF630 P, Universal Display Mounting Solutions, Display Mounting Solutions, Mounting Solutions
---	--

References

- [User Manual](#)

Manuals+. Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.