

# perenio PEHPL01 Power Link Socket User Guide

Home » Perenio » perenio PEHPL01 Power Link Socket User Guide 🖺





PEHPL01-PEHPL04 Power Link Power Plug Quick Start Guide

#### **Contents**

- **1 GENERAL INFO**
- **2 INSTALLATION AND**
- **CONFIGURATION2**
- **3 SAFETY OPERATION RULES**
- **4 TROUBLESHOOTING**
- 5 Documents / Resources
- **6 Related Posts**

#### **GENERAL INFO**

Article	PEHPL01/PEHPL03 (white), PEHPL02/PEHPL04 (black)
Integration	Apple HomeKit, Google Home & Yandex Smart Home (Alice)
Specification1	ZigBee 3.0/Bluetooth (MFi), 240VAC, 16A (4,000VA max), 0.5W, 50/60Hz, 2.4GHz, IP20 Pr otection Class, plug type E/F, socket type C/F, LED indicator, protective shutter, automatic po wer cutoff, overvoltage, overload, and overheating protection, monitoring of voltage, current, and power, timers, and schedules. Operating conditions: 0°C to +40°C, up to 75% RH (non-condensing)
Scope of Supply	Power Link, Quick Start Guide, Warranty Card, Sticker
Warranty	2 years (Service life: 2 years)

### **INSTALLATION AND CONFIGURATION2**

- 1. Unpack the Power Link device, plug it into the mains socket, and power on (Push the Power Button and wait until the LED flashes green).
- 2. Activate the device in the Perenio Smart3 app or the Apple HomeKit4 app, and add it to the Google Home/Yandex Smart Home5 app, if required.
- 3. Set timers and/or create operating scenarios in the mobile application.

## **SAFETY OPERATION RULES**


The device may be connected to the power supply if the main voltage matches the value in the device specification. The device must be connected directly to the main socket. Do not connect it to other plugged-in smart plugs. It is not allowed to drop, throw or disassemble the device, as well as attempt to repair it on one's own or use it in case of visible damage or defects.

#### **TROUBLESHOOTING**

- 1. The LED does not light up: Check that the device is plugged in and powered on, otherwise, contact our Support.
- 2. Timer settings disappeared: Reset to factory settings was performed. Reconfigure the smart plug.

- 3. The Power Link device changes status to "offline" unexpectedly: Power supply failure or the smart plug is out of the ZigBee/Bluetooth coverage.
  - 1. This device is for indoor installation only.
  - 2. All information contained herein is subject to amendments without prior notification of the User. For current information and details on the device description and specification, connection process, certificates, warranty and quality issues, as well as the Perenco Smart app functionality, see relevant Installation and Operation Manuals available for downloading tperenio.com/documents. All trademarks and names herein are the property of their respective owners. See operating conditions and date of manufacture on the individual packaging. Manufactured by Perenio IoT spol s r.o. (Na Dlouhem 79,Ricany Jazlovice 251 01, Czech Republic). Made in China.
  - 3 Make sure that the Perenio® Control Gateway or the IoT Router was pre-installed and connected to the network via Wi-Fi/Ethernet cable. Log in to your user account, click on the "+" icon and follow connection tips specified on the screen.
  - 4 The Power Link device must be switched to the MFi Mode, so press and hold the Reset Button of the smart plug until its LED Indicator starts blinking fast. Wait for the LED Indicator to stop blinking and flash blue.
  - 5 For Google Home and Yandex Smart Home applications, the Power Link must be first activated in the Perenio Smart app.

Doc Date: 12/11/2020 Version: 3.0.0 ©Perenio IoT spol s r.o. All Rights Reserved



Power & Reset Button LED Indicator Protective Shutter

Place QR Code INSIDE THE OUTLINE 35 mm x 35 mm









#### **Documents / Resources**



perenio PEHPL01 Power Link Socket [pdf] User Guide
PEHPL01-, PEHPL04, Power Link, Power Plug, PEHPL01 Power Link Socket

Manuals+,