



# perixx PERIDUO-605 Wireless Ergonomic Split Keyboard and Vertical Mouse User Manual

[Home](#) » [Perixx](#) » perixx PERIDUO-605 Wireless Ergonomic Split Keyboard and Vertical Mouse User Manual 




## PERIDUO-605 Wireless Ergonomic Split Keyboard and Vertical Mouse User Manual



### Contents








- [1 Product Illustration](#)
- [2 FCC Warning](#)
- [3 Specification](#)
- [4 Multimedia keys](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

### Product Illustration



1. LED indicators (number lock/low battery indicator, caps lock and scroll lock)
2. Scroll wheel/middle click
3. Keyboard stand
4. Position 1: for removable magnet foot & keyboard stand
5. Position 2 : for removable magnet foot
6. Battery
7. On / off switch
8. Connect button

### ③ Keyboard Stand




Low battery indicator: LED keeps flashing  
 DPI 800: flashing once  
 DPI 1200 (default): flashing twice  
 DPI 1600: flashing thrice

1. Left click button (primary button)
2. Right click button (secondary button)
3. Scroll wheel/middle click
4. DPI switch: 3 DPI levels: 800/1200/1600
5. Forward (browser)

6. Backward (browser)
7. Sensor
8. Battery cover
9. On/off switch

### How do you connect PERIDUO-605?



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**NOTE 1:**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user i s encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver i s connected.
- Consult the dealer or an experienced radio/TV technician for help.

**NOTE 2:**

Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Caution**

- The manufacturer and re-resellers are not responsible for any technical malfunctions, damage, or personal injury incurred by:
- Any attempt to dismantle, change or modify the product in any manner
- Malfunction or damage is due to misuse or improper alteration or repair
- Malfunction or damage caused by external influence such as falling
- Malfunction or damage is caused by fire, salt, gas, earthquake, lightning, wind, water , or other natural calamities, or abnormal voltage
- Malfunction or damage is caused by other devices connected to the products
- Malfunction or damage is caused by high temperature, humid, greasy, dusty, and hazardous environment.
- You are cautioned that changes or modifications not expressly approved by Perixx Computer GmbH could void your authority to operate the equipment.
- All brand names, trademarks, and logos are the properties of their respective owners.

**Please Note:** Long-term repetitive use of any keyboard and mouse could cause injury to the user. Perixx recommends users avoid excessive use of this or any keyboard and mouse.

**Important Safety Instructions:**

- Avoid dropping
- Do not disassemble
- This product is suitable for moderate climates only
- The maximum ambient temperature during use of this product must not exceed 40 degree
- Open flame sources, such as candles, must not be placed on this product
- Only use a dry cloth or brush to clean this product

Perixx offers a one-year limited warranty with an optional one-year extension.

## Specification

### Wireless keyboard

Interface	2.4GHz
Size	463*227*39mm
Weight	740410g
Input current	3V/5mA
Battery required	AAA batteries 2pcs
Material	ABS
Operating system requirements	Win 7or later

Number of keys	111 keys (US layout) 112 keys (EU layout)
Type of keyboard	Membrane
Actuation distance	1.3mm
Total travel distance	2.240.2mm
Durability	10 million keypresses
Operating Temperature	0°C ~ 45°C
Storage Temperature	-15°C ~ 60°C

### Sleep mode

	Sleep mode
Y/N	Yes, after 5 minutes
How to wake up the keyboard/mouse	Move or click


















### Wireless Mouse

Interface	2.4GHz
Size	120*75*63mm
Weight	102+10g
Input current	3V/6mA
Battery required	AAA batteries 2pcs
Material	ABS
Operating system requirements	Win 7or later
Number of buttons	6

DPI	800/1200/1600
Acceleration	10G
Tracking speed	30IPS
Report rate	125Hz
Durability	1 million keypresses
Operating Temperature	0°C ~ 40°C
Storage Temperature	-15°C ~ 60°C

	Sleep mode
Y/N	Yes, after 1 minute
How to wake up the keyboard/mouse	Move or click

## Multimedia keys

	Media Palyer		Search		Mission Control( Tab+Alt}
	Volume down		My favorite		Previous Track
	Volume up		E – mail		Play/Pause
	Mute		Home Page		Stop
	Undo (Ctrl+Z)		Win Lock		Next Track
	Redo (Ctrl+Y)		Calculator		

Equipment name			PERIDUO-605 Type designation (Type)			
Unit	Restricted substances and its chemical symbols					
	Lead(Pb)	Mercury ( Hg)	‘Cadmium ( Cd)	Hexavalent c hromium Cr.	Polybrominated biphenyls (PBB)	Polybrominated d iphenyl ethers (P BDE)
	0	0	0	0	0	0
	0	0	0	0	0	0
	0	0	0	0	0	0
	0	0	0	0	0	0

**Note 1 :** “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

**Note 2 :** “0” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

**Note 3 :** The “ – ” indicates that the restricted substance corresponds to the exemption

Equipment name		PERIDUO-605 Type designation (Type)				
Unit	Restricted substances and its chemical symbols					
	Lead (Pb)	Mercury ( Hg)	Cadmium (Cd)	Hexavalent chromium Cr+ <sup>6</sup>	Polybrominated biphenyls (PBB )	Polybrominated diphenyl ethers ( PBDE)
	o	o	o	o	o	o
	o	o	o	o	o	o
	o	o	o	o	o	o
	o	o	o	o	o	o
	o	o	o	o	o	o
	o	o	o	o	o	o


**Note 1 :** “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

**Note 2 :** “0” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

**Note 3 :** The “ – ” indicates that the restricted substance corresponds to the exemption







[perixx PERIDUO-605 Wireless Ergonomic Split Keyboard and Vertical Mouse](#) [pdf] User Manual