

Contents [[hide](#)]

- [1 PGST PG-J02R Emergency SOS Button Instruction Manual](#)
- [2 I. Overview](#)
- [3 II. Features](#)
- [4 III. Technical Parameters](#)
- [5 IV. How to Use](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)

PGST PG-J02R Emergency SOS Button Instruction Manual



Please read this instruction manual before installing and using the product, and keep it properly for future reference

I. Overview

The Wireless One – Touch Emergency Call Button (manual alarm, hereinafter referred to as the “Button”) is equipped with functions such as button alarm, pull – rope alarm, and linked host alarm. It will emit on – site sound and light alarms when an alarm is triggered, making it suitable for various scenarios requiring one – touch emergency alarms.

II. Features

Adopts SMT technology, with good anti – radio frequency capability. Supports button alarm, pull – rope alarm, and low – battery alarm. Supports on – site sound and light alarms.

Operates at 433MHz for communication and supports linked host alarm.

III. Technical Parameters

- Working Voltage: DC3V (two 1.5V AAA batteries)
- Static Current: <15uA
- Operating Current: <50mA
- Low Voltage Alarm: <2.6V
- Wireless Mode: 433.9247MHz/ASK/1527
- Code Sending Mode: Alarm code (1000)/ Low-battery code (1101)
- Alarm Methods: Manual alarm, on – site sound and light alarm, wireless linked host

alarm

- Alarm Indications: Red LED for alarm, green LED for self – check, yellow LED for low battery
- Installation Method: Wall – mount
- Humidity: 5% – 95%RH (no condensation)
- Dimensions: 66*66*21mm
- Weight: Approximately 74g (including batteries)

IV. How to Use

1. Press – to – Trigger Alarm: In case of an emergency, press the SOS button of the one – touch emergency call button to trigger the alarm.
2. Pull – Rope – to – Trigger Alarm: In an emergency situation, pull down the pull rope of the one – touch emergency call button and then release it to trigger the alarm.
3. Wireless Linked Host Alarm: After adding the one – touch emergency call button to the alarm host, when the elderly feel unwell or encounter other emergencies, they can manually press the SOS button or pull the rope to trigger an emergency alarm. When the host receives the alarm from the one – touch emergency call button, it will push alarm information to the elderly's relatives and/or elderly service organizations to handle the emergency in a timely manner.

FCC Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to

provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

important announcement

Radiation Exposure Statement

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Read More About This Manual & Download PDF:





Documents / Resources



[PGST PG-J02R Emergency SOS Button \[pdf\]](#) Instruction Manual
2AIT9-PG-J02, PG-J02R Emergency SOS Button, PG-J02R, Emergency
SOS Button, SOS Button, Button

References

- [User Manual](#)

📎 2AIT9-PG-J02, Button, Emergency SOS Button, PG-J02R, PG-J02R Emergency SOS Button, PGST, SOS

📁 PGST Button

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.