

PHILIPS DDBC516FR Signal Dimmer Controller Instruction Manual

Home » Philips » PHILIPS DDBC516FR Signal Dimmer Controller Instruction Manual



PHILIPS DDBC516FR Signal Dimmer Controller Instruction Manual




Devices must be installed in an approved enclosure by a qualified electrician in accordance with all national and local electrical and construction codes and regulations.


Contents

- 1 In The Box
- 2 Dimension
- 3 Installation Instruction
- 4 Installation example
- **5 IMPORTANT SAFEGUARDS**
- 6 Federal Communications Commission (FCC) Compliance
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**


In The Box



Dimension



Installation Instruction




IEC Pollution Degree II




Installation example

-01 \sim /3 \sim CH-CH \leq 300 V \sim (UL) / 400 V \sim (CE)



→3~

CH-CH= 277 / 480 V ~ 人



Output Ratings/Channel (CH)


Load Type	CH1-CH5
-□- General Use	16 A, 277 V ∼
: Incandescent	
□ Standard Ballast	
⊐ Electronic Ballast	
M Motor	16 FLA (1 HP), 120 V ~ 14.5 FLA (2 ½ HP), 240 V ~ 14.1 FLA (3 HP), 277 V ~
Pilot Duty	6 A, 120 V ~ 3 A, 240 V ~ 2.6 A, 277 V ~

Output Ratings/Group


$CH-CH \le 300 \text{ V (UL)}/400 \text{ V (CE) DDBC516FR} \le 80 \text{ A}$


Control Channel Ratings

		Section 2
DALI Address- able and Broadcast	≤ 10/CH Guaranteed 20 mA Maximum 250 mA Insulation: basic	≤ 50
DSI	≤ 10/CH	≤ 50
1-10 V	Sink 10 mA Source 10 mA	Driver dependent



IEC Overvoltage Category III





IMPORTANT SAFEGUARDS

When using electrical equipment, basic safety precautions should always be followed including the following:

READ AND FOLLOW ALL SAFETY INSTRUCTIONS

- a) Do not use outdoors
- b) Do not use this equipment for other than the intended use

SAVE THESE INSTRUCTIONS

Federal Communications Commission (FCC) Compliance Notice

Radio Frequency Notice – This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help. Any modifications not approved by the manufacturer of this device could void the user's authority to operate this device.


This Class B digital apparatus complies with Canadian ICES-003: CAN ICES-3(B)/NMB-3(B).

Installation of a home and building automation and control system shall comply with HD 60364-4-41. The temperature limits and current-carrying capacities for the communication wires specified in HD 384.5.523 shall not be exceeded.

© 2021 Signify Holding. All rights reserved. Specifications are subject to change without notice. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.

http://www.lighting.philips.com/dynalite

Documents / Resources



References

- Philips Dynalite Lighting Controls, Lighting Management
- S Dynalite | Philips lighting

oller, Controller

Manuals+.