

PHILIPS MasterConnect App User Guide


Home » Philips » PHILIPS MasterConnect App User Guide The Connect App User

Contents

- 1 PHILIPS MasterConnect App
- **2 INTRODUCTION**
- 3 Get started with the app
- 4 Create a project
- **5 Commissioning**
- 6 Adding switches
- **7 Configuration**
- 8 Energy reporting
- 9 Documents / Resources
 - 9.1 References
- **10 Related Posts**



PHILIPS MasterConnect App



INTRODUCTION

• Philips MasterConnect app

Download the Philips MasterConnect app on your phone and register

• Commissioning of lights and switches

Use the app to create projects and group luminaires and switches.

• Configuration of groups, zones, or lights

Perform on-site configuration for flexible change of the lighting behavior


• Philips MC Control app

Download the Philips MC Control app for manual control of lights using a phone

· Report of energy consumption


Check the energy report for single groups in a project

Get started with the app



The Philips MasterConnect app is the tool to setup, configure, and manage a MasterConnect system on site. Simply download on the Apple App Store or Google Play and register using your e-mail address to start with MasterConnect.

Create a project




Every MasterConnect installation starts with creating a project that contains all information on groups and lights.

- 1. Select "Add a new project" from the left side menu to create a new project.
- 2. Enter a project name and optionally the project location. Confirm by tapping "Create a project".
- 3. Select the project and start adding groups and lights to the project.

Commissioning


To connect and commission MasterConnect lights, simply create a group and add the lights to the right group using Bluetooth.



- 1. Tap "+" and enter a name to create a group
- 2. Tap "+" and "lights "to add MC devices
- 3. Wait for the app to discover MC devices
- 4. Add lights using the device list or with a torchlight (for integrated sensors only) and click "Finish commissioning"

Adding switches


For manual control of the lights, just add a wireless switch to a group or zone.



- 1. Tap "+" and "Switches" to start the process
- 2. Choose the switch brand and model
- 3. Follow the instructions to set up the switch
- 4. For 4 button switches: assign two scenes


Configuration

The default light behavior can be customized to the project requirements by changing the configuration of a group, a zone, or a single light.



- 1. After adding the lights, tap
- 2. Tap "Edit configuration"
- 3. Check or change the parameters
- 4. Tap "Save and apply" to finalize the configuration

Philips MC Control app




The Philips MC Control app can be used to dim the lights or change the color temperature of a group or zone.

Simply download the Philips MC Control app, scan the QR code generated in the installer app, and start controlling – no account needed.

Energy reporting





- 1. Tap "Group info"
- 2. Tap "Create new report"
- 3. View history and download the report to view older readings

For system information visit <u>www.philips.com/MasterConnectSystem</u> and for technical information visit <u>www.lighting.philips.co.uk/oem-emea/support/technical-downloads</u>.

2022 Signify Holding. All rights reserved. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.

Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.

Documents / Resources



References

• 5 Technical Downloads | Philips lighting

MasterConnect system | Philips lighting

Manuals+,