



PHXIN T12PRO Motorcycle Bluetooth Intercom User Manual

[Home](#) » [PHXIN](#) » PHXIN T12PRO Motorcycle Bluetooth Intercom User Manual 

Contents


- [1 PHXIN T12PRO Motorcycle Bluetooth Intercom](#)
- [2 QUICK START GUIDE](#)
- [3 INSTALLATION INSTRUCTIONS](#)
 - [3.1 Product Failure Description](#)
- [4 FCC](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

PHXIN

PHXIN T12PRO Motorcycle Bluetooth Intercom




QUICK START GUIDE




- A** Volume-
- B** Volume+
- C** Power button
- D** USB Earphone port(charing)
- E** Mesh Intercom button

INSTALLATION INSTRUCTIONS

First fix the screws on the base, insert the installed base into the left side of the helmet, use the socket head cap screws Tighten the screws with the knife, and install the main unit on the base.



If there are any problems with mounting the bracket, you may use the 3M tape bracket .peel off the protective backing sheet of the 3M tape and adhere the bracket onto the helmet.Pressfor15 seconds and glue dry for 24 hours.





Tear off the rough surface of the left and right speaker Velcro on the headset, and paste them on the left and right ears of the helmet, then After attaching the speaker to the Velcro surface in the helmet, the speaker with short headphone cable is installed in the left ear.











The long horn is mounted on the right ear.
















Paste the microphone Velcro on the rough surface of the helmet, and then paste the microphone on the on the Velcro.











TYPE	OPERATION	BUTTON COMMANDS
Basic Operation	Power On	+ press for one second
	Power Off	+ press for one second
	Volume Up	press for one second
	Volume Down	press for one second
	Check the battery	press for 8 second

Mobile Photo	Mobile Phone pairing	press for 5 second
	Voice Command (Siri/S-Voice)	quick press twice
	Answer the call	short press once
	End phone call	short press once
	Reject phone call	quick press twice
	Answer third party call	quick press twice
	Reject third party call	quick press twice

TYPE	OPERATION	BUTTON COMMANDS
Pairing With Phone	Mobile Phone Pairing 	 press for 5 seconds
	<p>When the "T12PRO" is power off ,hold down the "center key" for 5 seconds.after "T12PRO"the paring state,the red and blue lights flashing alternately . turn on the bluetooth of the mobile phone ,search for new devices,and select the connection when "T12PRO" is found.</p>	

MESH Intercom	Mesh interphone enabled 	 short press once
	Mesh interphone closed 	 short press once
	Volume Up 	 short press once
	Volume Down 	 short press once
	Reset the MESH Intercom 	 press for 8 seconds
<p>While Mesh intercom mode on ,"T12PRO"will automatically connect to nearby "T12PRO" users and allow them to support up to 32 rider online at the same time through open intercom free conversation. When the headset Mesh is reset,it clears all network information and automatically returns to the default channel 4.</p>		

TYPE	OPERATION	BUTTON COMMANDS
Setting Frequency Range	Enter channel setting 	 press for 2 second
	surfing the channels 	 quick press twice
	Save channel and exit 	 press for 2 second
<p>If another team is using channel 4(the default channel)and the network intercom is being interfered with,it can be changed to another channels 1 to 10</p>		
Bluetooth Intercom	Intercom No1 and No 2 enter into pairing mode  + 	 press for 2 second
	Short press one of the intercom is "power"key to search 	 short press once
	Bluetooth Intercom 	 press for 2 second
	hang up the Bluetooth intercom 	 short press once

FM Radio	FM Rideo on  + 	 press for 2 second
	FM Rideo off  + 	 press for 2 second
	Scan up 	 quick press twice
	Scan down 	 quick press twice

TYPE	OPERATION	BUTTON COMMANDS
Universal Bluetooth Intercom	Intercom No1 and No 2 enter into pairing mode	+
	Short press one of the intercom is "power"key to search	
	Bluetooth Intercom	+
	hang up the Bluetooth intercom	+
Music	Music play	
	Music pause	
	Last song	
	Next song	
	share the music that is playing	
Restore factory setting	power off, clear set	+
Technical specifications	Bluetooth support:HSP,HFP,A2DP,AVRCP,AGHSP Battery:lithium battery,800mA,3.7v Dimensions:87mm*38mm*22mm Certification:CE/FCC/TELEC/ROHS Charging time:3hours Working time:12-18hours	

WARRANTY CARD

Purchase Date : _____

Dealer/retailer: _____

Iten No: _____

customer Name : _____

customer Tel: _____

customer E-mail : _____



Product Failure Description

(Please be sure to fill in your related information so that we can better serve you Intime)

FCC

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.



Documents / Resources

