

PHXIN T60R Motorcycle Bluetooth Intercom User Manual

<u>Home</u> » **<u>PHXIN</u>** » **PHXIN** T60R Motorcycle Bluetooth Intercom User Manual





Contents [hide

- 1 QUICK START GUIDE
- 2 INSTALLATION INSTRUCTIONS
- **3 FCC Statement**
- 4 Documents / Resources
- **5 Related Posts**

QUICK START GUIDE


- A. Volume-
- B. + Volume+
- C. Deposition
- **D.** USB Earphone port(charing)
- E. Mesh Intercom button

INSTALLATION INSTRUCTIONS

First fix the screws on the base, insert the installed base into the left side of the helmet, use the socket head cap screws Tighten the screws with the knife, and install the main unit on the base.



If there are any problems with mounting the bracket, you may use nthe 3M tape bracket.peel off the protective backing sheet of the 3M tape and adhere the bracket onto the helmet. Press for 15 seconds and glue dry for 24 hours.



Tear off the rough surface of the left and right speaker Velcro on the headset, and paste them on the left and right ears of the helmet, then After attaching the speaker to the Velcro surface in the helmet, the speaker with short headphone cable is installed in the left ear.

The long horn is mounted on the right ear.

Paste the microphone Velcro on the rough surface of the helmet, and then paste the microphone on the on the Velcro.

TYPE	OPERATION	BUTTON	COMMANDS
Basic Operation	Power On	७+□	press for one second
	Power Off	© ₊ □	press for one second
	Volume Up	_+ /	press for one second
	Volume Down	-	press for one second
	Check the battery	[-]	press for 8 second
Mobile Photo	Moblie Phone pairing	(0)	quick press twice
	Voice Command (Siri/S-V oice)	0	short press once
	Answer the call	0	short press once

		1	
End phone call	0	quick press twice	
Reject phone call	0	quick press twice	
Answer third party call	(0)	quick press twice	
Reject third party call	<u>_</u>	quick press twice	
Mobile Phone Pairing	0	press for 5 seconds	
When the "T60R "is power off ,hold down the "center key" for 5 seconds.after "T60 R"the paring state,the red and blue lights flashing alternately . turn on the bluetooth of the mobile phone ,search for new devices,and select the connection when "T60 R"is found.			
Mesh interphone enabled		short press once	
Mesh interphone closed		short press once	
Volume Up	+	short press once	
Volume Down	-	short press once	
Reset the MESH Intercom		press for 8 seconds	
While Mesh intercom mode on ,"T60R"will autom atically connect to nearby "T60R" users and allow them to support up to 32 rider onlino at the same time through ope n intercom free conversation. When the headset Mesh is reset, it clears all network in g informationand automatically returns to the default channel 4.			
Enter channel setting		press for 2 second	
surfing the channels		quick press twice	
Save channel and exit		press for 2 second	
If another team is using channel 4(the default channel)and the network intercom is being interfered with, it can be changed to another channels 1 to 10			
Intercom No1 and No 2 e nter into pairing mode	(U)+[-]	press for 2 second	
Short press one of the int ercom is "power"key to se arch	(b)	short press once	
Bluetooth Intercom	0	press for 2 second	
hang up the Bluetooth inte rcom	(O)	short press once	
FM Radio on	- + +	press for 2 second	
	Reject phone call Answer third party call Reject third party call Moblle Phone Pairing When the "T60R "is power R"the paring state, the red a of the mobile phone , search R"is found. Mesh interphone enabled Mesh interphone closed Volume Up Volume Down Reset the MESH Intercom While Mesh intercom mode users and allow them to sun intercom free conversation in ginformationand automatic enter channel setting surfing the channels Save channel and exit If another team is using chabeing interfered with, it can lintercom No1 and No 2 enter into pairing mode Short press one of the intercom is "power"key to search Bluetooth Intercom hang up the Bluetooth inte	Reject phone call Answer third party call Reject third party call When the "T60R "is power off ,hold down the "center ke R"the paring state,the red and blue lights flashing altern of the mobile phone ,search for new devices, and select R"is found. Mesh interphone enabled Mesh interphone closed Volume Up Volume Down Reset the MESH Intercom While Mesh intercom mode on ,"T60R"will autom aticall users and allow them to support up to 32 rider onlino at n intercom free conversation. When the headset Mesh ing informationand automatically returns to the default complete the channels setting surfing the channels Save channel and exit If another team is using channel 4(the default channel) are being interfered with, it can be changed to another channel complete the intercom is "power"key to se arch Bluetooth Intercom hang up the Bluetooth inte	

	Scan up	<u>_</u>	quick press twice
	Scan down	<u>_</u>	quick press twice
Universal Bluetooth Intercom	Intercom No1 and No 2 e nter into pairing mode	[-]	press for 2 second
	Short press one of the int ercom is "power"key to se arch	(b) ₊ [-]	short press once
	Bluetooth Intercom	- + +	short press once
	hang up the Bluetooth inte		short press once
	Music play	0	short press once
	Music pause	0	short press once
	Last song	(+)	quick press twice
	Next song	[-]	quick press twice
	share the music that is pla ying	(U)	quick press twice
Restore factory setting	power off, clear set	७+□	press for 5 seconds

Purchase Date:	
Dealer/retailer:	
Iten No:	QC \
customer Name:	QUALIFIED CERTICI Passed
customer Tel:	06
customer E-mail:	
Product Failure Description	
(Please be sure to fill in your related informationserve you intime)	n so that we can better

FCC Statement

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

QR Code:





Documents / Resources



PHXIN T60R Motorcycle Bluetooth Intercom [pdf] User Manual T60R, 2AQN2-T60R, 2AQN2T60R, T60R Motorcycle Bluetooth Intercom, Motorcycle Bluetooth Intercom, Bluetooth Intercom, Intercom

Manuals+, home

privacy