

PIEGA MLS Master Line Source MKII Owner's Manual

Home » PIEGA MLS Master Line Source MKII Owner's Manual



Contents

- 1 PIEGA MLS Master Line Source MKII Owner's
- **Manual**
- **2 MASTER SERIE**
- **3 COAX GEN2 SERIE**
- **4 COAX EXCELLENCE SERIE**
- **5 PREMIUM WIRELESS GEN2 SERIE**
- **6 PIEGA CONNECT**
- 7 PREMIUM GEN2 SERIES (PASSIVE)
- **8 ACE WIRELESS SERIE**
- 9 ACE SERIES (PASSIV)
- **10 THIS SERIES**
- 11 CENTER SPEAKER
- **12 INSTALLATIONS SPEAKERS**
- 13 SUBWOOFER
- **14 ACCESORIES**
- 15 Documents / Resources
 - 15.1 References

PIEGA MLS Master Line Source MKII Owner's Manual



When purchasing a PIEGA HiFi product, please look for your warranty certificate or register the product at www.piega.ch.

You can only benefit from the warranty services with this PIEGA warranty card filled out by the dealer or with your online warranty registration.

The stated sales prices include the currently applicable VAT rate of 8.1% and the advance disposal fee. With the publication of this price list, all previous price lists lose their validity.

MASTER SERIE

Sculptural acoustic masterpieces: Our handcrafted speakers with line sound sources and dipole systems offer three-dimensional, immersive sound reproduction. Experience live sound in your living room and transform it into a concert hall.





Master Line Source MKII

Dimensions (H × W × D)

Mid-high frequency panel*: 178 × 44 × 5 cm (Fuss: 29 cm) 178 × Bass Tower: 38 × 60 cm

Weight

 Complete system:
 600 kg

 Mid-high frequency panel:
 100 kg

 Bass Tower:
 200 kg

- 3-way system dipole speaker
- Sensitivity: 94 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 18 Hz 50 kHz -

6 × 220 mm UHQD® Graphene woofers - 8 × Line Source Driver 211

- Connection: Bi-Wiring / PIEGA Multi-Connectors

Article Versions RRP CHF

692448 Brushed aluminum housing, silver anodized | Cover silver 692455 Brushed aluminum housing, black anodized | Cover black

Further versions on request



Master Line Source 2 Gen2

Dimensions (H × W × D): 168 × 29 × 45,5 cm 98 Weight: kg

- 3-way system dipole with acoustic lens
- Recommended amplifier power: 20 500 watts
- Sensitivity: 92 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 20 Hz 50 kHz -
- 2 × 220 mm UHQD® woofers 2 × 220

mm UHQD® passive membranes - 4 × Line

Source Driver 211

- Connection: Bi-Wiring / PIEGA Multi-Connector



Price on request

Price on request



^{*}Specified height with spikes mounted

RRP CHF Article Versions

693278 Baffle Aluminium | Housing silver matt lacquered | Cover silver 693261 Baffle black anodized | Housing black matt lacquered | Cover black 693285 Baffle white | Housing white matt lacquered | Cover white or black 693292 Baffle black anodized | Housing Zebrano malt veneered | Cover Black Piece 37,500.00 Piece 37,500.00 Piece 37,500.00 Piece 37,500.00

Further versions on request

Accessories from page 33

693360 Base plate LTD for MLS 2 Gen2 | Brushed aluminum, silver anodized 693377 Base plate LTD for MLS 2 Gen2 | Brushed aluminum, black anodized Piece 1,250.00 Piece 1,250.00



Master Line Source 3

Dimensions (H × W × D): Weight:

165 x 23 x 33 cm 65

kg

- 3-way system dipole with acoustic lens
- Recommended amplifier power: 20 500 watts
- Sensitivity: 92 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 28 Hz 50 kHz -2 x 180 mm UHQD® woofers - 2 x 180 mm UHQD® passive membranes - 4 x Line

Source Driver 111

- Connection: Bi-Wiring / PIEGA Multi-Connectors







RRP CHF Article Versions

691809 Baffle Aluminium | Housing silver matt lacquered | Cover silver 693384 Baffle black anodized | Housing black matt lacquered | Cover black 693445 Baffle white | Housing white matt lacquered | Cover white or black 691823 Baffle black anodized | Housing Zebrano matt veneered | Cover Black

Further versions on request

Piece 17,500.00 Piece 17,500.00 Piece 17,500.00 Piece 17,500.00

COAX GEN2 SERIE





Coax 811

Dimensions (H × W × D): Weight: 124 × 29 × 42 cm 63 kg

- 3-way system floorstanding speakers
- Recommended amplifier power: 20 250 watts
- Sensitivity: 92 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 22 Hz 50 kHz
- 2 × 220 mm UHQD® woofers
- 2 × 220 mm UHQD®-Passivmembrane
- 1 × C212+ coaxial ribbon
- Tension Improve Module 2 (TIM2)
- Connection: Bi-Wiring / PIEGA Multi-Connectors







Article Versions RRP CHF

692462 Brushed aluminum housing, silver anodized | Cover fabric gray 692479 Brushed aluminum housing, black anodized | Cover fabric black 692486 Aluminium housing, painted white | Cover fabric white

Accessories from page 33

692677 Base plate LTD for Coax 811 | Brushed aluminum, silver anodized 692684 Base plate LTD for Coax 811 | Brushed aluminum, black anodized 693568 Base plate LTD Coax 811 with special anodizing 195973 Spikes made of stainless steel, silver | M8

piece 14,750.00 piece 15,050.00 piece 15,050.00





Coax 611

Dimensions (H × W × D): Weight: 117 × 21 × 31 cm

45 kg



- Recommended amplifier power: 20 - 250 watts

- Sensitivity: 90 dB/W/m

- Impedance: 4 Ohms

- Frequency response: 32 Hz - 50 kHz

- 2 × 160 mm UHQD® woofers

- 3 × 160 mm UHQD®-Passivmembrane

- 1 × C112+ coaxial ribbon

- Tension Improve Module 2 (TIM2)

- Connection: Bi-Wiring / PIEGA Multi-Connectors







piece 7,450.00

piece 7,750.00

piece 7,750.00

Piece

Piece

Piece

Article Versions RRP CHF

692523 Brushed aluminum housing, silver anodized | Cover fabric gray 692530 Brushed aluminum housing, black anodized | Cover fabric black 692547 Aluminium housing, white lacquered | Cover fabric white

Accessories from page 33

692692 Base plate LTD for Coax 611 Brushed aluminum, silver anodized
692707 Base plate LTD for Coax 611 Brushed aluminum, black anodized
693575 Base plate LTD Coax 611 with special anodizing
195973 Spikes made of stainless steel, silver M8



Dimensions (H × W × D): Weight: 45 × 21 × 31 cm 25 kg



- Recommended amplifier power: 20 - 200 watts

- Sensitivity: 90 dB/W/m

- Impedance: 4 Ohms

- Frequency response: 35 Hz - 50 kHz -

1 × 160 mm UHQD® woofer - 1 ×

C112+ coaxial ribbon

- Tension Improve Module 2 (TIM2)
- Connection: Bi-Wiring / PIEGA Multi-Connectors



495.00

495.00

595.00 240.00





RRP CHF

Piece 3,950.00 Piece 4,250.00 Piece 4,250.00

Article Versions

692585 Brushed aluminum housing, silver anodized | Cover fabric gray 692592 Brushed aluminum housing, black anodized | Cover fabric black 692608 Aluminium housing, painted white | Cover fabric white



COAX EXCELLENCE SERIE



Individuality for your home: The Excellence series combines unique sound quality with a matt anodized surface, which gives it a particularly elegant appearance. The speakers fit seamlessly into any living space and set special accents with their stylish design.



Eight new colors

The Coax Excellence series combines outstanding sound quality with an exquisite design. The aluminum housing of the speakers is refined using a complex anodizing process, which gives the surface a matt, elegant appearance white retaining the natural aluminum structure. This process gives the speakers a unique look in which the color changes depending on the incidence of light and plays with shadows and shapes.

With the special edition Excellence you can customize the color of your speakers. In addition to the classic colors silver, black and white, you can choose from eight new colors: Blue Lagoon, Misty Green, Shiny Ash, Desert Gold, Bordeaux Red, Havana Tobacco, Alpine Stone and Autumn Bronze. This means the speakers fit perfectly into any living environment.









Coax 811

Article Versions		RRP CHF
692462 Brushed aluminum housing, silver anodized Cover fabric black	Piece	14'750.00
693407 Sonderfarbe: Blue Lagoon, Misty Green, Shiny Ash, Desert Gold,	Piece	900.00
Bordeaux Red, Havanna Tobacco, Alpine Stone oder Autumn Bronze		


Coax 611

Article Versions		RRP CHF
692523 Brushed aluminum housing, silver anodized Cover fabric black	Piece	7'450.00
693414 Sonderfarbe: Blue Lagoon, Misty Green, Shiny Ash, Desert Gold,	Piece	800.00
Bordeaux Red, Havanna Tobacco, Alpine Stone oder Autumn Bronze		

Coax 411

Article Versions		RRP CHF
692585 Brushed aluminum housing, silver anodized Cover fabric black	Piece	3'950.00
693407 Sonderfarbe: Blue Lagoon, Misty Green, Shiny Ash, Desert Gold,	Piece	700.00
Bordeaux Red, Havanna Tobacco, Alpine Stone oder Autumn Bronze		

PREMIUM WIRELESS GEN2 SERIE





Premium 701 Wireless Gen2

106 × 18 × 23 cm 29 Dimensions (H × W × D): Weight:

- 3-way system floorstanding loudspeaker -Closed housing - Amplifier power:

200 W - Frequency response: 30

Hz - 35 kHz - 4 × 140 mm MDS® woofers

- 1 × 140 mm MDS® midrange speaker

- 1 × LDR ribbon tweeter 3056 - Analog

input RCA - Supply voltage: AC100-120/

220-240V - 50/60Hz - max.

standby power requirement: 500 mW / 1W - DSP sound tuning, dynamic loudness function



kg

RRP CHF Article Versions

693230 Brushed aluminum housing, silver anodized | Cover fabric gray 693247 Brushed aluminum housing, black anodized | Cover fabric black 693254 Aluminium housing, painted white (RAL 9016) | Cover fabric white Piece 3,950.00 Piece 4,150.00 Piece 4,150.00



Premium 501 Wireless Gen2



Dimensions (H × W × D): 101 × 16 × 21 cm 22 Weight: kg

- 3-way system floorstanding loudspeaker -Closed housing - Amplifier power:

180 W - Frequency response: 30

Hz - 35 kHz - 4 × 120 mm MDS® woofers

- 1 × 120 mm MDS® midrange speaker

- 1 × LDR ribbon tweeter 2642 MKII -

Analogue input RCA - Supply voltage: AC100-120/

220-240V - 50/60Hz - max.

standby power requirement: 500 mW / 1W - DSP sound tuning, dynamic

loudness function

RRP CHF Article Versions

693209 Brushed aluminum housing, silver anodized | Cover fabric gray 693216 Brushed aluminum housing, black anodized | Cover fabric black 693223 Aluminium housing, painted white (RAL 9016) | Cover fabric white Piece 2'975.00 Piece 3'175.00 Piece 3'175.00

Premium 301 Wireless Gen2





Dimensions (H × W × D): Weight: 34 × 18 × 23 cm 9 kg

- 2-way system compact loudspeaker
- Closed housing
- Amplifier power: 100 W
- Frequency response: 35 Hz 35 kHz
- 1 × 140mm MDS® woofer 1 × LDR

ribbon tweeter 2642 MKII

- Analog input RCA
- Supply voltage: AC100-120/ 220-240V 50/60Hz
- max. standby power consumption: 500 mW / 1W
- DSP sound tuning, dynamic loudness function

Article Versions		RRP CHF
693179 Brushed aluminum housing, silver anodized Cover fabric gray	Piece	1'475.00
693186 Brushed aluminum housing, black anodized Cover fabric black	Piece	1'675.00
693193 Aluminium housing, painted white (RAL 9016) Cover fabric white	Piece	1'675.00
Accessories from page 33		
692318 Ball head wall mount Easy Aluminium	Piece	100.00





PIEGA connect plus

Dimensions (H × W × D): Weight: 4 × 17 × 10 cm 0,350 kg











- Streaming clients: Google Chromecast, Spotify Connect (HiFi), Apple Airplay, Roon Ready
- Wired inputs: HDMI ARC, Optical, Coax, analog RCA, USB
- PIEGA Control App with PIEGA RoomControl function (room measurement)
- radio remote control
- Bluetooth 4.2

Article Versions

692417 PIEGA connect plus

RRP CHF

Piece 590.00



Article Versions

PIEGA connect

Dimensions ($H \times W \times D$): Weight: 3,3 × 16,2 × 16,7 cm 0,650 kg







- Analog output RCA: 24 bit / 96 kHz
- Digital inputs: Optical / Coax (S/PDIF)
- Bluetooth: aptX, A2DP, AVRCP
- Wireless Frequenzen (KleerNet): A: 5.2 GHz, B: 5.8 GHz, C: 2.4 GHz
- Power supply: 5VDC / 1A
- volume control



RRP CHF

691748 PIEGA connect Piece 290.00

PREMIUM GEN2 SERIES (PASSIVE)







Premium 701 Gen2 NEW

111,5 × 17 × 22,8 cm 28 Dimensions (H × W × D): Weight

- 3-way system column speakers
- Recommended amplifier power: 20 200 watts
- Sensitivity: 90 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 34 Hz 50 kHz 2 × 140 mm FDS-W woofers 1 × 140

mm FDS-M woofer-midrange driver - 1 × ribbon

tweeter RM 01-24

- Connection: PIEGA Multi-Connectors II

Article Versions

693469 Aluminum housing sandblasted, silver anodized | Cover fabric gray 693476 Aluminum housing sandblasted, black anodized | Cover fabric black 693483 Aluminium housing, painted white (RAL 9016) | Cover fabric white

RRP CHF

Piece 2'750.00 Piece 2'950.00 Piece 2'950.00



Premium 301 Gen2 NEW



Dimensions (H × W × D): $31 \times 17 \times 22.8 \text{ cm}$ Weight: 9 kg


- 2-way system bookshelf speakers
- Recommended amplifier power: 20 200 watts
- Sensitivity: 88 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 39 Hz 50 kHz
- 1 × 140 mm FDS-M woofer 1 × ribbon

tweeter RM 01-24

- Connection: PIEGA Multi-Connectors II

Article Versions		RRP CHF
693490 Aluminum housing sandblasted, silver anodized Cover fabric gray	Piece	1'250.00
693506 Aluminum housing sandblasted, black anodized Cover fabric black	Piece	1'450.00
693513 Aluminium housing, painted white (RAL 9016) Cover fabric white	Piece	1'450.00
Accessories from page 33		
693520 Stand Premium Aluminium, sandblasted, silver anodized	Piece	295.00
693537 Stand Premium Aluminium, sandblasted, black anodized	Piece	295.00
693544 Stand Premium Aluminium, painted white	Piece	295.00





ACE WIRELESS SERIE









Ace 50 Wireless

Dimensions (H \times W \times D):

105 × 14 × 16 cm

Foot (Ø):

25 cm

Weight

Aluminum and black version: 14 kg

White version: 16 kg

- 3-way system floorstanding speakers
- Amplifier power: 200 watts
- Frequency response: 30 Hz 25 kHz
- 4 × 120 mm MDS® woofers
- 1 × 120 mm MDS® midrange driver
- 1 × AMT ribbon tweeter
- Supply voltage: 100-240V 50/60Hz















Tx speaker

Inputs/Outputs:

HDMI eARC, Digital coax / optical

(SPDIF) Analog Stereo

Streaming:

Apple AirPlay 2, Google Chromecast, Spotify Connect, Roon Ready, Bluetooth 4.2,

DLNA

Rx speaker

Inputs/Outputs: Analog Mono, Analog Balanced

Stereo (IN/OUT)

A pair of Ace Wireless speakers consists of a Tx and an Rx speaker. The Tx (transmitter) distributes the music in high definition quality and wirelessly to one or more Rx (receivers).

A wireless multi-channel system, on the other hand, only consists of Rx versions. In this application, the transmission function is taken over by a WiSA-enabled television or a WiSA hub, for example.

RRP CHF Article Versions

Ace 50 Tx

692165 Aluminum housing, sandblasted, silver anodized Cover fabric gray	piece 2,640.00
692172 Aluminum housing, sandblasted, black anodized Cover fabric black	piece 2,690.00
692189 Aluminium housing, painted white Cover fabric white	piece 2'690.00

Ace 50 Rx

692257 Aluminum housing, sandblasted, silver anodized Cover fabric gray	plece 2,350.00
692264 Aluminum housing, sandblasted, black anodized Cover fabric black	piece 2,400.00
692271 Aluminium housing, painted white I Cover fabric white	piece 2,400.00

For home cinema applications with multi-channel systems, we recommend using an almando Multiplay Surround Decoder with WISA. For more information and to order, visit www.piega.ch/de/almando.

















Ace 30 Wireless

22 × 14 × 16 cm Dimensions (H × W × D): Weight:

- 2-way system compact loudspeaker
- Amplifier power: 100 watts
- Frequency response: 35 Hz 25 kHz
- 1 × 120 mm MDS® woofer
- 1 × AMT ribbon tweeter
- Supply voltage: 100-240V 50/60Hz

Tx speaker

Inputs/Outputs: HDMI eARC, Digital coax / optical

(SPDIF), Analog Stereo

Apple AirPlay 2, Google Chromcast, Streaming:

Spotify Connect, Roon Ready, Bluetooth 4.2,

3,4 kg

DLNA

Rx speaker

Inputs/Outputs: Analog Mono, Analog Balanced

Stereo (IN/OUT)















A pair of Ace Wireless speakers consists of a Tx and an Rx speaker. The Tx (transmitter) distributes the music in high definition quality and wirelessly to one or more Rx (receivers).

A wireless multi-channel system, on the other hand, only consists of Rx versions. In this application, the transmission function is taken over by a WiSA-enabled television or a WiSA hub, for example.

Article Versions		RRP CHF
Ace 30 Tx		
692103 Aluminum housing, sandblasted, silver anodized Cover fabric gray	Piece	1'090.00
692110 Aluminum housing, sandblasted, black anodized Cover fabric black	Piece	1'140.00
692127 Aluminium housing, painted white Cover fabric white	Piece	1'140.00
Ace 30 Rx		
692196 Aluminum housing, sandblasted, silver anodized Cover fabric gray	Piece	900.00
692202 Aluminum housing, sandblasted, black anodized Cover fabric black	Piece	950.00
692219 Aluminium housing, white lacquered Cover fabric white	Piece	950.00
Accessories from page 33		
693308 Stand Ace Steel, powder-coated Silver	Piece	180.00
693315 Stand Ace Steel, powder-coated Black	Piece	180.00
693322 Stand Ace Steel, powder-coated White	Piece	180.00
692318 Ball head wall mount Easy Aluminium	Piece	100.00

For home cinema applications with multi-channel systems, we recommend using an almando Multiplay Surround Decoder with WiSA. For more information and to order, visit www.piega.ch/de/almando.

ACE SERIES (PASSIV)





THIS SERIES



Ace 50

104 × 14 × 16 cm Dimensions (H × W × D): Weight:

- 3-way system column speakers
- Recommended amplifier power: 20 150 watts
- Sensitivity: 90 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 45 Hz 40 kHz
- 2 × 120 mm MDS® woofers
- 1 × 120 mm MDS® midrange driver
- 1 × AMT ribbon tweeter
- Connection: Multi-Connectors





1'250.00

1'300.00

1'300.00

Piece

Piece

12 kg

RRP CHF **Article Versions** 692073 Brushed aluminum housing, silver anodized | Cover fabric gray Piece

692080 Brushed aluminum housing, black anodized | Cover fabric black 692097 Aluminium housing, painted white (RAL 9016) | Cover fabric white





Dimensions (H × W × D): Weight:

22 × 14 × 16 cm

3 kg



- 2-way system satellite speakers

- Recommended amplifier power: 20 - 150 watts

- Sensitivity: 87 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 50 Hz 40 kHz 1 × 120 mm MDS® woofer
- 1 × AMT ribbon tweeter
- Connection: Multi-Connectors

Article Versions		RRP CHF
692011 Brushed aluminum housing, silver anodized [Cover fabric gray	Piece	590.00
692028 Brushed aluminum housing, black anodized Cover fabric black	Piece	640.00
692035 Aluminium housing, painted white (RAL 9016) Cover fabric white	Piece	640.00
Accessories from page 33		
693308 Stand Ace Steel, powder-coated Silver	Piece	180.00
693315 Stand Ace Steel, powder-coated Black	Piece	180.00
693322 Stand Ace Steel, powder-coated White	Piece	180.00
692318 Ball head wall mount Easy Aluminium	Piece	100.00

CENTER SPEAKER



Coax Center 211



Dimensions (H × W × D): Weight: 21 × 62 × 31 cm 21 kg

- 3-way system center speaker - Recommended amplifier power: 20 - 250 watts - Sensitivity: 90 dB/W/m - Impedance: 4 chms - Frequency response: 35 Hz - 50 kHz - 2 × 160 mm UHQD® woofers - 1 × C112+ coaxial ribbon - Connection: PIEGA Multi-Connectors - incl. wall bracket

Article Versions

692646 Brushed aluminum housing, silver anodized | Cover fabric gray 692653 Brushed aluminum housing, black anodized | Cover fabric black 692660 Aluminium housing, painted white (RAL 9016) | Cover fabric white RRP CHF

Piece 4,900.00 Piece 5,200.00 Piece 5,200.00

693438 Sonderfarbe: Blue Lagoon, Misty Green, Shiny Ash, Desert Gold, Bordeaux Red, Havanna Tobacco, Autumn Bronze or Alpine Stone for more information see page 10 surcharge

700.00

Premium Center Small

Dimensions (H × W × D): Weight







- 2-way system center speaker

- Recommended amplifier power: 20 - 150 watts

- Sensitivity: 90 dB/W/m

- Impedance: 4 Ohms

- Frequency response: 60 Hz - 50 kHz -

2 × 100 mm MDS® woofers - 1 × LDR

ribbon tweeter 2642 MKII

- Connection: Multi-Connectors

Article Versions		RRP CHF
196871 Brushed aluminum housing, silver anodized Cover fabric gray	Plece	1'450.00
196888 Brushed aluminum housing, black anodized Cover fabric black	Plece	1'650.00
196895 Aluminium housing, painted white (RAL 9016) Cover fabric white	Piece	1'650.00
Accessories from page 33		
Universal Wall Mount Center	Piece	70.00
Universal Center Stand	Piece	50.00



Ace Center Wireless Rx speaker

14 × 34 × 16 cm

5 kg



- 2-way system center speaker

- Amplifier power: 100 watts

Dimensions (H × W × D):

Weight

- Frequency response: 35 Hz - 25 kHz - 2 × 120 mm MDS® woofers

- 1 × AMT ribbon tweeter

- Supply voltage: 100-240V 50/60Hz

- Input/Output: Analog Mono, Analog Balanced (IN/OUT)

Article Versions		RRP CHF
692226 Aluminum housing, sandblasted, silver anodized Cover fabric gray	Piece	1'090.00
692233 Aluminum housing, sandblasted, black anodized Cover fabric black	Piece	1140.00
692240 Aluminium housing, painted white Cover fabric white	Piece	1*140.00
Accessories from page 33		
Universal Wall Mount Center	Piece	70.00
Universal Center Stand	Piece	50.00

Ace Center



14 × 34 × 16 cm Dimensions (H × W × D): Weight: 4 kg

- 2-way system center speaker
- Recommended amplifier power: 20 150 watts
- Sensitivity: 87 dB/W/m
- Impedance: 4 Ohms
- Frequency response: 50 Hz 40 kHz 2 × 120 mm MDS® woofers
- 1 × AMT ribbon tweeter
- Connection: Multi-Connectors

Article Versions		RRP CHF
692042 Brushed aluminum housing, silver anodized Cover fabric gray	Piece	690.00
692059 Brushed aluminum housing, black anodized Cover fabric black	Piece	740.00
692066 Aluminium housing, painted white (RAL 9016) Cover fabric white	Piece	740.00
Accessories from page 33		
Universal Wall Mount Center	Piece	70.00
Universal Center Stand	Piece	50.00

INSTALLATIONS SPEAKERS



AP 1.2



Dimensions (H × W × D): Weight: 28 × 18 × 14 cm 5 kg

- 2-way system -

Recommended amplifier power: 20 - 150 watts - Sensitivity:

89 dB/W/m - Impedance: 4 ohms -

Frequency response: 50

Hz - 50 kHz - 1 × 130 mm MDS® woofer

- 1 × LDR ribbon tweeter 2642 MKII -

Connection: Multi-Connectors - incl. wall bracket

Article Versions		RRP CHF
196611 Brushed aluminum housing, silver anodized Cover fabric silver	Piece	650.00
196628 Brushed aluminum housing, black anodized Cover fabric black*	Piece	700.00
196635 Aluminium housing, painted white (RAL 9016) I Cover fabric white	Piece	700.00

SUBWOOFER

Bass guaranteed: Small speakers need it, large rooms want it, home cinema fans love it – active subwoofers. A PIEGA subwoofer turns music and film into an experience – whether in your home cinema or in the stereo area.



PS 101



Dimensions (H × W × D): Weight: 42 × 36 × 40 cm 25

ka



- Active Bass Reflex Subwoofer
- Integrated 300 Watt (peak) / 150 Watt (rms) amplifier
- Sensitivity; variable
- Frequency response: 28 Hz 3 dB / variable 2
- × 220 mm LDB woofers
- Connections: LFE, Line In, Hi Level

Article Versions RRP CHF

691755 Housing painted silver | Cover silver 691762 Housing painted black | Cover black (currently not available) 691779 Housing painted white | Cover white Piece 2'490.00 Piece 2'690.00 Piece 2'690.00



Sub Medium Wireless




Dimensions (H × W × D): Weight:

27 × 47 × 23 cm 17,5

kg



- Active closed subwoofer
- Integrated 300 watt amplifier
- Frequency response: 18 160 Hz
- 2 × 200 mm MDS8 woofers



 Outputs with configurable high-pass filter, or full range: RCA Stereo, Balanced Stereo (RJ45)

Article Versions RRP CHF

692387 Aluminum housing, sandblasted, silver anodized | Cover fabric gray 692394 Aluminum housing, sandblasted, black anodized | Cover fabric black 692400 Aluminium housing, painted white | Cover fabric white | Base white Piece 1'990.00 Piece 2'190.00 Piece 2'190.00



TMicro Sub

Dimensions (H × W × D): Weight: 36 × 26 × 30 cm 14

- Active bass reflex subwoofer, downfire principle
- Integrated 150 watt amplifier, as well as integrated 2 × 50 watt amplifier for the high-pass output
- Sensitivity: variable
- Frequency response: 30 Hz 3 dB / variable -
- 1 × 180 mm MDS® woofer
- Connections: Line In, Hi Level


Article Versions

195119 Housing silver lacquered 195126 Housing painted black 195133 Housing painted white (RAL 9016) RRP CHF

Piece 990.00 Piece 1'040.00 Piece 1'040.00

31

ACCESORIES



covers







RRP CHF

designs

100.00 Piece Cover fabric gray/silver Piece 100.00 Cover Fabric Black 100.00 Piece Cover fabric white (RAL 9016)

The covers are available for floor-standing speakers, compact speakers and center speakers.



CableONE

The four-core state-of-the-art loudspeaker cable from PIEGA combines copper of the highest purity with a special, crystalline structure and perfect insulation.

The ideal connection for our Master and Coax Gen2 series.

- 4 × 4.0 mm2
- 11 mm outer diameter
- Price per meter

designs	RRP CHF	
CableONE unassembled	Meter	150.00
Finishing on both sides: 24 kt. Gold Banana - 24 kt. Gold Banana	Piece	100.00



CableTHREE

The two-core copper cable CableTHREE fits perfectly with the legendary PIEGA ribbon tweeter (Premium Series, Ace Series).

Either way, the PIEGA cables are definitely an insider tip for optimizing HiFi systems.

- 2 × 2.5 mm2 8 mm outer diameter
- Price per meter

designs	RRP CHF	
CableTHREE unassembled	Meter	25.00
Finishing on both sides: 24 kt. Gold Banana - 24 kt. Gold Banana	Piece	100.00

Bodenplatte LTD

Master Line Source 2 Gen2



Dimensions (H × W × D): Weight (including spikes): 4,7 × 42 × 49 cm 8,9 kg

- Stainless steel spikes included

RRP CHF Article Versions

693360 Base plate LTD for MLS 2 Gen2 | Brushed aluminum, silver anodized 693377 Base plate LTD for MLS 2 Gen2 | Brushed aluminum, black anodized

1'250.00 Piece Piece 1'250.00

Bodenplatte LTD

Coax 611



Dimensions (H × W × D): Weight: (incl. spikes)

2 × 36 × 35 cm 3,1 kg

- Stainless steel spikes included

RRP CHF **Article Versions**

692692 Base plate LTD for Coax 611 | Brushed aluminum, silver anodized 692707 Base plate LTD for Coax 611 | Brushed aluminum, black anodized 693575 Base plate LTD Coax 611 with special anodizing

Piece Piece 495.00 Piece 595.00

240.00

Spikes for Coax Gen2 series



- M8 thread

- Spikes serve to decouple the ground Acoustic detail information becomes audible
- Micro vibrations can be avoided

Article Versions RRP CHF

195973 Spikes made of stainless steel, silver | M8



Stand Ace for Ace 30 Wireless / Ace 30

Dimensions (H): 83 cm 25 cm Base plate (Ø): Weight: 4,2 kg Article Versions RRP CHF

 693308 Stand Ace | Steel, powder-coated | Silver
 Piece
 180.00

 693315 Stand Ace | Steel, powder-coated | Black
 Piece
 180.00

 693322 Stand Ace | Steel, powder-coated | White
 Piece
 180.00



Stand Premium NEW for Premium 301 Gen2

Dimensions (H): 80,5 cm Base plate (Ø): 30 cm

Article Versions	RRP CHF	
693520 Stand Premium Aluminium, sandblasted, silver anodized	Piece	295.00
693537 Stand Premium Aluminium, sandblasted, black anodized	Piece	295.00
693544 Stand Premium Aluminium, painted white	Piece	295.00



Universal Center Stand

Premium Center Small / Ace Center Wireless / Ace Center

Dimensions (H × W × D): 1,5 × 14 × 7 cm Weight: 0,085 kg

 Article Versions
 RRP CHF

 692424 Universal Center Stand | Black
 Piece
 50.00



ball head wall mount Easy Premium 301 Wireless Gen2 / Premium 301 /

Premium 301 Wireless Gen2 / Premium 301 / Premium 301 Gen2 / Ace 30 Wireless / Ace 30

Dimensions (H × Ø): $5 \times 5,1$ cm Weight: 0,148 kg

RRP CHF

Piece 100.00



Universal Wall Mount Center Premium Center Small / Ace Center Wireless /

Ace Center

Dimensions (H × W × D): Weight: 8,5 × 29,2 × 3,5 cm 0,375 kg

Article Versions RRP CHF

692325 Universal wall bracket for Center, adjustable | Silver 692332 Universal wall mount for Center, adjustable | Black 692349 Universal wall bracket for Center, adjustable | White Piece 70.00 Piece 70.00 Piece 70.00



PIEGA SA | Bahnhofstrasse 29 | CH-8810 Horgen | Switzerland +41 44 725 90 42 | mail@piega.ch

PIEGA SA offers first-class service and a 6-year warranty on all loudspeakers and 3 years on the electronics (with registration). Further information is available at www.piega.ch.

© 2024 PIEGA SA – Subject to changes, particularly of a technical nature, and errors.

Our general terms and conditions apply.

Read More About This Manual & Download PDF:

Documents / Resources



PIEGA MLS Master Line Source MKII [pdf] Owner's Manual MLS, MLS 2 Gen2, MLS 3, 811, 611, 411, MLS Master Line Source MKII, MLS, Master Line Source MKII, Line Source MKII, Source MKII, MKII

References

- <u>Iikehifi.de Audio, HiFi-News, Tests, Musik, Lautsprecher, Verstärker</u>
- PIEGA | High-End Lautsprecher Swiss Made mit erstklassigem Klang
- User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.