

PINEGREEN LIGHTING CL-BU-G60 6,000 Lumens Universal Folding Bulb With Extention Instructions

[Home](#) » [PINEGREEN LIGHTING](#) » PINEGREEN LIGHTING CL-BU-G60 6,000 Lumens Universal Folding Bulb With Extention Instructions 

Contents

- [1 PINEGREEN LIGHTING CL-BU-G60 6,000 Lumens Universal Folding Bulb With Extention](#)
- [2 Instruction](#)
- [3 FEATURES](#)
- [4 INSTALLATION INSTRUCTIONS](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)



PINEGREEN LIGHTING CL-BU-G60 6,000 Lumens Universal Folding Bulb With Extention



WARNING:

RISK OF ELECTRICAL SHOCK.

TO AVOID ELECTRICAL SHOCK, MAKE SURE TO TURN OFF THE MAIN POWER SOURCE OR DISCONNECT POWER DURING THE INSTALLATION OR SERVICE OF THIS PRODUCT

Instruction

INSTRUCTIONS: ITEM# CL-BU-G60 | 6,000 LUMENS UNIVERSAL FOLDING BULB WITH EXTENTION



WARNING:

You should always follow basic precautions.

Read, follow, and understand all instructions and warnings before beginning any installation of this product. Failure to do so can result in electric shock, fire, or other injuries, including death. Save this user manual for instructions and warnings for possible future relocation and installation.



CAUTION:

- This product is designed for dry use and is not waterproof. Never submerge this product in water.
- DO NOT use on radiant heated surfaces.
- DO NOT remove the lens protecting the LED.
- DO NOT open the product. It is NOT possible to change the LED lights or source.
- DO NOT use near a gas source.
- This product is not intended for use in possible explosive areas. It should never be in an area of exposure to

vapor elements.

- This product is not a toy and should stay out of children's hands.

FEATURES




- Lumen: 6000
- Watts: 65
- Equivalency: 350W Incandescent
- LED Lifespan: 30,000 Hours
- Operating Voltage: 120V
- CRI: 80
- Color Temp (CCT): 5000K Daylight
- Base: E26 / Standard Edison
- Damp Rated: Yes
- Operating
- Temperature: 14OF to 104OF

BALLAST MUST BE BYPASSED IF PRESENT

INSTALLATION INSTRUCTIONS

1. Before installing, make sure to shut the power OFF at the circuit breaker. It is highly recommended that a surge protector is installed. If Ballast is present, it must be bypassed.
2. Remove the existing bulb by unscrewing it in a counter-clockwise direction.
3. In a clockwise direction, screw in the unit. Do not overtighten as this may cause damage to the light and/or the socket. It may be necessary to pivot each light panel down before screwing in the unit.
4. Turn the power ON at the circuit breaker.
5. Turn the light switch ON. The LEDs will illuminate.
6. There are 4 adjustable light panels. Pivot each one to meet the desired light in the area. To protect your eyes, never look directly into the LED lights even when adjusting the panels.



EYES:

- DO NOT look directly at the LED lights.
- DO NOT remove the LED lights protective covering.

CARE FOR YOUR PRODUCT:

This product has a two-year warranty from the date of purchase—this guarantees against failure due to factory defects, whether caused by materials or workmanship. The warranty is non-transferable and only pertains to the original purchaser. Proof of purchase is required for any repair or replacement, so please keep your proof of purchase receipt. This warranty does not cover normal wear and tear or damage due to misuse. Misuse of this product includes but is not limited to:

- Using outdoors in extreme weather conditions.
- Opening the product's housing.
- Any attempts to update, remodel or fix the unit yourself.

If you have questions or missing parts, please contact our customer care at 1-888-745-4837

Documents / Resources

	<p>PINEGREEN LIGHTING CL-BU-G60 6,000 Lumens Universal Folding Bulb With Extension [pdf] Instructions CL-BU-G60 6 000 Lumens Universal Folding Bulb With Extention, CL-BU-G60, 6 000 Lumens U niversal Folding Bulb With Extention, Folding Bulb With Extention, Bulb With Extention</p>
--	--