



# Pioneer EU-OSK105 WiFi Remote Programming and Access Module Smart Kit User Manual

[Home](#) » [Pioneer](#) » Pioneer EU-OSK105 WiFi Remote Programming and Access Module Smart Kit User Manual



## USER MANUAL OF SMART KIT

### IMPORTANT NOTE:

Read the manual carefully before installing or connecting your Smart kit(Wireless module). Make sure to save this manual for future reference.

### DECLARATION OF CONFORMITY

Hereby, we declare that this Smart kit is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. A copy of the full DoC is attached. (European Union products only)

#### Contents

- [1 SPECIFICATION](#)
- [2 PRECAUTIONS](#)
- [3 DOWNLOAD AND INSTALL APP](#)
- [4 INSTALL THE SMART KIT\(wireless module\)](#)
- [5 USER REGISTRATION](#)
- [6 NETWORK CONFIGURATION](#)
- [7 HOW TO USE APP](#)
- [8 SPECIAL FUNCTIONS](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)

## SPECIFICATION

Model: EU-OSK105,US-OSK105

Standard: IEEE 802. 11b/g/n  
Antenna Type: Printed PCB Antenna  
Frequency Band: 2400-2483.5MHz  
Operation Temperature: 0°C~45°C/32°F~113°F  
Operation Humidity: 10%~85%  
Power Input: DC 5V/300mA  
Maximum TX Power: <20dBm

## PRECAUTIONS

- Applicable system: iOS, Android. (Suggest: iOS 8.0 or later, Android 4.4 or later)
  - Please keep you APP up to date with the latest version.
  - Due to special situation maybe occurred, we explicitly claims below: Not all of the Android and iOS system are compatible with APP. We will not be responsible for any issue as a result of the incompatibility.
- **Wireless safety strategy**  
Smart kit only support WPA-PSK/WPA2-PSK encryption and none encryption. WPA-PSK/WPA2-PSK encryption is recommended.
- **Cautions**
  - Due to different network situation, control process may return time-out sometimes. If this situation occurs, the display between board and App may not be the same, please do not feel confused.
  - Smart Phone camera needs to be 5 million pixels or above to make sure scan QR code well.
  - Due to different network situation, sometimes, request time-out could happen, thus, it is necessary to do network configuration again.
  - The APP system is subject to update without prior notice for product function improvement. The actual network configuration process may be slightly different from the manual, the actual process shall prevail.
  - Please Check The Service Website For More information.

## DOWNLOAD AND INSTALL APP

**CAUTION:** The following QR Code is only available for downloading APP. It is totally different with the QR code packed with SMART KIT.

	
Android	iOS

<https://play.google.com/store/apps/details?id=com.midea.aircondition>


- Android Phone users: scan Android QR code or go to google play, search `NetHome Plus` app and download

it.

- iOS users: scan iOS QR code or go to APP Store, search `NetHome Plus` app and download it.

## INSTALL THE SMART KIT(wireless module)


1. Remove the protective cap of the smart kit (wireless module)
2. Open the front panel and insert the smart kit (wireless module) into the reserved interface.
3. Attach the QR code packed with Smart kit (wireless module) to the side panel of the machine, ensuring it is convenient to be scanned by the mobile phone. Alternatively, user can take picture of the QR Code and save it into their own phones.




**WARNING:** This interface is only compatible with SMART KIT(wireless module) provided by the manufacturer.

## USER REGISTRATION

- Please ensure your mobile device is connected to Wireless router. Also, the Wireless router has already connected to Internet before doing user registration and VI5 network configuration.
- It is better to log in your email box and active your registration account by clicking link in case you forget the password. You can log in with the third party accounts.



Android



iOS

1. Click “Sign in ”

2. Enter your email address and password, and then click “Registration “

## NETWORK CONFIGURATION

### Cautions

- It is necessary to forget any other around network and make sure the Android or iOS device just connect to the

Wireless network you want to configure.

- Make sure the Android or iOS device Wireless function works well and can be connected back to your original Wireless network automatically.

**Kindly reminder:**

User must finish all the steps in 8 minutes after powering on air conditioner, otherwise, you need to power on it again.

■ **Using Android or iOS device to do network configuration**

1. Make sure your mobile device has already been connect to the Wireless network which you want to use. Also, you need to forget other irrelevant Wireless networks in case it influences your configuration process.
2. Disconnect the power supply of air conditioner.
3. Connect the power supply of AC, and continuously press the "LED DISPLAY" or "DO NOT DISTURB" button seven times in 10 seconds.
4. When the unit displays "AP", it means that the air conditioner wireless has already entered into "AP" Mode.
  - Some type of air conditioner do not need the 2 step to be in AP.




5. Press " + Add Device "




6. Press “Scan for nearby devices”
7. Wait smart devices to find, then click to add it



8. Select home Wi-Fi, enter the password
9. Wait connecting to the network



10. Configuration Success,you can see the device on the list, you can also custom the device name.



11. Bluetooth setting is successful

**NOTE:** If the bluetooth connection is failure, please select the appliance type of Split type to do the network configuration.



12. If the Bluetooth setting is not successful, please follow the above steps to enter “AP” mode.



13. Choose the network configuration method.

14. Choose the "Scan the QR code" method.


**NOTE: Steps 13 and 14 are applicable to Android system only. iOS system does not need these two steps.**





15. Or choose the “Manual

16. Please enter password Setup” method.



17. Network configuration is successful

18. Configuration Success, you can see the device on the list.

#### NOTE:

- When finishing network configuration, APP will display success cue words on the screen.
- Due to different internet environment, it is possible that the device status still display “offline” . If this situation occurs, it is necessary to pull and refresh the device list on the APP and make sure the device status become “online” . Alternatively, user can turn off the AC power and turn on it again, the device status will become “online” after few minutes.

## HOW TO USE APP


Please ensure both your mobile device and air conditioner are connected to the Internet before using app to control the air conditioner via internet, please follow the next steps:

1.



Click "Sign up"

2. Choose the air conditioner.



3. Thus, user can control air conditioners on/off status, operation mode, temperature, fan speed, and so on.

### NOTE:

Not all the function of the APP is available on air conditioner. For example ECO, Turbo, Swing function, please check the user manual to find more information.


## SPECIAL FUNCTIONS


Including: Timer on, Timer off, 8 C Heat, Sleep, Check.

**NOTE:** If the air conditioner do not support the above function, the function will be hided from the function list.

### ■ Schedule


Weekly, user can make an appointment to turn on or off AC on specific time. User also can choose circulation to keep the AC under schedule control every week.






## ■ Sleep

User can customize their own comfortable sleep by setting target temperature.



## ■ Check

User can simply check the AC running status with this function. When finishing this procedure, it can display the normal items, abnormal items, and detail information.




## ■ Share Device

The air conditioner can be controlled by multi-users at the same time by Share Device function.



1. Click "Share device "
2. QR code display. 22



3. The other users must log in " Net home Plus " app first, then click "Add Share Device " on their own mobile, then ask them to scan the QR code.
4. Now the others can add the shared device.

#### **CAUTIONS:**

WIFI module models: US-OSK105, EU-OSK105:

FCC ID:2AS2HMZNA21

IC:24951-MZNA21

This device complies with Part 15 of the FCC Rules and it contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s).

Operation is subject to the following two conditions:

1. This device may not cause interference; and
2. This device must accept any interference, including interference events that may cause undesired operation of the device.

Only operate the device in accordance with the instructions supplied.

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This device complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall not be less than 20cm (8 inches) during normal operation.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**Company will not be liable for any issues and problems caused by Internet, Wireless Router, and Smart Devices. Please contact the original provider to get further help.**

CS374-APP(OSK105) XXXXXXXX 20210329  
74mm\*105mm

**Documents / Resources**

<div><div>USER MANUAL OF SMART KIT</div><div>IMPORTANT NOTE: Read the manual carefully before installing or connecting your SmartKit(Wireless module). Make sure to save this manual for future reference.</div></div>	<div><a href="#">Pioneer EU-OSK105 WiFi Remote Programming and Access Module Smart Kit</a> [pdf] User Manual</div> <div>MZNA21, 2AS2HMZNA21, EU-OSK105, US-OSK105, EU-OSK105 WiFi Remote Programming and Access Module Smart Kit, WiFi Remote Programming and Access Module Smart Kit</div>
--	---