



Pipishell PIBTC03 Soft Close Toilet Seat Instruction Manual

[Home](#) » [Pipishell](#) » Pipishell PIBTC03 Soft Close Toilet Seat Instruction Manual 

Pipishell PIBTC03 Soft Close Toilet Seat Instruction Manual



Contents


- [1 INSTALLATION INSTRUCTION OF TOILET SEAT](#)
- [2 Maintenance](#)
- [3 Cautions](#)
- [4 INSTALLATION INSTRUCTION](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)
- [6 Related Posts](#)

INSTALLATION INSTRUCTION OF TOILET SEAT

Before Installation

1. . Please read the instructions carefully to get to know our seats and get prepared with the required tool advance. Follow the instructions to install the seat correctly. This will help avoid harming you and your family and your property.
2. Please keep the instructions available after reading it carefully.
3. Please subject to the real products when the instructions are different from the real products. If there is any new update to products and its accessories, we will give no further notice.
4. Don't open the seat and the lid over 105° before fixing it into the ceramic bowl.

Maintenance



Regular Maintenance

- Wipe the toilet seat with soft wet cloth
- Clean the toilet seat with neutral cleanser, and then dry it with clean cloth.

Cautions


- Please do not close the seat or cover forcibly to extend the soft-close function lifespan.



- Do not exceed the maximum weight capacity indicated.



- Please do not expose the seat or cover to direct sunlight for too long. Avoid any direct strong light or hyperstore. (to prevent from fading)




INSTALLATION INSTRUCTION



[Not Included]

1. Supplied Parts and Hardware




2. Decorative Cover
3. Bolt
4. Hinge Set
5. Expanding Grommet($\phi 12\text{mm}+\phi 14\text{mm}$)
6. Toilet Se


Expanding Grommet

$\phi 12\text{mm}$ fits blank holes between
 $\phi 12\text{-}15\text{mm}$
 $\phi 14\text{mm}$ fits blank holes between
 $\phi 13\text{-}17\text{mm}$


- Insert the hinges into the toilet.




- Untighten the screws a bit by turning them 90° in a anti-clockwise direction. This will allow you to align the seat




- Clip on the toilet seat




- Align the toilet seat with ceramic bowl.




- Remove the toilet seat by pressing the button only once.




- Tighten the screws in a clockwise direction.




- Place the decorative cover over the hinges



- Clip on the toilet seat and cover.



- Finished



(US / CA) 1-800-556-9829 (UK) 44-808-196-3885



support@pipishell.net supportjp@pipishell.net (JP)



www.pipishellav.com



Documents / Resources

A small thumbnail image of the instruction manual cover. It features the Pipishell logo, the product name "PIBTC03", and a line drawing of the toilet seat. There are also some small icons and text at the bottom.	<p>Pipishell PIBTC03 Soft Close Toilet Seat [pdf] Instruction Manual PIBTC03 Soft Close Toilet Seat, PIBTC03, Soft Close Toilet Seat, Close Toilet Seat, Toilet Seat, Seat</p>
---	--

References

-  [Web Server's Default Page](#)
-  [Pipishell Heavy Duty Full Motion TV Wall Mounts Make Your Life Better](#)
- [User Manual](#)