



PLT SOLUTIONS PLT-12407 Selectable LED Surface Mount Downlight Fixture Instruction Manual

[Home](#) » [PLT SOLUTIONS](#) » **PLT SOLUTIONS PLT-12407 Selectable LED Surface Mount Downlight Fixture Instruction Manual**

Contents [[hide](#)]

- [1 PLT SOLUTIONS PLT-12407 Selectable LED Surface Mount Downlight Fixture](#)
- [2 SAFETY AND INSTALLATION INSTRUCTIONS](#)
- [3 Package Contents](#)
- [4 Compatible Dimmers](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)



PLT SOLUTIONS PLT-12407 Selectable LED Surface Mount Downlight Fixture



COLOR SELECTABLE LED SURFACE MOUNT DOWNLIGHT

SAFETY AND INSTALLATION INSTRUCTIONS

WARNING

- Before installing, servicing, or performing routine maintenance upon this equipment, follow these general precautions.
- To reduce the risk of death, personal injury, or property damage from fire, electric shock, falling parts, cuts/abrasions, and other hazards, read all warnings and instructions included with and on the fixture box and all fixture labels.
- Proper grounding is required to ensure safety.
- Power must be turned off at the breaker before installation or maintenance.
- Installation, service, and maintenance of luminaires should be performed by a qualified licensed electrician.
- Wear gloves and eye protection at all times while installing, servicing, or performing maintenance on the luminaire, and avoid direct eye exposure to the light source while it is on.
- Do not install the damaged products. Inspect the luminaire for damage that may have occurred during transit. If damaged, contact the manufacturer immediately.
- These instructions do not purport to cover all details or variations in equipment nor to provide every possible contingency to meet in connection with installation,
- operation, or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's or owner's purposes, contact the manufacturer.


WARNING

- Install this product in accordance with country, regional, and local laws and regulations.

CAUTION


- Use minimum 90° supply conductors.
- This luminaire must be surface mounted to a junction box or non-combustible surface above 4 feet (1.2 meter) high. User should prepare necessary accessories and spare parts (not provided) including the junction box and screws.

Package Contents




Installation Instructions


1. Prior to installation, install the mounting plate onto the electrical outlet box using the provided mounting screws. Drive the screws completely to the end of the junction box.



2. Connect the supply wires on the fixture using wire nuts or push the wires into a Quick Connector. Connect white to white, black to black, and copper wire to copper wire as the ground connection.



3. Select the desired color temperature using the CCT switch. Push the fixture into the mounting plate to complete the installation.




Compatible Dimmers

LUTRON LEVITON

• PD-6WCL	• 6681
• DVCL-153P	• 6672
• CTCL-153P	
• MACL-153M	
• TGCL-153P	

972-535-0926 | pltsolutions.com | var 012723

Documents / Resources



[PLT SOLUTIONS PLT-12407 Selectable LED Surface Mount Downlight Fixture](#) [pdf] Instruction Manual

PLT-12407 Selectable LED Surface Mount Downlight Fixture, PLT-12407, Selectable LED Surface Mount Downlight Fixture, Mount Downlight Fixture, Downlight Fixture