



PLT SOLUTIONS PLT-20283 Color Wattage Selectable UFO LED High Bay Instruction Manual

[Home](#) » [PLT SOLUTIONS](#) » [PLT SOLUTIONS PLT-20283 Color Wattage Selectable UFO LED High Bay Instruction Manual](#) 



**PLT-20283 Color Wattage Selectable UFO LED High Bay
Instruction Manual**



COLOR/WATTAGE SELECTABLE UFO LED HIGH BAY

Contents

[1 SAFETY AND INSTALLATION INSTRUCTIONS](#)

[2 Installation](#)

[3 Wattage & CTT Selectable Guidance](#)

[4 Wiring Diagram](#)

[5 Documents / Resources](#)

[5.1 References](#)

[6 Related Posts](#)

SAFETY AND INSTALLATION INSTRUCTIONS

WARNING

- Before installing, servicing, or performing routine maintenance upon this equipment, follow these general precautions.
- To reduce the risk of death, personal injury, or property damage from fire, electric shock, falling parts, cuts/abrasions, and other hazards, read all warnings and instructions included with and on the fixture box and all fixture labels.
- Proper grounding is required to ensure safety.
- Power must be turned off at the breaker before installation or maintenance.
- This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
- Wear gloves and eye protection at all times while installing, servicing, or performing maintenance on the luminaire, and avoid direct eye exposure to the light source while it is on.
- Do not install damaged product. Inspect luminaire for damage that may have occurred during transit. If damaged, contact the manufacturer immediately.
- These instructions do not purport to cover all details or variations in equipment nor to provide every possible contingency to meet in connection with installation, operation, or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's or owner's purposes, contact the manufacturer.


CAUTION

- Carefully observe the grounding procedure in the installation section.
- Tighten all fixture components to their recommended torque values.

Installation


Chain Mounting

1. Attach the loop in the luminaire and tighten the locking screw.
2. Attach the luminaire to the chain.
3. Attach the safety cable to the fixture.
4. Connect the wires.




Conduit Mounting


1. Attach the luminaire and tighten the conduit with locking screw.
2. Attach the safety cable to the fixture.
3. Connect the wires.



Wattage & CTT Selectable Guidance




Wiring Diagram



972-535-0926

pltsolutions.com

ver 121422

	<p>PLT SOLUTIONS PLT-20283 Color Wattage Selectable UFO LED High Bay [pdf] Instruction Manual</p> <p>PLT-20283 Color Wattage Selectable UFO LED High Bay, PLT-20283, Color Wattage Selectable UFO LED High Bay, Selectable UFO LED High Bay, UFO LED High Bay, High Bay</p>
--	---

References

-  [PLT Solutions](#)