PoinT source CM-PTT-M1 Push to Talk User Guide

CM-PTT-M1 Push-to-Talk
USER GUIDE

Contents

CM-PTT-M1 Push to Talk

Model #
CM-PTT-M1
Note: Product pictured is for illustrative purposes and may not exactly represent the product you have purchased.

The CM-PTT-M1 works with the Point Source Audio CM-i3 or CM-i5 in-ear headset to combine the connectivity between an intercom pack and a Motorola™ radio. No more fumbling between two discrete systems or removing your headset to use a radio.

http://www.point-sourceaudio.com/support/

Failure to observe proper use of this product could result in voiding your warranty.

Cable Lengths not to Scale

The CM-i headset with the CM-PTT-M1 gives you the freedom to seamlessly communicate with your teams on both intercom and radio. Get connected in three easy steps:

Step 1
Connect the first XLR cable of the CM-PTT-M1 to your CM-i headset.

Step 2
Connect the second XLR cable of the CM-PTTM1 directly to your intercom pack.

Step 3
Connect the 2-pin coiled cable to the Motorola M1 radio. (See available dapters for M4, M7 and M9 radios.)
Your comms system is active by default. To engage the radio, simply press and hold the push-to-talk button!

Motorola Adapters

Model # ADP-M1xM4 from M1 to M4	Model# ADP-M1xM7 from M1 to M7	Model# ADP-M1xM9 from M1 to M9

Documents / Resources

PoinT source CM-PTT-M1 Push to Talk [pdf] User Guide
CM-PTT-M1 Push to Talk, CM-PTT-M1, Push to Talk, to Talk, Talk

References

- **User Manuals and Product Support | Point Source Audio**
- **User Manual**