

poly TC10 Intuitive Touch Interface Instructions

Home » Poly » poly TC10 Intuitive Touch Interface Instructions



Contents

- 1 poly TC10 Intuitive Touch Interface
- **2 SAFETY AND REGULATORY NOTICES**
- 3 Safety, Compliance, and Disposal
- Information **4 Installation Instructions**
- **5 FCC STATEMENT**
- **6 Industry Canada Statement**
- **7 DECLARATION**
- 8 End of Life Products
- 9 Getting Help and Copyright Information
- 10 Documents / Resources
 - 10.1 References
- 11 Related Posts



poly TC10 Intuitive Touch Interface



SAFETY AND REGULATORY NOTICES

Poly TC10

This document covers Poly TC10 (Models P030 and P030NR).

Service Agreements

Please contact your Poly Authorized Reseller for information about service agreements applicable to your product.

Safety, Compliance, and Disposal Information

- This equipment is intended for indoor use only.
- This equipment is not intended to be directly connected to outdoor cables.
- Do not spray liquids directly onto the system when cleaning. Always apply the liquid first to a static-free cloth.
- Do not immerse the system in any liquids or place any liquids on it.
- Do not disassemble this system. To reduce the risk of shock and to maintain the warranty on the system, a qualified technician must perform service or repair work.
- There are no user serviceable parts inside this product.
- This equipment is not intended to be operated by children.
- Users must not service any parts in compartments that require a tool to access.
- · This equipment should be used only on even surfaces.
- Keep ventilation openings free from any obstructions.
- The ambient operating temperature rating of this equipment is 0-40°C and should not be exceeded.
- In order to remove all power from this unit, disconnect all power cables, including any USB or Power over Ethernet (PoE) cables.
- If the product is powered using PoE, you must use an appropriately rated and approved networking device compliant with IEEE 802.3af, or the power injector identified for use with this product.

Operating Ambient Temperature

- Operating temperature: +32 to 104°F (0 to +40°C)
- Relative humidity: 15% to 80%, non-condensing
- Storage temperature: -4 to 140°F (-20 to +60°C)

Installation Instructions

Installation must be performed in accordance with all relevant national wiring rules.

FCC STATEMENT

USA

This device is compliant with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interferences received, including interference that may causeundesired operation.

In accordance with part 15 of the FCC rules, the user is cautioned that any changes or modifications not expressly approved by Poly could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at their own expense.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Responsible Party issuing FCC Supplier's Declaration of Conformity

Polycom, Inc. 6001 America Center Drive San Jose, CA 95002 USA TypeApproval@poly.com.

Radiation Exposure Statement

The antenna used for this transmitter must be installed to provide a separation distance of at least 20 centimeters from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. This device with its antenna complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment. To maintain compliance, this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Industry Canada Statement

Canada

This device complies with RSS247 of the Industry Canada rules and also with ISED's license-exempt RSS regulations. Operation is subject to the two following conditions:

- 1. This device does not cause harmful interference.
- 2. This device must accept any interference received, including interference that may cause undesiredoperation.

Radiation Exposure Statement

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. This

equipment should be installed and operated with greater than 20 cm between the radiator and your body.

FCC and Industry Canada Example Label

See an example of the Poly TC10 regulatory label below.

FCC ID: M72-P030

• IC: 1849C-P030

Poly TC10 部件号码: 2201-37760-001 MODEL NO.型號型号/Modenb: P030 INPUT輸入输入:48-56VDC== 0.27A Электропитание 48-56 В == 0.27A FCC ID:M72-P030 IC: 1849C-P030 生产日期/ 제조연월 /Дата изготовления D/C: 20211116 МАNUFACTURER/制造商/Изготовитель: Polycom, Inc. MADE IN CHINA 中國製造/中国制造 Сделано в Кита

R-NZ

C E UK

MAC: 64167FEFAEAE

C E UK

MAC: 64167FEFAEAE

C E UK

MAC: 64167FEFAEAE

PN 2201-37760-001 Rev 01

DECLARATION

EEA

CE Mark

P030 is marked with the CE mark. This mark indicates compliance with EU Radio Equipment Directive (RED) 2014/53/EU, RoHS Directive 2011/65/EU, and Commission Regulation 278/2009. P030NR is marked with the CE mark. This indicates compliance with the EU EMC Directive (EMCD) 2014/30/EU, Low Voltage Directive (LVD) 2014/35/EU, RoHS Directive 2011/65/EU and Commission Regulation 278/2009. A full copy of the Declaration of Conformity for each model can be obtained at www.poly.com/conformity.

Poly Studio TC10 Radio Operating Frequency

The frequency ranges in the following table apply to Poly Studio TC10 (P030)

Frequency Range	Maximum Transmit Power
2.400Ghz – 2.484Ghz	+14.2 dBm EIRP
5.180Ghz – 5.825 GHz	+14.4 dBm EIRP

Restriction of Hazardous Substances Directive (RoHS)

All Poly products comply with the requirements of the EU RoHS Directive. Statements of compliance can be obtained by contacting typeapproval@poly.com.

Environmental

For the latest environmental information including Networked Standby Efficiency, battery replacement, handling, and disposal, take back, RoHS, and Reach, please visit https://www.poly.com/us/en/company/corporate-responsibility/environment.

End of Life Products

Poly encourages you to recycle your end-of-life Poly products in an environmentally considerate way. We recognize our Extended Producer Responsibility (EPR), in accordance with the requirements of the European Waste Electronic and Electrical Equipment (WEEE) Directive 2012/19/EU. All Poly products are marked with the

crossed wheelie bin symbol shown below. Products that carry this symbol should be not be disposed of in the household or general waste stream. Further recycling information and detail of the options open to you, including our voluntary free global recycling service to ISO 14001 standard can be found at: https://www.poly.com/WEEE. The Poly Global Producer Responsibility Statement can be found in the Environment section of the Poly.com website.

Poly Take Back

In addition to any mandated take back requirement, Poly offers free recycling of its branded products to business users. Detailed information is available at www.poly.com/us/en/company/corporate-responsibility/environment.

Getting Help and Copyright Information

GETTING HELP

For more information about installing, configuring, and administering Poly/Polycom products or services, go to the Poly Online Support Center. Poly 345 Encinal Street Santa Cruz, California 95060 © 2022 Poly. All trademarks are the property of their respective owners.

Documents / Resources



poly TC10 Intuitive Touch Interface [pdf] Instructions

P030, M72-P030, M72P030, TC10 Intuitive Touch Interface, TC10, Intuitive Touch Interface, To uch Interface

References

- Poly | Video Conferencing, Conference Phones & Headsets | Poly, formerly Plantronics & Polycom
- <u>P Declarations of Conformity | Poly, formerly Plantronics & Polycom</u>
- Environment | Poly, formerly Plantronics & Polycom
- Takeback & Recycle Program | Poly, formerly Plantronics & Polycom

Manuals+,