




Polycom VVX Expansion Module User Guide

[Home](#) » [Polycom](#) » Polycom VVX Expansion Module User Guide 



epb Fiber Optics
POLYCOM® VVX®
EXPANSION MODULE




Contents

- 1 Package Contents
- 2 VVX Expansion Module Features
- 3 VVX Color Expansion Module Features
- 4 Installing and Starting Up
- 5 Copyright, Safety Notices
- 6 Operating Antient Conditions.
- 7 Documents / Resources
- 8 Related Posts

Package Contents


Note: The package will contain either a WX Expansion Module or a WX Color Expansion Module.



VVX Color Expansion Module



Quick Start Guide




Base Stand



Metal Bracket




Two Thumb Screws



Cable Connector


For more information, visit epb.com/customer-support/business-support or call 423-648-1500, option 2

VVX Expansion Module Features




Note: The per module has a plastic cover that overlays a paper template. To remove or insert the template, place the tip of a paperclip under the Mot at the top-right corner of the cover, lift the cover off, and remove or insert the template. To re-attach the cover, align the six tabs on either side of the cover with the corresponding indents on the Expansion Module, and bend the cover into place.

VVX Color Expansion Module Features



Connecting the Base Stand*


Fully insert the stand into one of the slots on the back of the Expansion Module. The slot you choose determines the angle of the Expansion Module. The phone and Expansion Module should be at the same angle.




For wall mount installation, an optional accessory is available. For more information, contact your reseller. For more information, visit epb.com/customer-support/business-support or call 423-648-1500, option 2

Installing and Starting Up


1. Connect the base stand to your Expansion Module at the same angle as your phone's stand.
2. Position the phone and Expansion Module next to each other on a flat, level surface. Position them as closely together as you can. Then, locate the holes for the thumb screws; the holes are located between the top-most and middle stand slot.




3. Hold the metal bracket so that the four tabs face away from you, and the arrow on the back of the bracket points up. Position the holes in the metal bracket over the thumb screw holes. The four tabs on the bracket fit in the top-most and middle stand slots. Insert the thumb screws in the holes, and finger tighten.



4. Turn the phone and Expansion Module upside down on the table. Insert the Cable KP Connector between the AUX port on the phone, and the AUX 1 port on the Expansion Module. Thread the cable through the Cable Grooves on the Expansion Module and phone. If the phone is connected to the network, the Expansion Module will automatically power on and start-up.



5. To connect another Expansion Module, attach another Cable Connector between the AUX 2 port on the first Expansion Module and the AUX 1 port on the second Expansion Module. You can connect a maximum of three Expansion Modules to one phone, as shown next.



Copyright, Safety Notices

LIMITED WARRANTY. Polycom warrants to the end user customer) that this product will be free from defects in workmanship and materials, under normal use and service, for one year from the date of purchase from Pelican, its authorized reseller. Polycom's sole obligation under this express warranty shall be, at Polycom's option and expense, to repair the defective product or part, deliver to Customer an equivalent produced part to replace the defective item, or if neither of the two foregoing options is reasonably available, the company may, on its site, refund to Customer the purchase price paid for the defective product. Products that are replaced will become the property of Polycom. Replacement products or parts may be new or reconditioned. Polycom warrants any replaced or repaired product or part for ninety (90) days from shipment or the remainder of the original warranty period, whichever is longer. Products returned to Polycom must be sent prepaid and packaged appropriately to be safe for shipment, and it is recommended that they be shipped by a method that provides tracking of the package. Responsibility for bin damage does not transfer to Polycom until the repaired item is received by Polycom. The repaired or replaced item will be shipped to the Customer, at Polycom's expense, not later than thirty (30) days after Polycom receives the defective product, and Polycom will retain title of the loss of the item until it is returned to Customer. **EXCLUSIONS.** Polycom will not be liable under this limited warranty if its testing and examination disclose that the alleged defect or a malfunction in the product does not exist or results from:

- Failure to follow Polycom's installation, operation, or maintenance instructions.
- Unauthorized product modification or alteration.
- Unauthorized use of common carrier communication services accessed through the product
- Abuse, misuse, negligent acts, or omissions of Customer and persons under Customer's control: a
- Acts of third parties, acts of God, accident, fire, lightning, power surges or outages, or other hazards

WARRANTY EXCLUSIVE IF A POLYCOM PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, THE CUSTOMER'S SOLE REMEDY FOR BREACH OF THAT WARRANTY SHALL BE REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION. TO THE FULL EXTENT ALLOWED BY LAW. THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, TERMS, OR CONDITIONS, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTORY OR OTHERWISE, INCLUDING WARRANTIES, TERMS, OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY, CORRESPONDENCE WITH DESCRIPTION, AND NON-INFRINGEMENT, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. POLYCOM NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, OR INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS. SERVICE AGREEMENTS. Please contact your Polycom Authorized Reseller for information about service agreements applicable to your product. SOFTWARE SUPPORT. Polycom provides support for software running on the Product if all of the following conditions are satisfied:

- The product is under warranty and is covered by a Polycom service contract
- The product software is the current major version or the next preceding major version (software versions are labeled as 'XYZ.' with the first two digits designating major versions).
- The product software complies with a 90-day 9D firm warranty, providing for software updates (minor releases/bug fixes). To continue to receive support, purchasing a maintenance contract is the most economical option. Requests for software support should be made through the Polycom Reseller from when the product was purchased.

LIMITATION OF LIABILITY. TO THE FULL EXTENT ALLOWED BY LAW, POLYCOM EXCLUDES FOR ITSELF AND ITS SUPPLIERS AND SUBSIDIARIES, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE OR INTERRUPTION OF ITS PRODUCTS, EVEN IF POLYCOM OR ITS AUTHORIZED RESELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND LIMITS ITS ABILITY TO REPAIR, REPLACE, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE. DISCLAIMER

Some countries, states, provinces do not allow the exclusion or limitation of implied warranties or the limitation of incidental or consequential damages for certain products supplied to consumers, a limitation on liability for personal injury, so the above limitations and exclusions may be ruled in their application. When the implied warranties are not allowed to be excluded in their entirety, they will be limited to the duration of the applicable written warranty. This warranty gives you specific legal rights which may vary depending on local law.

GOVERNING LAW. This Limited Warranty and Limitation of Liability shall be governed by the laws of the State of California. The U.S.A. and by the laws of the United States, excluding their conflicts of laws principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty and Limitation of Liability. All rights are reserved under International and Pan American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent from Polycom, Inc. Do not remove (or allow anybody else to remove) any product identification,

copyright or other notices. Polycom, the Polycom logo design, Polycom WX Expansion Module, and Polycom VVX Color Expansion Module are trademarks of Polycom, Inc in the U.S. and various other countries

COPYRIGHT. All rights are reserved under International and Pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without the written consent of Polycom, Inc. Polycom® and the logo design are registered trademarks and Polycom WX Expansion Module and Polycom VVX Color Expansion Module are trademarks of Polycom, Inc. in the United States, and various countries. Do not remove (or allow any third party to remove) any product identification, copyright or other notices.

SAFE AND REGULATORY INFORMATION.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interferences received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to cease the interference at his own expense. Hereby, Polycom, Inc. declares that the product in this manual is CE marked and in compliance with all EU directives and regulations that apply to them including LVD & EMC Directives 2014/35/EC & 2014/30/EC. A full copy of the Declaration of Conformity can be obtained from Polycom Ltd., 270 Bath Road, Slough, Berkshire, SL1 4DX, UK. In accordance with Part 15 of the FCC Rules, the user is cautioned that any changes or modifications not expressly approved by Polycom, Inc. could void the user's authority to operate the equipment.

Operating Ambient Conditions.

- Operating temperature: +32 to 104°F (0 to 40°C);
- Relative humidity 5% to 95%, non-condensing
- Storage temperature: -40 to +160°F (-40 to +70°C).
- Installation must be performed in accordance with all relevant national wiring rules.

The outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible.

This Class [A] digital apparatus complies with Canadian ICES-003.

To avoid electric shock, do not connect safety extra low voltage (SELV) circuits to telephony data network (TNV) circuits. LAN ports contain SELV Circuit, and WAN ports contain TNV circuits. Some LAN and WAN ports both use RJ-45 connectors. Use caution when connecting cables. This product is rated 48Vdc, 0.38A.

Regulatory Notice: <https://support.polycom.com/content/dam/polycom-support/product-sivocethu-siness-media-phones/other-documents/safety-reg-note.pdf>

Contact Information: <http://www.polycom.com>


Please contact your Polycom Authorized Reseller for assistance.

Polycom

For more information, visit epb.com/customer-support/business-support or call 423-648-1500, option 2

1725-49101-001F



 <p>The image shows the cover of the 'POLYCOM VVX EXPANSION MODULE Quick Start Guide'. It features the Polycom logo at the top right. The central graphic illustrates the components: a handset, a charging base, and the expansion module. Text on the cover includes 'POLYCOM VVX EXPANSION MODULE Quick Start Guide', 'Package Contents', and 'Get started in 5 minutes'. At the bottom, it says 'Downloadable PDF' and 'APR 2014'.</p>	<p>Polycom VVX Expansion Module [pdf] User Guide VVX, Expansion Module, VVX Expansion Module, 071322</p>
--	---