




POND KING PK_TT_2-0 Floating Turtle Trap Instructions

[Home](#) » [POND KING](#) » POND KING PK_TT_2-0 Floating Turtle Trap Instructions 

POND KING PK_TT_2-0 Floating Turtle Trap



Contents

- [1 Package Contents](#)
- [2 Tools Needed](#)
- [3 Assembly Instruction](#)
- [4 Customers Support](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)
- [6 Related Posts](#)

Package Contents

- Mesh Cage
- Aluminum Frame
- 2 Flaps
- 2 Molded Vinyl Floats
- 16 Zip Ties

Float Hardware

- (A) 4 Galvanized 3/8" Bolts
- (B) 4 Square Tube Bushings
- (C) 12 Large Flat Washers
- (D) 4 Nuts

Flap Hardware

- (E) 4 Stainless Steel Screws with Lock Nuts

Tools Needed

- Cordless Drill/Impact
- Crescent Wrench
- Utility Knife/Clippers
- Phillips Head Screwdriver

Assembly Instruction

SCAN HERE FOR ASSEMBLY VIDEO



Download our Pond King app for more pond management tips and information!

FREE IN THE APP STORE & GOOGLE PLAY



Step 1: Form the cage with the mesh panels. Carefully fold back each of the four sides. You may have to repeat the motion a few times on the same panel to get it to stand up straight.

Step 2: In each corner, beginning with the top square, connect the panels using 4 zip ties per edge. Secure zip ties on the top square, and continue down connecting the 4th, 6th, and 8th squares. You are skipping the 2nd and 3rd squares to leave room for the aluminum frame to fit onto the cage. See Figure 1.

Figure 1: Attach Zip Ties



Step 3: Carefully snip or cut the long ends of the zip ties off, then rotate the top zip tie so the knob is inside the cage. This will allow the aluminum frame to slide over the cage.


Step 4: Set the aluminum frame on top of the cage adjusting the mesh slightly as you press down on each side and corner until it's firmly level on top of the cage.

Step 5: Line up one of the vinyl floats with 3/8" bolts (A), tube bushings (B) and large washers (C) to the outside of the frame and cage as pictured in Figure 2.

Figure 2: Outside Cage Float Hardware



Step 6: Secure the float hardware inside the cage using a flat washer (C) and nut (D) on each bolt. You'll need to position the washer in between the two pieces of mesh in the corner order for it to lay flat enough to secure the cage. Repeat for the second float. See Figure 3.



Step 7: Notice the frame and flaps are color coded with dots. Match up the correct flap to the correct side according to the dots. Attach flap to hinges on the frame with small stainless screws and nuts (E). Repeat for the second flap. See Figure 3.

Figure 3: Inside Cage Float Hardware



Customers Support

Pond King, Inc.
5924 West Highway 82, Gainesville, Texas 76240
[940-668-2573](tel:940-668-2573)
www.pondking.com



Documents / Resources



[POND KING PK_TT_2-0 Floating Turtle Trap](#) [pdf] Instructions
PK_TT_2-0 Floating Turtle Trap, PK_TT_2-0, Floating Turtle Trap, Turtle Trap, Trap

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.