



PONY CO2 Handheld Fog Machine with RGB Lights Cannon Jet Machine Instruction Manual

[Home](#) » [PONY](#) » PONY CO2 Handheld Fog Machine with RGB Lights Cannon Jet Machine Instruction Manual 

Contents

- 1 PONY CO2 Handheld Fog Machine with RGB Lights Cannon Jet Machine
- 2 Statement
- 3 Chemical Product and Company Identification
- 4 Hazards Identification
- 5 Composition/information on Ingredients
- 6 First Aid Measures
- 7 Fire Fighting Measures
- 8 Accidental Release Measures
- 9 Handling and Storage
- 10 Physical and Chemical Properties
- 11 Stability and Reactivity
- 12 Toxicological Information
- 13 Ecological Information
- 14 Disposal Considerations
- 15 Transport Information
- 16 Other Information
- 17 Contact Information
- 18 Documents / Resources
 - 18.1 References
- 19 Related Posts



PONY CO2 Handheld Fog Machine with RGB Lights Cannon Jet Machine



- Sample Name & Model Zn-Mn Dry Battery AA R6
- Applicant Shenzhen Lifengyuan Battery Co., Ltd
- Address building A4, Sunshine New Town, Nanxin community, Nanwan Street, Longgang District, Shenzhen



No.: MQ19N19G2530427U3
Code: hiu3ee6

Statement

1. The conclusion of the certificate/report is responsible for the provided sample only.
2. The applicant shall provide an accurate and true description and statement of the sample. shall guarantee to match the sample and real situation that they provided and declared. Otherwise, the application shall bear any relevant consequences and responsibility.
3. In case the sample and documents provided are involved in a situation of fake and forgery, any consequences and responsibility caused by this shall be undertaken by the applicant.
4. The certificate/report is invalid in case of illegal transfer, or embezzlement. imposture. modification or any altering. reproducing except in full, without the approval of PONY. PONY shall investigate and atTIX the applicant's legal liability accordingly.
5. The certificate/report takes no account of the differences between countries and applicants.
6. PONY has the right to dispose of the provided sample after approval of the certificate/report.

Chemical Product and Company Identification

Chemical Product Identification

- **Sample Name:** Zn-Mn Dry Battery
- **Sample Model:** AA R6
- **Recommended Uses:** N/A
- **Restrictions on Use:** N/A
- **Supplier Name:** Shenzhen Lifengyuan Battery Co., Ltd
- **Address:** building A4, Sunshine New Town, Nanxin community, Nanwan Street, Longgang District, Shenzhen
- **Phone Number:** 18129987671
- **FAX:** /
- **Emergency Phone Number:** 18126491212

Hazards Identification

Emergency overview:

This product is a battery. The intended use of the product should not result in exposure to the chemical substance. In case of rupture, the below hazards exist.

Classification according to GHS

- Acute toxicity, oral (4)
- Skin corrosion/irritation (2)
- Serious eye damage/eye irritation (2A)
- Specific target organ toxicity, single exposure; Respiratory tract irritation (3)
- Hazardous to the aquatic environment, long-term hazard (2)

Label elements

Hazard pictogram(s):



Signal word:

Hazard statement(s):

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H411 Toxic to aquatic life with long-lasting effects

Precautionary statement(s):

Prevention:

- P261 Avoid breathing dust, fumes, gas, mist, vapors, or spray.
- P264 Wash skin and clothing thoroughly after handling.
- P270 Do not eat, drink, or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves, protective clothing, eye protection, and face protection.

Response:

- P301 + P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.
- P330 Rinse mouth.
- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P321 Specific treatment (See additional emergency instructions).
- P333 + P313 If skin irritation or rash occurs: Get medical advice.
- P362 + P364 Take off contaminated clothing and wash it before reuse.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present, and easy to do. Continue rinsing.
- P337 + P313 If eye irritation persists: Get medical advice.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER, if you feel unwell.
- P391 Collect spillage.

Storage

- P403 + P233 Store in a well-ventilated place. Keep the container tightly closed.
- P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.

Other hazards

- **Physical and chemical hazards:** See Section 10
- **Human health hazards:** See Section II
- **Environmental hazards:** See Section 12

Composition/information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Zinc	7440-66-6	231-175-3	27
Manganese dioxide	1313-13-9	215-202-6	22
Carbon black	1333-86-4	215-609-9	7.5
Zinc Chloride	7646-85-7	231-592-0	6
Ammonium Chloride	12125-02-9	235-186-4	5
Graphite	7782-42-5	231-955-3	5
Water	7732-18-5	231-791-2	20
Copper	7440-50-8	231-159-6	2.3
Polyvinyl chloride resin	9002-86-2	618-338-8	0.5

First Aid Measures

Description of first aid measures

General information No special measures are required.

After eye contact

Flush your eyes with plenty of water for several minutes while holding your eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove the victim to a fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

- Personal protective equipment for first-aid responders: No data available.
- Most important symptoms/effects, acute and delayed: No data available.
- Indication of immediate medical attention and special treatment needed: Treat symptomatically.

Fire Fighting Measures

Suitable extinguishing media:

- Use an extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO2.

Unsuitable extinguishing media:

- No data are available.

Specific Hazards arising from the chemical:

- Special hazards arising from the substance or mixture
- The battery may burst and release hazardous decomposition products when exposed to a fire situation.
- Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

Specific protective actions for fire-fighters:

Protective equipment: Wear a self-contained respirator. Wear a fully protective impervious suit.

Accidental Release Measures**Personal precautions:**

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Protective equipment:

No data are available.

Emergency procedures:

- Remove ignition sources, and evacuate the area. Sweep up using a method that does not generate dust.
- Collect as much of the spilled material as possible, and place the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches, and bodies of water.

Environmental precautions:

Do not allow material to be released into the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

For all waste handling must refer to the United Nations, National and Local Regulations for disposal.

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

Handling and Storage**Precautions for safe handling:**

Avoid short-circuiting the battery. Avoid mechanical damage to the battery. Do not open or disassemble. Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when the risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

CAS No.	ACGIH	NIOSH	OSHA
7440-66-6	N/A	N/A	N/A
1313-13-9	N/A	N/A	N/A
1333-86-4	TLV-TWA 3mg/m ³	REL-TWA 3.5mg/m ³	PEL-TWA 3.5mg/m ³
7646-85-7	TLV-TWA 1mg/m ³ TLV-STEL 2mg/m ³	REL-TWA 1mg/m ³ REL-STEL 2mg/m ³	PEL-TWA 1mg/m ³
12125-02-9	TLV-TWA 10mg/m ³ TLV-STEL 20mg/m ³	REL-TWA 10mg/m ³ REL-STEL 20mg/m ³	N/A
7782-42-5	TLV-TWA 2mg/m ³	REL-TWA 2.5mg/m ³	PEL-TWA 15mppcf PEL-TWA 20mppcf
7732-18-5	N/A	N/A	N/A
7440-50-8	TLV-TWA 0.2mg/m ³ TLV-TWA 1mg/m ³	REL-TWA 1mg/m ³ REL-TWA 0.1mg/m ³	PEL-TWA 0.1mg/m ³ PEL-TWA 1mg/m ³
9002-86-2	N/A	N/A	N/A

Appropriate engineering controls:

- The usual precautionary measures for handling chemicals should be followed.
- Keep away from foodstuffs, beverages, and feed.
- Remove all soiled and contaminated clothing immediately.
- Wash hands before breaks and at the end of work.

Personal Protective Equipment:

- **Respiratory protection:** Wear a suitable protective mask. For a large number of battery leakages, wear chemical protective clothing, including a self-contained breathing apparatus.
- **Hand Protection:** Wear appropriate protective gloves to reduce skin contact.
- **Eye Protection:** Wear safety goggles or eye protection combined with respiratory protection.
- **Skin and Body Protection:** Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Physical and Chemical Properties

Information on basic physical and chemical properties

- **Color:** Blue.
- **Physical State:** Cylindrical.
- **Odor:** Not available.
- **PH:** Not available.
- **Melting point/freezing point:** Not available.
- **Boiling point or initial boiling point and boiling range:** Not available.

- **Flash Point:** Not available.
- **Flammability:** Not available.
- **Solubility:** Not available.
- **Lower and upper explosion limit/flammability limit:** Not available.
- **Auto-ignition temperature:** Not available.
- **Decomposition temperature:** Not available.
- **Kinematic viscosity:** Not available.
- **Partition coefficient:** n-octanol/water (log value): Not available.
- **Vapor pressure:** Not available.
- **Density and/or relative density:** Not available.
- **Relative vapor density:** Not available.
- **Particle characteristics:** Not available.
- **Other information:** Not available.
- Voltage 1.5V

Stability and Reactivity

- **Reactivity:** No data available.
- **Chemical stability:** Stable.
- **Possibility of hazardous reactions:** No data available.
- **Conditions to Avoid:** Flames, sparks, and other sources of ignition, incompatible materials.
- **Incompatible materials:** Oxidizing agents, acid-base.
- **Hazardous decomposition products:** Carbon monoxide, and carbon dioxide.

Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50
7440-66-6	LD50 Rat (oral): >2000mg/kg
1313-13-9	No data available.
1333-86-4	No data available.
7646-85-7	LD50 Rat (oral):1100mg/kg
12125-02-9	LD50 Rat (oral): 1650mg/kg
7782-42-5	No data available.
7732-18-5	No data available.
7440-50-8	No data available.
9002-86-2	No data available.

- **Skin corrosion/irritation:** No data available.
- **Serious eye damage/irritation:** No data available.

- **Respiratory or Skin sensitization:** No data available.
- **Germ Cell Mutagenicity:** No data available.
- **Carcinogenicity:** No data available.
- **Reproductive toxicity:** No data available.
- **Specific target organ toxicity-Single exposure:** No data available.
- **Specific target organ toxicity-Repeated exposure:** No data available.
- **Aspiration hazard:** No data available.
- **Information on the likely routes of exposure:** No data available.
- **Eye:** No data available.
- **Skin:** No data available.
- **Ingestion:** No data available.
- **Inhalation:** No data available.

Ecological Information

- **Ecological Toxicity:** No data available.
- **Persistence and degradability:** No data available.
- **Bioaccumulative Potential:** No data available.
- **Mobility in Soil:** No data available.
- **Other adverse effects:** No data available.

Disposal Considerations

Disposal methods:

Recommendation:

Consult state, local, or national regulations to ensure proper disposal.

Uncleaned packaging

- **Recommendation:** Disposal must be made according to official regulations.

Transport Information

UN or ID Number	
IATA, IMDG, Model Regulation	N/A
Proper Shipping Name/Description	
IATA, IMDG, Model Regulation	N/A
Class or Div. (Sub Hazard)	
IATA, IMDG, Model Regulation	Not Subjected for transport of dangerous goods
Packing Group	
IATA, IMDG, Model Regulation	N/A
Hazard Label	
IATA, IMDG, Model Regulation	N/A
Environmental hazards	
Marine pollutant:	No
Special precautions for user	No information available.

- **Transport information:** Zn-Mn Dry Battery AA R6 is exempt from dangerous goods. It is considered non-dangerous goods by the International Maritime Dangerous Goods Regulations (IMDG) (40-20).
- **Transport Fashion:** By sea.

Regulatory Information

Safety, health, and environmental regulations/legislation specific to the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDL	EINECS/ ELINCS/ NLP
7440-66-6	Listed	Listed	Listed DSL	Listed
1313-13-9	Listed	Listed	Listed DSL	Listed
1333-86-4	Listed	Listed	Listed DSL	Listed
7646-85-7	Listed	Listed	Listed DSL	Listed
12125-02-9	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
7732-18-5	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
9002-86-2	Listed	Listed	Listed DSL	Listed

Other Information

- **Issue Date:** 2023-01-09
- **Issue Department:** Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

- **CAS:** (Chemical Abstracts Service);
- **EC:** (European Commission);
- **ACGIH:** (American Conference of Governmental Industrial Hygienists);
- **NIOSH:** (US National Institute for Occupational Safety and Health);
- **OSHA:** (US Occupational Safety and Health);
- **TLV:** (Threshold Limit Value)
- **TWA:** (Time Weighted Average);
- **STEL:** (Short Term Exposure Limit);
- **PEL:** (Permissible Exposure Level);
- **REL:** (Recommended Exposure Limit);
- **PC-STEL:** (Permissible concentration-short time exposure limit);
- **PC-WVA:** (Permissible concentration-time weighted average);
- **IARC:** (International Agency for Research on Cancer);
- **LC50:** (Lethal concentration, 50 percent kill);
- **LD50:** (Lethal dose, 50 percent kill);
- **EC50:** (Median effective concentration);
- **BCF:** (Bioconcentration Factor);
- **BOD:** (Biochemical oxygen demand);
- **IECSC:** (Inventory of Existing Chemical Substances in China);
- **NOEC:** (No observed effect concentration);
- **NTP:** (US National Toxicology Program);
- **RTECS:** (Registry of Toxic Effects of Chemical Substances);
- **TOC:** (Total Organic Carbon);
- **TSCA:** (Toxic Substances Control Act of USA);
- **DSL:** (the Domestic Substances List of Canada);
- **NDSL:** (the Non-domestic Substances List of Canada);
- **IATA:** (International Air Transport Association);
- **IMDG:** (International Maritime Dangerous Goods);
- **TDG:** (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations)


Contact Information**Pony Testing Group Co. Ltd**

- **Hotline** 400-819-5688

- **Address:** 3/F, Budding 2. Budding 1. Xinhaosheng Industrial Park, Yonghe Road Qiaotou Community; Baom District. Shenzhen. Guangdong China.
- **Phone:** 0755-26050909
- **Web:** www.ponytest.com.



Documents / Resources

	<p>PONY CO2 Handheld Fog Machine with RGB Lights Cannon Jet Machine [pdf] Instruction Manual</p> <p>CO2 Handheld Fog Machine with RGB Lights Cannon Jet Machine, CO2, Handheld Fog Machine with RGB Lights Cannon Jet Machine, Fog Machine with RGB Lights Cannon Jet Machine, RGB Lights Cannon Jet Machine, Cannon Jet Machine</p>
--	--

References

- [User Manual](#)