

# Power Dynamics BGO Series In Outdoor Speaker Set **Instruction Manual**

Home » Power Dynamics » Power Dynamics BGO Series In Outdoor Speaker Set Instruction Manual



#### **Contents**

- 1 Power Dynamics BGO Series In Outdoor Speaker
- 2 Product Usage Instructions
- **3 Safety Precautions**
- **4 TECHNICAL SPECIFICATION**
- **5 Frequently Asked Questions**
- 6 Documents / Resources
  - **6.1 References**
- **7 Related Posts**



# Power Dynamics BGO Series In Outdoor Speaker Set



## **Product Usage Instructions**

## 1. Maintenance:

· Avoid using cleaning sprays on switches.

- Do not attempt to repair the unit yourself.
- · Do not make any changes to the unit.

#### 2. Disposal:

• Do not dispose of electric products in household waste; bring them to a recycling center.

Congratulations to the purchase of this Power Dynamics product. Please read this manual thoroughly prior to using the unit in order to benefit fully from all features.

Read the manual prior to using the unit. Follow the instructions in order not to invalidate the warranty. Take all precautions to avoid fire and/or electrical shock. Repairs must only be carried out by a qualified technician in order to avoid electrical shock. Keep the manual for future reference.

## **Safety Precautions**

- Do not place metal objects or pour liquids into the unit This may cause electrical shock and malfunction.
- Do not place the unit near heat sources such as radiators, etc. Do not place the unit on a vibrating surface. Do not cover the ventilation holes.
- The unit is not suitable for continuous use.
- All repairs should be carried out by a qualified technician only.
- To prevent accidents in companies, you must follow the applicable guide lines and follow the instructions.
- Keep the unit out of the reach of children. Do not leave the unit unattended.
- Do not use cleaning sprays to clean switches. The residues of these sprays cause deposits of dust and grease. In case of malfunction, always seek advice from a specialist.
- Do not force the controls.
- This unit is with speaker inside which can cause magnetic field. Keep this unit at least 60cm away from computer or TV.
- If the unit has fallen, always have it checked by a qualified technician before you switch the unit on again.
- Do not use chemicals to clean the unit. They damage the varnish. Only clean the unit with a dry cloth.
- Keep away from electronic equipment that may cause interference.
- Only use original spares for repairs, otherwise serious damage and/or dangerous radiation may occur.
- Keep the original packing material so that you can transport the unit in safe conditions.

This mark attracts the attention of the user to important instructions that are contained in the manual and that he should read and adhere to.


The unit has been certified CE. It is prohibited to make any changes to the unit. They would invalidate the CE certificate and their guarantee!

NOTE: To make sure that the unit will function normally, it must be used in rooms with a temperature between 5°C/41°F and 35°C/95°F.

Electric products must not be put into household waste. Please bring them to a recycling centre. Ask your local authorities or your dealer about the way to proceed. The specifications are typical. The actual values can slightly change from one unit to the other. Specifications can be changed without prior notice.

Do not attempt to make any repairs yourself. This would invalid your warranty. Do not make any changes to the unit. This would also invalid your warranty. The warranty is not applicable in case of accidents or damages caused by inappropriate use or disrespect of the warnings contained in this manual. Power Dynamics cannot be held responsible for personal injuries caused by a disrespect of the safety recommendations and warnings. This is also applicable to all damages in whatever form.

## **CONNECTION DIAGRAM**



# **TECHNICAL SPECIFICATION**

	BGO40	BGO50	BGO65
Ref.nr.	100.044/100.046	100.052/100.054	100.056/100.058
Power Max.	100W	120W	150W
Power Rms	30W	35W	45W
Impedance	8 Ohm		
Frequency response	100Hz-20Khz	50Hz-20kHz	40Hz-20kHz
SPL @ 1W/1m	89dB	89dB	89dB
Woofer	4" Polypropylene	5.25" Polypropylene	6.5" Polypropylene
Tweeter	3/4" Silk dome		1" Silk dome
IP rating	IPX5		
Dimensions per speaker	198 x 145 x 127mm	240 x 179 x 153mm	288 x 216 x 180mm
Weight per speaker	0.65kg	0.90kg	1.30kg

The specifications are typical. The actual values can slightly change from one unit to the other. Specifications can be changed without prior notice.

The products referred to in this manual conform to the European Community Directives to which they are subject:

- Low Voltage (LVD) 2014/35/EU
- Electromagnetic Compatibility (EMC) 2014/30/EU
- Restriction of Hazardous Substances (RoHS) 2011/65/EU

## **Frequently Asked Questions**

• Q: Can I repair the unit myself if needed?

A: No, all repairs should be carried out by a qualified technician to avoid electrical shock and to prevent invalidating the warranty.

· Q: What should I do with the unit if I no longer need it?

A: Do not put electric products in household waste; instead, bring them to a recycling center to properly dispose of them.

## **Documents / Resources**



Power Dynamics BGO Series In Outdoor Speaker Set [pdf] Instruction Manual 100.044, 100.046, 100.052, 100.054, 100.056, 100.058, BGO Series In Outdoor Speaker Set, BGO Series, In Outdoor Speaker Set, Speaker Set, Set

## References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.