



# POWER TAGGER Lightweight LiON Battery Powered Tagging Machine User Guide

## Contents

- 1 [Lightweight LiON Battery Powered Tagging Machine](#)
  - 1.1 [Thank you for purchasing the Original Power Tagger!](#)
  - 1.2 [IMPORTANT It is essential to read the manual before operation.](#)
  - 1.3 [QUICK START GUIDE](#)
- 2 [Documents / Resources](#)
  - 2.1 [References](#)
- 3 [Related Posts](#)

## Lightweight LiON Battery Powered Tagging Machine



**Thank you for purchasing the Original Power Tagger!**

### **IMPORTANT**

**It is essential to read the manual before operation.**

View or download the manual at: [www.powertagger.com/Manual.pdf](http://www.powertagger.com/Manual.pdf)



[www.powertagger.com](http://www.powertagger.com)

Warranty is valid for 12 months from date of purchase. It covers all repair costs of the tagger caused by a product defect.

Any damage caused by the customer due to misuse, not in accordance with the instructions, will not be covered by the warranty.

COPYRIGHT © POWERTAGGER PTY LTD 2025

To claim under the warranty the tagger should be registered and returned together with this certificate to the company Head Office. For contact details see our website.

To register complete the following details and send via email to [admin@powertagger.com](mailto:admin@powertagger.com)

Date of Purchase:

Full Name:

.....  
....  
Address:

.....  
.....  
Telephone No:

.....Email: Contact



[www.powertagger.com/Manual.pdf](http://www.powertagger.com/Manual.pdf)




## QUICK START GUIDE

1. Only professional personnel should operate this device.
2. Do not put your hand into the clamp while working.
3. Battery should be fully charged before use.
4. Before proceeding READ the MANUAL:
  - A. Choose and fit the appropriate Pin. Different pins are supplied within the pack to suit different makes of tags. Compare with your existing tag before proceeding.
  - B. If required adjust the jaw closure to suit tag type. This device is preconfigured for visual tags. Depending on the make, model and type of tag (open/closed cap or EID tags), the closing distance may need to be adjusted to suit. See instructions on adjusting in manual.
5. Before operation, press the trigger to close the jaw several times, check for normal function and adjustment before starting to work.
6. Please note:
  - It is best not to leave the PowerTagger loaded with tags. When it sleeps the tagger closes and can result in tags being locked together.
  - While the Device has IP65 rating it is recommended not to operate this in the rain.
7. Shutdown: Press the power switch for 2 seconds to turn off.
8. To remove the battery: Press the button on the battery box and pull out the battery horizontally outwards.

9. Remember: If it's not labelled Power Tagger, it's not an original Power Tagger.

## Documents / Resources

|   |   |
|---|---|
|  | <p><b><a href="#">POWER TAGGER Lightweight LiON Battery Powered Tagging Machine</a></b> [pdf] User Guide<br/>Lightweight LiON Battery Powered Tagging Machine, LiON Battery Powered Tagging Machine,<br/>Battery Powered Tagging Machine, Powered Tagging Machine, Tagging Machine, Machine</p> |
|---|---|

## References

- [User Manual](#)

### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.