





PowerA PSAC0356 Portal Remote Player Instruction Manual

Home » PowerA » PowerA PSAC0356 Portal Remote Player Instruction Manual

Contents

- 1 PowerA PSAC0356 Portal Remote
- **Player**
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 FAQ (Frequently Asked Questions)**
- **5 TO APPLY**
- **6 TO REMOVE**
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**



PowerA PSAC0356 Portal Remote Player



Product Information

Specifications:

• Product: Screen Protection Kit

• Compatible with: PlayStation Portal™ Remote Player

• Material: Protective film

• Color: Transparent

Product Usage Instructions

Before Application:

Before applying the screen protector, ensure the screen of your PlayStation Portal™ Remote Player is clean and free from dust and dirt. Use a cleaning cloth to gently wipe the screen. Avoid using volatile oils, alcohol, or materials that may leave lint, such as tissue paper.

To Apply:

- 1. Peel off the screen protector from the adhesive side with the RED tab. This side is applied to the screen of your remote player.
- 2. Starting from the edge of the screen, carefully apply the screen protector. Use the included applicator to remove any bubbles that may form during application.

To Remove:

If you need to remove the screen protector, affix a piece of adhesive tape to a corner of the protector and peel it off slowly to avoid damaging the screen.

FAQ (Frequently Asked Questions)

• Can I reuse the screen protector once removed?

It is recommended to use a new screen protector after removal as reusing may affect its adhesive properties and protective function.


· How do I clean the screen protector?

Gently wipe the screen protector with a soft, lint-free cloth dampened with water. Avoid using harsh chemicals or abrasive materials that may scratch the surface.


Before applying the screen protector, remove dust and dirt from the screen of your PlayStation Portal™ remote player. Wipe the screen softly with the included microfiber cleaning cloth. Do not use volatile oils, alcohol or materials such as tissue paper that may produce lint.

TO APPLY


1. Remove the film from the adhesive side of the screen protector using the RED tab (A). This is the side that is applied to the screen of your remote player.



2. Apply the screen protector from the edge of the screen. Use the applicator included to remove any bubbles.



3. Remove the film on the surface of the screen protector using the BLUE tab (B). This is the surface side.



NOTE: If dust is stuck on the adhesive surface of the screen protector, remove it using adhesive tape.

TO REMOVE

Affix a piece of adhesive tape to a corner of the screen protector and peel the screen protector up slowly.

Documents / Resources



PowerA PSAC0356 Portal Remote Player [pdf] Instruction Manual

PSAC0356-01, 1730590212, cdf9dd15, PSAC0356 Portal Remote Player, PSAC0356, Portal Remote Player, Remote Player, Player

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.