



POWERNESS S40 Portable Solar Panel with Patented LCD Digital Window User Guide

[Home](#) » [POWERNESS](#) » POWERNESS S40 Portable Solar Panel with Patented LCD Digital Window User Guide



Foldable Solar Panel
SolarX S40



User Guide

www.powerness.com

Thank you for choosing Powerness. please read the instructions carefully before use and keep it for further reference.

Contents

- [1 Introduction](#)
- [2 Product Features](#)
- [3 Operation Guidance](#)
- [4 Product Specification](#)
- [5 Package Content](#)
- [6 Customer Service](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

Introduction

Built with the latest solar charging technology, Powerness SolarX S40 foldable 3-ways-charging solar panel provides clean and renewable electricity supply for Powerness or other brands Li-ion portable power stations, as well as a large variety of consumer electronic devices, such as smartphones, laptops or any other devices powered by USB or USB-C ports.

Product Features

1. Carefully selected solar cells for reliable performance. up to 23% high conversion efficiency enables Powerness solar panel to produce electricity in low-lux outdoor environment (>40000 Lux)
2. Patented LCD display makes it always clear how much electricity user are getting from the panel

Operation Guidance


Step 1: Unfold this product and place it on it's kickstand,make sure it face towards the sun.

Step 2: Connect your electronic device to the USB port (or USB-C cable), or connect your Li-ion portable power stations to the DC cable

The LCD display will show the current (amp) level when the solar panel is active.

Note:

Like any solar panel product, this product works at t's best efficiency on hot sunny days. On a cloudy day or in a shaded area, it's efficiency will be affected.



Set in direct sunlight and use the kickstand to ensure best performance

Product Specification

Model: SolarX \$40

Peak Power: 40W

Gell Efficiency: 23%

Power Voltage: 18V

Power Current: 2.2A

Open Circuiit Voltage: 21.6V

USB-A Output: 5V – 2.4A
USB-C Cable Output: 5V – 2.4A
Operating Temperature Range: -10-65 C
Dimensions (unfolded): 823 x 412 x 7mm
Dimensions (folded): 412 x 412 x 40mm
Weight: 2.2kg

Package Content


1 x Powerness SolarX S40 foldable solar panel
1 x User Manual

Customer Service

We provide customers with a warranty of 12 months from the date of purchase. Reach us for supports by email service@powerness.com



Documents / Resources

	<p>POWERNESS S40 Portable Solar Panel with Patented LCD Digital Window [pdf] User Guide</p> <p>S40 Portable Solar Panel with Patented LCD Digital Window, S40, Portable Solar Panel with Patented LCD Digital Window, Panel with Patented LCD Digital Window, Patented LCD Digital Window, LCD Digital Window, Digital Window, Window</p>
---	---

References

- [User Manual](#)