

POWERTECH PP2119 Cigarette Lighter Adaptor with Twin Socket Instruction Manual

Home » POWERTECH » POWERTECH PP2119 Cigarette Lighter Adaptor with Twin Socket Instruction Manual

Contents

- 1 POWERTECH PP2119 Cigarette Lighter Adaptor with Twin
- Socket
- **2 FEATURES:**
- 3 OVERVIEW:
- **4 FUSE REPLACEMENT:**
- **5 PRECAUTIONS:**
- **6 WARRANTY:**
- **7 PRODUCT SPECIFICATIONS:**
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts

POWERTECH

POWERTECH PP2119 Cigarette Lighter Adaptor with Twin Socket



Please read the user manual carefully before using so that you can quickly understand the function and operation of this product.

FEATURES:

• Two cigarette lighter sockets output 12V-24V voltage which is the same as your car, charge your GPS and dash cam or other devices simultaneously.

Dual USB Ports

The unit is built with two independent power management chips. The orange USB port is QC3.0 fast charging port, which can support 5V/3A, 9V2A, 12V/1.5A charging protocol, and the blue USB port supports Smart2.4A current output. Two USB ports can meet the fast charging needs of electronic devices such as Apple, Samsung, Huawei, and tablets.

Type-C Port Charging

Android – Maximum support 1.5A charge IOS – Maximum support 2.4A charge

Fuse

The bottom of this product has a replaceable 10A automotive fuse. When the device is short-circuited, it will generate a momentary high voltage. After exceeding the current limiting voltage range, this product's built-in automotive fuse can timely cut off the current to protect the automotive circuit and electronic equipment security.

Cigarette Lighter Socket and Switch

Two on/off switches control the cigarette sockets respectively so that you don't need to plug and unplug the GPS. Reducing wear and tear, extending the lifespan of the devices.

Voltage Reminder

With an intelligent LED display, indicates the car voltage properly. When the car voltage is lower than 12V, it will

OVERVIEW:



- 1. On/off Switches
- 2. Cigarette Lighter Socket
- Orange USB port support: QC 3.0 Fast Charge Protocol
 Blue USB port support: Smart 2.4A current output charging
- 4. Type-C port charging

FUSE REPLACEMENT:

Pull out the existing fuse from the bottom of the unit and insert a replacement 10A fuse into the hole to resume normal use.

PRECAUTIONS:

- This product is compatible with the voltage between 12-24V. Please do not try other models than other voltages to avoid unnecessary danger.
- If the display shows abnormal voltage, please plug in the power until the vehicle is in good condition.
- · Please keep it away from children.
- Please do not disassemble it in case of damage.
- Please unplug it if you don't need to use it.

WARRANTY:

The product comes with a one year warranty period from the date of purchase. The following are not covered by the warranty.

• Disassemble this product without permission.

- Abnormal use causing surface wear.
- Improper use causing damage.

PRODUCT SPECIFICATIONS:

Voltage Input:	9V-30V
12V Sockets:	12V 10A (120W) combined
QC3.0:	5V/3A, 9V/2A,12V/1.5A (18W)
Type C:	5V 2.4A (12W)
2.4A USB:	5V 2.4A (12W)
Combined: Type C/2.4A USB	Max Output 17W
Total Max Output:	10A (120W)

Documents / Resources



POWERTECH PP2119 Cigarette Lighter Adaptor with Twin Socket [pdf] Instruction Manual PP2119 Cigarette Lighter Adaptor with Twin Socket, PP2119, Cigarette Lighter Adaptor with Twin Socket, Twin Socket, Cigarette Lighter Adaptor, Lighter Adaptor, Adaptor

References

• E Electus Distribution - Home

Manuals+,