

PREVIDIA C-COM Serial and IP Module Interface Instruction Manual


[Home](#) » [PREVIDIA](#) » PREVIDIA C-COM Serial and IP Module Interface Instruction Manual 

Contents

- [1 PREVIDIA C-COM Serial and IP Module Interface](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Technical specifications](#)
- [5 Mounting](#)
- [6 Wiring the board](#)
- [7 DISPOSAL](#)
- [8 Documents / Resources](#)

PREVIDIA

PREVIDIA C-COM Serial and IP Module Interface



Product Information

- **Product Name:** PREVIDIA-C-COM
- **Module Type:** Serial and IP module interface
- **Model:** REV. 1.10
- **Manufacturer:** INIM Electronics S.r.l.
- **Power Supply Voltage:** 19 / 30 V
- **Current Draw:** 40 mA
- **Operating Temperature:** Card temperature
- **SD Card Capacity:** Capacidad da placa SD card
- **RS485 Max Current:** 200 mA
- **RS485 Connections:** RS485-1 and RS485-2
- **RS232 Connections:** RS232-1 and RS232-2
- **Mounting:** Montage with PREVIDIA-C-DIAL
- **Isolation Class:** Classe d'isolement
- **Terminal Type:** Ethernet ES1, PS1 RS485 ES1, PS2 RS232 ES1, PS1

Product Usage Instructions



1. Ensure that the power supply voltage is within the range of 19-30V.
2. Connect the module to the appropriate RS485 and RS232 connections as per the provided specifications.
3. If using the PREVIDIA-C-DIAL mounting option, follow the mounting instructions provided for proper installation.
4. Insert an SD card with the required capacity into the module.
5. Ensure that the operating temperature is within the specified range for optimal performance.
6. Refer to the user manual for any additional instructions or guidelines.

Please note that this product does not support 220V power supply or battery usage. For further information, refer to the user manual available for download from the official website of INIM Electronics S.r.l.


Technical specifications

- Power supply voltage
- Current draw
- Operating temperature
- Capacity of SD-card


Mounting



Mounting with PREVIDIA-C-DIAL



Wiring the board



Isolation class		I
Terminal type	Ethernet	ES1, PS1
	RS485	ES1, PS2
	RS232	ES1, PS1

Download



Directive 2014/53/EU

Hereby, INIM Electronics S.r.l. declares that these Previdia Compact control panels are in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. This product may be used in all EU Countries.

Documents for the users

Declarations of Performance, Declarations of Conformity and Certificates concerning to INIM Electronics S.r.l. products may be downloaded free of charge from the web address www.inim.biz, getting access to Extended Access and then selecting "Certifications" or requested to the e-mail address info@inim.biz or requested by ordinary mail to the address shown in this manual. Manuals may be downloaded free of charge from the web address www.inim.biz, getting access to Extended Access and then selecting "Manuals"

DISPOSAL

WEEE



Informative notice regarding the disposal of electrical and electronic equipment (applicable in countries with differentiated waste collection systems) The crossed-out bin symbol on the equipment or on its packaging indicates that the product must be disposed of correctly at the end of its working life and should never be disposed of together with general household waste. The user, therefore, must take the equipment that has reached the end of its working life to the appropriate civic amenities site designated to the differentiated collection of electrical and electronic waste. As an alternative to the autonomous-management of electrical and electronic waste, you can hand over the equipment you wish to dispose of to a dealer when purchasing new equipment of the same type. You are also entitled to convey for disposal small electronic-waste products with dimensions of less than 25cm to the premises of electronic retail outlets with sales areas of at least 400m², free of charge and without any obligation to buy. Appropriate differentiated waste collection for the subsequent recycling of the discarded equipment, its treatment, and its environmentally compatible disposal helps to avoid possible negative effects on the environment and on health and favors the re-use and/or recycling of the materials it is made of.

Copyright

The information contained in this document is the sole property of INIM Electronics s.r.l. No part may be copied without written authorization from INIM Electronics s.r.l. All rights reserved.




ISO 9001 Quality Management certified by BSI with certificate number FM530352

Inim Electronics S.r.l.

Centobuchi, via Dei Lavoratori 10
63076 Monteprandone (AP) Italy
Tel. +39 0735 705007
Fax +39 0735 70491
info@inim.biz _ www.inim.biz

Documents / Resources



[PREVIDIA C-COM Serial and IP Module Interface](#) [pdf] Instruction Manual
C-COM Serial and IP Module Interface, C-COM, Serial and IP Module Interface, Module Interface

