

PROAIM P-ROTN-01 Rotation Vesa Tilting Monitor Mount Instruction Manual

Home » PROAIM » PROAIM P-ROTN-01 Rotation Vesa Tilting Monitor Mount Instruction Manual

PROAIM P-ROTN-01 Rotation Vesa Tilting Monitor Mount



Contents

- 1 What's In The Box
- 2 Vesa Monitor Mount Setup
- 3 Vertical to Horizontal Repositioning (230° Tilting)
- **4 Warranty**
- **5 Liability**
- **6 Contact Us**
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**

What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.

• 360° Rotation VESA Monitor Mount



• 4 x Knobs (Size: 4 x 12) with washers



• 4 x Knobs (Size: 4 x 16) with washers



• 13mm Spanner



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Vesa Monitor Mount Setup

• Match the threaded holes of the Vesa Monitor Mount and the 75mm Monitor (Not Included).






• After aligning the Monitor Mount, insert the knob and tighten it.

NOTE: Its four-knob mounting system is compatible with LCD (Not Included).





- Repeat the same process with the remaining knobs.
- Loosen the knob of the VESA Monitor Mount.





After loosening the knob, mount it on a C-Stand, as shown in the image.
NOTE: Compatible with a 5/8" baby-pin stand, this mount offers the flexibility to use your monitor in any production setting.





After mounting in the C-Stand (Not Included), properly tighten the attachment using the knob.
NOTE: VESA mount perfectly fits most 75×75 and 100×100 mm monitors (Not Included).





Unlock the lock of the mount and tilt it up to 230° per your convenience.
NOTE: It features a large, glove-friendly locking lever to easily lock or unlock the monitor tilt.







• The monitor (Not Included) can be rotated 360° with the help of a locking lever as shown in the image.







Vertical to Horizontal Repositioning (230° Tilting)



YOUR PROAIM 360° ROTATION VESA 75MM/100MM TILTING MONITOR MOUNT ALL DRESSED UP AND READY TO GO!

(SHOWN WITH OPTIONAL ACCESSORIES)



Warranty

We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.


Liability

We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us

In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.

Documents / Resources



PROAIM P-ROTN-01 Rotation Vesa Tilting Monitor Mount [pdf] Instruction Manual P-ROTN-01 Rotation Vesa Tilting Monitor Mount, P-ROTN-01, Rotation Vesa Tilting Monitor Mount, Vesa Tilting Monitor Mount, Tilting Monitor Mount, Monitor Mount, Mount

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.