




PROAIM P-SMMT-01 Smart VESA Mount for Monitors Instruction Manual

[Home](#) » [PROAIM](#) » PROAIM P-SMMT-01 Smart VESA Mount for Monitors Instruction Manual 

PROAIM P-SMMT-01 Smart VESA Mount for Monitors Instruction Manual



Contents

[1 What's In The Box](#)

[2 Vesa Mount Setup](#)

[3 Documents / Resources](#)

[3.1 References](#)

[4 Related Posts](#)

What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Vesa-Mount for Monitor

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Vesa Mount Setup

- Pull and remove the detachable locking pin from the Vesa Mount.

NOTE: There's a detachable locking pin that, when pulled out, lets you flatten the mount to stay on the Monitor for the next placement and secures it in open and closed positions.




- Now, match the threaded holes of the Vesa Mount and 75mm Monitor **(Not Included)**, and insert bolts in them.



- After inserting the bolts, tighten them using the Allen key to attach the Vesa Mount to the monitor securely. Re-insert the detachable locking pin, as shown in the image.



- Properly insert the detachable locking pin so that the movement of the T-Slot plate can be stabilized.



- Mount the multifunctional 360° Rotatable Grip Head (**Not Included**) on the light stand (**Not Included**).



- Now, loosen the T-knob.
NOTE: It quickly connects to 5/8" baby-pin light stands and c-stands.
- After loosening the knob, open the Grip Head and mount the Monitor (**Not Included**) via the T-slot with V-centering onto the Grip Head.

NOTE: Mount your monitor to a C-stand via T-slot with V-centering using 2.5" Grip Heads.



- After inserting the T-Slot in the clamp, tighten it using the T-knob.




- Secure open and closed positions via tethering and detachable locking pin.



- The two slots at the hinge end allow black hook-and-loop straps for cable management and organization.

NOTE: The versatile design has circular cutouts for bolting to head/wooden/set walls.



YOUR PROAIM SMART-MOUNT – VESA MOUNT 75MM/100MM ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)


Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.

PROAIM

Documents / Resources

	<p>PROAIM P-SMMT-01 Smart VESA Mount for Monitors [pdf] Instruction Manual P-SMMT-01, P-SMMT-01 Smart VESA Mount for Monitors, Smart VESA Mount for Monitors, VESA Mount for Monitors, Monitors</p>
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.