

PROAIM TP-MNST-01 Double Riser Rolling Monitor Stand



PROAIM TP-MNST-01 Double Riser Rolling Monitor Stand Instruction Manual

[Home](#) » [PROAIM](#) » PROAIM TP-MNST-01 Double Riser Rolling Monitor Stand Instruction Manual 

Contents

- 1 PROAIM TP-MNST-01 Double Riser Rolling Monitor Stand
- 2 Product Usage Instructions
- 3 What's In The Box
- 4 Camera Stand Setup
- 5 Caster Wheel Mounting
- 6 Height Adjustment
- 7 Screen Mounting
- 8 Leveling Leg For Uneven Surface
- 9 Warranty
- 10 Documents / Resources
 - 10.1 References



PROAIM TP-MNST-01 Double Riser Rolling Monitor Stand



Product Specifications

- Product Name: 6.16ft Double Riser Rolling Monitor Stand (TP-MNST-01)
- Features: Smooth and effortless movement, Caster wheels with brakes, Height adjustment, Screen mounting compatibility, Leveling leg for uneven surfaces
- Includes: 3 x Caster Wheels, Monitor Stand, 16mm Spanner

Product Usage Instructions

1. Caster Wheel Mounting

Attach the 3 caster wheels to the stand using the provided 16mm Spanner. Ensure the wheels are securely mounted.

2. Height Adjustment

Adjust the height of the monitor stand as needed to achieve the desired positioning for your gear.

3. Screen Mounting

Securely attach your monitor, lights, or other support gear using the 5/8 baby pin mounting feature on the stand.

4. Leveling Leg For Uneven Surface

When using the monitor stand on uneven terrains, adjust the rocky mountain leg to ensure stability and confident navigation.

FAQ

• Q: Can I use this monitor stand with any type of monitor?

A: The monitor stand is compatible with a wide range of monitors, lights, and support gear due to its versatile screen mounting feature.

• Q: How do I lock the stand in position?

A: Each caster wheel is equipped with a customized footbrake that locks the stand securely in place.

6.16ft Double Riser Rolling Monitor Stand (TP-MNST-01)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Monitor Stand



3 x Caster Wheels



16mm Spanner

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Camera Stand Setup

- Loosen the knob of the Monitor Stand and stretch out its legs.

Feature: This stand offers smooth and effortless movement across the set, allowing you to position your gear with ease and efficiency.

- After stretching out the legs, re-tighten the knob to lock the leg's position.



- Now, loosen both (Top/ Bottom) knobs of the Monitor Stand.
- After loosening the knob, adjust the height of the Stand.
- Once the Stand is at the desired height, re-tighten both the knobs to secure it.



Caster Wheel Mounting

- Insert the Caster wheel into the Monitor Stand leg.
- Then, tighten the Caster wheel using a 16mm spanner.
- Repeat the same process to attach the remaining Caster wheels.

Feature: The Stand is equipped with 3" caster wheels featuring brakes.



- Push the wheel brake downwards to halt its movement.

Feature: Each wheel has a customized footbrake that locks the stand in its position.




Height Adjustment

- Loosen the top and bottom knob of the Monitor stand.
- Now, adjust the height of the stand and re-tighten the knobs to secure it.



Height Adjustment



Screen Mounting

- Loosen the knob of the Monitor mount and mount it on the Monitor Stand.

NOTE: The 5/8" baby pin mounting securely attaches a wide range of monitors, lights, and other support gear.

- After mounting the screen on the stand tighten the screen mount's knob to secure it.



Leveling Leg For Uneven Surface

- Loosen the locking knob of the leveling leg and extend the leveling leg per your requirement.
- After balancing the Leveling Leg, re-tighten the locking knob to secure it.

FEATURE: The monitor stand navigates uneven terrains confidently with its adjustable rocky mountain leg.



YOUR PROAIM DOUBLE RISER ROLLING MONITOR STAND ALL DRESSED UP AND READY TO GO!




(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty

- We offer a one-year warranty for our products from the date of purchase. Within this period, we will repair it without charge for labor or parts. The warranty doesn't cover transportation costs, nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subject to inspection and evaluation by us.
- **Liability:** We are not liable for damage caused by products we do not supply or from mishandling in transit, accident, misuse, neglect, or lack of care of the product or service by anyone other than our company.
- **Contact Us:** If you are dissatisfied, please contact us immediately. We promise our utmost support and care until you use our product.

Documents / Resources

	<p>PROAIM TP-MNST-01 Double Riser Rolling Monitor Stand [pdf] Instruction Manual TP-MNST-01 Double Riser Rolling Monitor Stand, TP-MNST-01, Double Riser Rolling Monitor Stand, Riser Rolling Monitor Stand, Rolling Monitor Stand, Monitor Stand, Stand</p>
---	--

References

- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.