

### proDIGY PLUS C1448 1400lb Modular Cube Ice Machine **Owner's Manual**

Home » ProDIGy PLUS » proDIGY PLUS C1448 1400lb Modular Cube Ice Machine Owner's Manual



proDIGY PLUS C1448 1400lb Modular Cube Ice Machine Owner's Manual



### C1448 - 1400lb Cube Ice Machine

Prodigy Plus® Modular Cube Ice Machine







### The world's smartest cuber

As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus cube ice machines make it easier than ever to maintain your equipment and save money. Whether it's the advanced ice level control or an optional feature board for quick diagnostics, this is ice-making re-imagined. And with intuitive technology like AutoAlert™ indicator lights, a reduced operational footprint and easy-access service from the front panel, Prodigy Plus cubers are simply the smartest, most reliable way to create fresh-tasting ice — every time.

### The Prodigy Plus difference.

- AutoAlert™ indicator lights for better visibility
- Operational footprint among the industry's smallest
- Industry-exclusive QR code instantly connects users to service information and warranty history
- One-touch cleaning reduces labor costs and saves time
- Front-located air filter for more efficient operation

- Self-aligning front panel for easy access to key components
- Patented WaterSense purge control automatically reduces scale buildup
- Patented Harvest Assist efficiently moves cube ice to the bin
- Smart-Board<sup>™</sup> advanced feature module available for additional diagnostic capabilities
- Optional Vari-Smart<sup>™</sup> ice level control allows operators to customize ice levels
- · Antimicrobial protection guards internal surfaces between cleanings
- · A full range of water- and energy-saving features



## 24 Hour Volume Production

Air Cooled		Remote			Water Cooled			
70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C
1553/706 lb/kg		1296/589 lb/kg	1357/617 lb/kg		1258/572 lb/kg	1444/656 lb/kg		1340/609 lb/kg



## **Modular Bin Options**

Model Number*	Bin Application Dimensions Capacity W" x D" x H" lb/kg Finish			Ship Weight Ib/kg	
B948S	48 x 34 x 44**	893/406	Metallic	209/95	
BH1100BB	48 x 34 x 50**	1100/499	SS w/ GBB†	280/127	
BH1100SS	48 x 34 x 50**	1100/499	Stainless Steel	280/127	
BH1300BB BH1300SS	60 x 34 x 50** 60 x 34 x 50**	1400/635 1400/635	SS w/ GBB† Stainless Steel	310/141 310/141	

<sup>\*</sup> Contact Scotsman for bin top requirements. \*\* Add 6" Height for bin legs

<sup>†</sup> Stainless steel with galvanized back & bottom.



# Cube Ice

Common ice form, ideal for mixed drinks.



Small Cube 7/8" x 7/8" x 3/8" (2.22 x 2.22 x .95 cm)



Medium Cube 7/8" x 7/8" x 7/8" (2.22 x 2.22 x 2.22 cm)



## Certification


























- 3 years parts and labor on all components.
- 5 years parts and labor on the evaporator.
- 5 years parts on the compressor and condenser.
- Warranty valid in North, South & Central America for commercial installations.
- Contact factory for warranty in other regions.
- · Residential Applications: 1 year parts and labor



### **Specifications** Water Usage Max. Fuse Size **Energy Consumption** Gallons/100 lb (liters/45.4 kg) Model Number\* **Basic Electrical** or HACR Circuit Circuit Min. Circuit kWh/100 lb (45.4 kg) Condenser Energy Condenser Potable Unit Volts/Hz/Phase Breaker (amps) Wires Ampacity 90°F(32°C)/70°F(21°C) 90°F(32°C)/70°F(21°C) Star® C1448MA-32 18.0/68.3 208-230/60/1 4.25 Air 30 17.7 C1448MA-3 208-230/60/3 4.25 Air 30 13.6 18.0/68.3 C1448MR-32 Remote 208-230/60/1 30 17.0 4.34 18.0/68.3 2 3 2 3 208-230/60/3 208-230/60/1 C1448MR-3 Remote 30 12.9 4.34 18.0/68.3 C1448MW-32 100.0/379.5 Water 30 3.70 18.0/68.3 16.0 C1448MW-3 208-230/60/3 30 3.70 18.0/68.3 100.0/379.5 Water 11.9 C1448SA-32 208-230/60/1 30 17.7 4.25 18.0/68.3 13.6 17.0 C1448SA-3 Air 208-230/60/3 30 4.25 18.0/68.3 C1448SR-32 208-230/60/1 30 4.34 Remote 18.0/68.3 Remote Water C1448SR-3 208-230/60/3 30 4.34 18.0/68.3 100.0/379.5 C1448SW-32 208-230/60/1 16.0 18.0/68.3 30 3.70 C1448SW-3 208-230/60/3 100.0/379.5



### Dimensions (W x D x H):

48" x 24" x 29" Unit:

(121.9 x 61.0 x 73.7 cm)

Shipping Carton: 52" x 27" x 35"

(132.1 x 68.6 x 88.9 cm)

BTUs per hour: Shipping Weight: 345 lb / 157 kg

20,000

Refrigerant: R-404A



Model Number	Description
KVS	Vari-Smart™ Ice Level Control - Program ice bin levels to match ice needs.
KSBU	Smart-Board™ Advanced Control - Use additional operational data for fast diagnosis.
KSBU-N	Smart-Board™ Advanced Control with Network - Network capable.
ERC311-32	Remote condenser for C1448xR, 208-230/60/1 - Consult remote condenser spec sheet for details
BRTE10	10ft (3.0 m) line set, brazing required
BRTE25	25ft (7.6 m) line set, brazing required
BRTE40	40ft (12.2 m) line set, brazing required
BRTE75	75ft (22.9 m) line set, brazing required
KPAS	Prodigy Advanced Sustainability Kit - Includes KVS and KSBU - N

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



	Minimum	Maximum	
Air Temperatures	50°F (10°C)	100°F (38°C)	
Water Temperatures	40°F (4.4°C)	100°F (38°C)	
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)	
Water Pressures	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)	
Electrical Voltage	-5%	+10%	

Specifications and design are subject to change without notice.

- 101 Corporate Woods Parkway, Vernon Hills, IL 60061
- 1-800-SCOTSMAN Fax: 847-913-9844
- www.scotsman-ice.com customer.relations@scotsman-ice.com
- © 2021 Scotsman Ice Systems.

an Ali Group Company



The Spirit of Excellence



### **Contents**

1 Documents / Resources

1.1 References

**2 Related Posts** 

**Documents / Resources** 



proDIGY PLUS C1448 1400lb Modular Cube Ice Machine [pdf] Owner's Manual C1448, 1400lb Modular Cube Ice Machine, C1448 1400lb Modular Cube Ice Machine, Modular Cube Ice Machine, Cube Ice Machine, Ice Machine

### References

- Ice ICE
- 🗸 | Scotsman Ice Systems

Manuals+,