

### Home » Prodvx » PRODVX APPC-10XPL Poe LED Android Touch Display User Guide 🏗

### Contents [ hide ]

- 1 PRODVX APPC-10XPL Poe LED Android Touch Display
- 2 Product Specifications
- 3 Product Usage Instructions
- 4 This package contains
- 5 How to start
- 6 IOverview
- 7 Start and configure the ProDVX device.
- 8 Optional accessories
- 9 FCC NOTE
- 10 FAQ
- 11 Documents / Resources
  - 11.1 References



PRODVX APPC-10XPL Poe LED Android Touch Display



## **Product Specifications**

- Android OS (preinstalled)
- VESA 75 mount Screw spec: M4\*4 mm
- Back / home button
- SD-Card slot (with cover)
- ON / OFF button
- 12 V DC-in
- 3.5 mm jack in/out
- HDMI out
- Micro-USB / OTG USB 2.0 port
- LAN port
- Remote Device Management tools with Kiosk functionality
- Optional accessories: Barcode scanner, NFC module, Camera, RGB LED bar

# **Product Usage Instructions**

#### Installation:

- 1. Take the contents out of the box and ensure all components are present.
- 2. Install the wall/glass mount or desk stand following the designated mount/stand manual instructions. Use a manual screwdriver instead of power tools to prevent

- damage to the device.
- 3. Connect the device to power via PoE+ or a power adapter (optional accessory).
- 4. Connect to the Internet through LAN or Wi-Fi.
- 5. Configure the ProDVX device for your production environment.


## This package contains



#### How to start

- Step 1: Take the contents out of the box, and make sure all components are present.
- Step 2: Install the wall/glass mount or desk stand, and check the designated mount/stand manual for instructions. We strongly advise using a manual screwdriver instead of power tools due to the risk of causing damage to the device.
- Step 3: Connect to power via PoE+ or power adapter (optional accessory).
- Step 4: Connect to the Internet through LAN or Wi-Fi.
- **Step 5:** Configure the ProDVX device for your production environment.

#### **IOverview**



## Start and configure the ProDVX device.

### • Step 1: Power On

Power on the device by connecting either: PoE+ cable or a Power adapter

## • Step 2: Initial Configuration

Choose one of the following configuration methods:



### • A. Skip Wizard

All configuration elements and additional features will remain in their disabled/default state.

## **o** B. Network Setup

o Configure the Network connection from the start.

Note: Ethernet connection must be disabled to use Wi-Fi.

### C. Upload Configuration

Upload a pre-defined configuration in JSON format.

#### D. Start Wizard

- Proceed through the wizard to configure ProDVX features.
- Set screen sleep interval, or Default for automatic sleep after 30 minutes of inactivity (EcoDesign).


### Step 3: Apply Configuration

Once the configuration is complete, the device will automatically reboot to apply the changes.

### • Step 4: Additional Setup (if applicable)

- Configure IEEE 802.1X for LAN or Wi-Fi connection.
- Install and configure preferred applications.

### **Optional accessories**



#### **FCC NOTE**

#### Caution:

Please note this product contains a battery. Please return the product to a certified repair center for proper replacement of the battery. Disposal of a battery can be dangerous.

#### **WARNING:**

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

#### NOTE:

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a

commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area can cause harmful interference, in which case the user will be required to correct the interference at his own expense.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference
- 2. this device must accept any interference received, including interference that may cause undesired operation.

### Europe/UK – EU/UK Declaration of Conformity

This device complies with the essential requirements of the Radio Equipment Directive (2014/53/EU). The following test methods have been applied in order to prove the presumption of conformity with the essential requirements of the Radio Equipment Directive. This equipment is compliant with Class A of EN55032. In a residential environment ment this equipment may cause radio interference.

### **Correct Disposal of this product.**

- This marking indicates that this product should not be disposed of with other (household) waste. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the reseller where the product was purchased. They can take this product for environmentally safe recycling.
- FCC & CE RF Radiation Exposure Statement Caution: To maintain compliance with the FCC & CE's RF exposure guidelines, place the product at least 20cm from nearby persons."
- The suitable temperature for the ProDVX Display and accessories is 0°C-40°C. Please note that using the device at temperatures above or below the specified range is not permitted.

What should I do if the device overheats?

Make sure the device is mounted correctly on a wall or surface as recommended. Avoid using it on a flat horizontal surface to prevent heat entrapment.

How can I dispose of the battery in the product?

Please return the product to a certified repair center for proper replacement of the battery. Battery disposal can be dangerous and should be handled with care.

Can I use power tools to attach the device to the mount or stand?

It is preferred not to use power tools as they may cause damage to the device. Please use a manual screwdriver for installation.

# **Documents / Resources**



PRODVX APPC-10XPL Poe LED Android Touch Display [pdf] User Guide APPC-10XPL Poe LED Android Touch Display, APPC-10XPL, Poe LED A ndroid Touch Display, Android Touch Display, Touch Display

### References

- User Manual
- Prodvx
- ♠ Android Touch Display, APPC-10XPL, APPC-10XPL Poe LED Android Touch Display, Poe LED Android Touch Display, Prodvx, Touch Display

# Leave a comment

Your email address will not be published. Required fields are marked \*

Name		
Email		
<u> </u>		
Website		
☐ Save my name, email, and website in this browser for the next time I com	ment.	
Post Comment		
Search:		
e.g. whirlpool wrf535swhz	Search	

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.