



PROGRESS LIGHTING P9107-28 4 In White Mixed Material Linear Floating Power Feed Instruction Manual

[Home](#) » [PROGRESS LIGHTING](#) » **PROGRESS LIGHTING P9107-28 4 In White Mixed Material Linear Floating Power Feed Instruction Manual** 

Contents

- [1 PROGRESS LIGHTING P9107-28 4 In White Mixed Material Linear Floating Power Feed](#)
- [2 PROGRESS TRACK SYSTEM](#)
- [3 IMPORTANT SAFETY INSTRUCTIONS](#)
- [4 Documents / Resources](#)
- [5 Related Posts](#)



PROGRESS LIGHTING P9107-28 4 In White Mixed Material Linear Floating Power Feed



CAUTION:

Read instructions carefully and turn electricity, off at the main circuit breaker panel before beginning installation.

PROGRESS TRACK SYSTEM**WARNING**

IF ANY SPECIAL CONTROL DEVICES ARE USED WITH THIS FIXTURE, FOLLOW THE INSTRUCTIONS CAREFULLY TO ASSURE FULL COMPLIANCE WITH N.E.C. REQUIREMENTS. IF THERE ARE ANY QUESTIONS, CONTACT A QUALIFIED ELECTRICAL CONTRACTOR.

WARNING

This product contains chemicals known to the State of California to cause cancer, birth defects, and or other reproductive harm. Thoroughly wash hands after installing, handling, cleaning, or otherwise touching this product.

SAVE THESE INSTRUCTIONS**REFER TO THEM WHEN ADDITIONS OR CHANGES IN THE TRACK CONFIGURATION ARE MADE**

1. THIS TRACK IS TO BE USED WITH PROGRESS TRACK FIXTURE ASSEMBLIES, TRACK CONNECTORS, OR OTHER PROGRESS TRACK ACCESSORIES ONLY.
2. DO NOT ATTEMPT TO POWER THIS TRACK WITH ANY FORM OF POWER SUPPLY CORD FROM A WALL RECEPTACLE, OR TO ATTACH ANY FORM OF CONVENIENCE RECEPTACLE TO THIS TRACK.
3. THIS TRACK SYSTEM IS TO BE SUPPLIED BY A SINGLE BRANCH CIRCUIT SUCH AS A 120-VOLT CIRCUIT WITH A GROUNDED NEUTRAL.

IMPORTANT SAFETY INSTRUCTIONS**WHEN INSTALLING OR USING THIS TRACK SYSTEM, BASIC SAFETY PRECAUTIONS SHOULD ALWAYS BE FOLLOWED INCLUDING:**

1. READ ALL INSTRUCTIONS AND TURN TO OFF ELECTRICITY AT THE MAIN FUSE BOX, BEFORE INSTALLING, ADDING TO, OR CHANGING THE CONFIGURATION OF THE TRACK ALSO DISCONNECT ELECTRICAL POWER AT THE FUSE OR CIRCUIT BREAKER, BEFORE SERVICING, OR RELAMPING.
2. DO NOT INSTALL THIS TRACK IN A DAMP OR WET LOCATION, OR LESS THAN FIVE (5) FEET ABOVE THE FLOOR. TRACK MUST BE INSTALLED IN A LOCATION AND A MANNER CONSISTENT WITH ITS INTENDED USE AND IN COMPLIANCE WITH THE NATIONAL ELECTRICAL CODE AND WITH OTHER LOCAL ELECTRICAL CODES. THE TRACK MUST BE GROUNDED TO AVOID POTENTIAL ELECTRICAL SHOCK OR OTHER POTENTIAL HAZARDS. POLARITY MUST BE MAINTAINED THROUGHOUT THE INSTALLATION.
3. DO NOT USE THIS TRACK FOR OTHER THAN ITS INTENDED USE. DO NOT ATTEMPT TO ENERGIZE ANYTHING OTHER THAN PROGRESS TRACK LIGHTING FIXTURE ASSEMBLIES OR ACCESSORIES FROM THIS TRACK. TO REDUCE THE RISK OF FIRE AND ELECTRIC SHOCK, DO NOT ATTEMPT TO CONNECT POWER TOOLS, TENSION CORDS, APPLIANCES, AND THE LIKE TO THIS TRACK.
4. DO NOT INSTALL ANY TRACK LIGHTING FIXTURE ASSEMBLY OR ACCESSORY CLOSER THAN SIX (6) INCHES FROM ANY CURTAIN OR SIMILAR COMBUSTIBLE MATERIAL.
5. ALL SERVICING, MUST BE PERFORMED BY QUALIFIED SERVICE PERSONNEL.



[PROGRESS LIGHTING P9107-28 4 In White Mixed Material Linear Floating Power Feed](#) [pdf] Instruction Manual
P9107-28 4 In White Mixed Material Linear Floating Power Feed, P9107-28, 4 In White Mixed Material Linear Floating Power Feed, Linear Floating Power Feed, Floating Power Feed