




PROJECTS TT Mount 3.0 Computer Mount Instruction Manual

[Home](#) » [Projects](#) » PROJECTS TT Mount 3.0 Computer Mount Instruction Manual 

PROJECT

TT MOUNT 3.0 – COMPUTER MOUNT

Contents


- [1 TT Mount 3.0 Computer Mount](#)
- [2 Documents / Resources](#)
 - [2.1 References](#)

TT Mount 3.0 Computer Mount

STAY AERO. MOVE YOUR COMPUTER, NOT YOUR HEAD.


With the unique range of adjustability, the 76 Projects TT Mount allows the rider to maintain an aero position whilst viewing key data from their computer screen.

We recommend the mount be placed behind the hands whilst in riding position and angling the screen for optimum viewing. This will minimise head movement and helps to maintain concentration.



76 PROJECTS

- Aero position maintained
- Optimised viewing
- Perfect symmetry
- 3 way adjustability



Standard

- Negatively impacts aerodynamics (increased head movement)
- Limited ability for positioning

CONTENTS




2x 25,30,35,40mm
Screws

2x Angular spacers
2x 2,3,5,10mm Spacers


Mount
includes 20mm screws

TOOLS REQUIRED



metric
rule

2.5mm
key



Forwards




Backwards



Low slung


STEP ONE

Attach Computer to mount, undo straps and choose approx position of mount for optimum viewing.



STEP TWO

Mark position of bracket and measure width of bar centres.
Use guide to calculate screws and spacers required.




STEP THREE

Using 2.5mm allen key replace both side screws and add spacers as required.


Loosely secure screws to allow brackets to freely rotate and move during next step.

Standard	Extra Wide		
C to C (mm)	C to C (mm)	Screws (mm)	Spacers (mm)
50	90	20	
54	94	20	2
56	96	20	3
60	100	25	5
64	104	25	5+2
66	106	25	5+3
70	110	30	10
74	114	30	10+2
76	116	30	10+3
80	120	35	10+5
84	124	35	10+5+2
86	126	35	10+5+3
90	130	40	10+5+3+2



STEP FOUR

Place mount into desired position, thread straps through each bracket.
Pull vertically to remove slack and smooth down velcro.




STEP FIVE

Align head of mount to desired angle, tighten each screw finger tight or until resistance is felt.

Re adjust straps if necessary.

Excess straps may be cut for a neat finish.




PROJECT

76PROJECTS.COM



Documents / Resources



[PROJECTS TT Mount 3.0 Computer Mount](#) [pdf] Instruction Manual
TT Mount 3.0 Computer Mount, TT, Mount 3.0 Computer Mount, Computer Mount

References

- [User Manual](#)

[Manuals+](#). [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.