

PROVISION **ISR**
PROTECTING YOUR PRIVACY
ISR I2-320AB-28 20m IR
2MP Fixed Lens Small
Bullet Camera



PROVISION ISR ISR I2-320AB-28 20m IR 2MP Fixed Lens Small Bullet Camera Owner's Manual

[Home](#) » [PROVISION-ISR](#) » PROVISION ISR ISR I2-320AB-28 20m IR 2MP Fixed Lens Small Bullet Camera Owner's Manual 

Contents

- [1 PROVISION ISR ISR I2-320AB-28 20m IR 2MP Fixed Lens Small Bullet Camera](#)
- [2 Basic](#)
- [3 MAIN FEATURES](#)
- [4 SPECIFICATIONS](#)
- [5 DIMENSIONS](#)
- [6 ACCESSORIES](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)

PROVISION **ISR**
PROTECTING YOUR PRIVACY

PROVISION ISR ISR I2-320AB-28 20m IR 2MP Fixed Lens Small Bullet Camera





Basic

Series dedicated to the installer looking for high-level cameras that make a difference in image quality.

I2-320AB-28

20m IR 2MP Fixed Lens Small Bullet Camera

Equipped with a 2.8mm fixed lens, this 2MP Dome/Turret camera is designed for short-distance surveillance systems (up to 20m) for indoor and outdoor scenarios. Featuring 4in1 technology selectable by the camera COC menu, the I2-320AB-28 is the better choice for entry-level installations.



MAIN FEATURES

- I2-320AB-28 20m IR 2MP Fixed Lens Small Bullet Camera
- Sensor: 1/3" 2MP CMOS Sensor
- Selectable Output: 2MP: 1920×1080 AHD/TVI/CVI CVBS: 700TVL
- Lens: 2.8mm Mega-Pixel Fixed (90°
- True Day&Night-ICR
- Digital WDR
- 2D-DNR/Digital WDR/HLC/BLC
- Illumination: 20m (2 High-Power IR LED)
- IP67
- Weight: 160g
- Power: DC12V/250mA



<https://provision-isr.com>

SPECIFICATIONS

Video

- Image Sensor 1/3" 2MP CMOS Sensor
- Image Format 16:9
- Effective Pixels 1920 x 1080
- Scanning System Progressive
- Min. Illumination Color: 0.005lux @F1.2, AGC on B/W: 0lux with IR
- Day & Night True Day&Night-ICR
- Day & Night Modes Ext/Auto/Day/Night

Compression

- Resolution 2MP: 1920×1080 AHD/TVI/CVI CVBS: 700TVL
- Frame Rate 25/30FPS

Image

- Backlight Compensation BLC/HLC
- S/N Ratio ≥52dB AGC off

- Privacy Zone no
- Noise Reduction 2D-DNR
- Image Enhancement Digital WDR, BLC, HLC, ROI

On Screen Data

- CoC Support Yes
- OSD Menu Available via CoC only

Lens

- Field of View 2.8mm Mega-Pixel Fixed (90°)
- Iris Fixed Iris
- Lens Mount M12 Mount




Connectivity

- Video Output 2MP AHD/TVI/CVI/CVBS + PAL/NTSC
- Audio Connectivity Built-in Microphone


Housing

- Illumination 20m (2 High-Power IR LED)
- Bracket 3-Axis Bracket
- Protection Rate IP67
- Dimensions 172.2*73.4*74.5mm
- Weight (gross) 160g
- Power DC12V/250mA
- Work Environment -30°C ~ 50°C 10% ~ 90% humidity

DIMENSIONS



ACCESSORIES



Documents / Resources

	<p>PROVISION ISR ISR I2-320AB-28 20m IR 2MP Fixed Lens Small Bullet Camera [pdf] Owner's Manual</p> <p>ISR I2-320AB-28, ISR I2-320AB-28 20m IR 2MP Fixed Lens Small Bullet Camera, 20m IR 2MP Fixed Lens Small Bullet Camera, 2MP Fixed Lens Small Bullet Camera, Lens Small Bullet Camera, Bullet Camera, Camera</p>
--	--

References

- [User Manual](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.