



proxicast 4G/LTE Cross-Polarized Panel Antenna User Guide

[Home](#) » [proxicast](#) » proxicast 4G/LTE Cross-Polarized Panel Antenna User Guide 

proxicast 4G/LTE Cross-Polarized Panel Antenna User Guide



Contents

- [1 Ordering Information](#)
- [2 Applications](#)
- [3 Product Features](#)
- [4 General Description](#)
- [5 Electrical Specifications](#)
- [6 Mechanical Specifications](#)
- [7 Radiation Patterns](#)
- [8 Additional Product Images](#)
- [9 Installation Instructions](#)
 - [9.1 Directional Antenna Installation Tips](#)
- [10 Contact Information](#)
- [11 Important Notice](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)
- [13 Related Posts](#)

Ordering Information

- **Part No.** ANT-129-001
- **Description:** Proxicast 4G/LTE CrossPolarized (MIMO) 7-10 dBi Fixed-Mount Panel Antenna

Applications

- High Gain Directional Signal Enhancement
- 4G/LTE Modems, Routers & Hotspots
- Poor Signal Coverage Areas
- Indoor or Outdoor Use
- Home / Office / Commercial Installations

Product Features

- Cross-Polarized MIMO Elements for Improved Signal Quality & Performance
- Wide Beamwidth for Easy Positioning
- Weatherproof, Compact & Light-weight
- N Female Connectors
- Pole or Wall Mountable
- Compatible with all 4G/LTE Networks
- Compatible with most 4G/LTE Modems/Routers

General Description

Proxicast's dual polarized directional LTE MIMO antenna is ideal for signal enhancement in virtually any cellular application.

It is compatible with all 3G and 4G/LTE data services from Verizon, AT&T, Sprint, T-Mobile, Bell Mobility, Rogers, Telus and most other cellular operators worldwide.

The antenna incorporates two separately fed ultra wideband elements in a single housing which focus radio energy into a 75 degree beam enabling connection to distant cell towers. The elements are set at 45 degree angles to provide cross-polarized multiple input / multiple output (MIMO) connectivity for LTE radio equipment resulting in higher performance.

With appropriate adapter cables (not included), this antenna is compatible with cellular modems, hotspots and routers from Cisco, Cradlepoint, Digi, Pepwave, Proxicast, Sierra Wireless and others.

The antenna's compact, light-weight rugged housing, heavy duty mounting hardware and corrosion-resistant materials make it ideal for outdoor applications including building rooftops, utility poles, or surveillance trailers.

Electrical Specifications


Parameter	Rating
Frequency Range	<ul style="list-style-type: none">• 698~960 MHz• 1710~2170 MHz
Peak Gain	7 -10 dBi frequency dependent
Beam Width Horizontal	70° / 75°
Beam Width Vertical	75° / 60°
VSWR	≤1.8:1
Input Impedance	50 Ohm
Polarization	Vertical + Horizontal @ ±45° (90° relative)
Max Input Power	50 W
Ground Plane	Not Required
DC Grounded	No

Mechanical Specifications



Parameter	Rating
Connector Type	2x N Female (jack)
Cable Length	12 in (300mm) RG58U low-loss coax
Mounting	Pole or Wall – Pole Mounting Bracket included 1.2 in min, 2.0 in max dia pole (30 – 50 mm)
Dimensions	11.8 x 7.2 X 2.75 in (300 x 183 x 70 mm)
Materials	<ul style="list-style-type: none"> • Radome: UV stabilized ABS plastic Connector: Brass • Mounting: Aluminum / Stainless • U-Bolts: Hot Dipped Galvanized Steel
Antenna Color	Ivory
Weight	1.4 lb (0.64 kg) excluding mounting hardware
Operating Temperature	-40°C to +60°C

Operation of this device outside the parameter ranges given above may cause permanent damage.



Radiation Patterns



2170 MHz



2700 MHz



Additional Product Images






N Female





Installation Instructions



1. Antenna
2. Pole (Not included)
3. N Female Connector
4. M8 U Bolt (x2)
5. Clamp (x2)
6. Pole Mounting Plate

7. M5 X 10mm OD Flat Washer (x4)
8. M5 x 8mm OD Lock Washer (x4)
9. Nut (x4)
10. M5 x 8mm OD Lock Washer (x4)
11. Nut (x4)

Directional Antenna Installation Tips

- Determine location of nearest cell tower for your carrier (see opensignal.org or cellreception.com).
- Orient antenna so cables point downward.
- Mount antenna to 2.0 inch max diameter mast or to wall as high as possible.
- Point antenna toward cell tower.
- **Point away from:**
 - other antennas
 - trees & buildings
 - large vertical metal or concrete objects
- Adjust antenna position left/right and up/down tilt to find optimal signal.
- Keep coax lead cable as short as possible & weatherproof all outdoor connectors.
- Observe safety codes regarding lightning protection, grounding, and mast height.

Contact Information

For the latest specifications, additional product information, worldwide sales and information about Proxicast:

Web: www.proxicast.com

Tel: 1-877-777-7694

Email: sales@proxicast.com

Call: 1-412-213-2477

- Proxicast
- 312 Sunnyfield Drive, Suite 200
- Glenshaw, PA 15116 USA

For technical questions and application information:

Email: support@proxicast.com

Important Notice

The information contained herein is believed to be reliable. Proxicast makes no warranties regarding the information contained herein. Proxicast assumes no responsibility or liability whatsoever for any of the information contained herein.

Proxicast assumes no responsibility or liability whatsoever for the use of the information contained herein. The information contained herein is provided "AS IS, WHERE IS" and with all faults, and the entire risk associated with such information is entirely with the user. All information contained herein is subject to change without notice.

The information contained herein or any use of such information does not grant, explicitly or implicitly, to any party


any patent rights, licenses, or any other intellectual property rights, whether with regard to such information itself or anything described by such information. Proxicast products are not warranted or authorized for use as critical components in medical, life-saving, or life-sustaining applications, or other applications where a failure would reasonably be expected to cause severe personal injury or death.

© Copyright Proxicast, LLC. All rights reserved.



Visit: www.proxicast.com

Call: 1-877-777-7694

Documents / Resources

	<p>proxicast 4G/LTE Cross-Polarized Panel Antenna [pdf] User Guide ANT-129-001, 4G LTE Cross-Polarized Panel Antenna, MIMO</p>
---	--

References

-  [CellReception | Find a better signal.](#)
-  [Proxicast: Pro-Grade Wireless Solutions](#)

[Manuals+.](#)