Manuals+ — User Manuals Simplified.

PULWTOP BD205C Powered USB C Hub Instruction Manual

Contents

Instruction Manual

1.USB3.2 GEN2 Hub with four super speed USB C interfaces. The total Length of the wire is 60 CV plus, and the diameter is 5IVIV.Not only this small hub can transfer data, but also it can charge other devices with 20W power.

Specifications

Input

1: USB C male 3.2 10Gbps *1 & SINK3A

2: 36W DC wall adapter

—

Output

1: 4.5W USB C 3.2 Gen 2 *6

2: USB C 3.2 Gen 2 & 20W Charging *1

Standby Power: less than 1W on MacOS; less than 0.7 W on Win OS

Full Load: lower than 50°C

Power Adapter: 36W

—

Package Content

- 7 in 1 USB C Hub
- 36W DC Wall Adapter
- Instruction Manual

—

Troubleshooting

1. This 7-port USB-C Hub has a maximum bandwidth of 10Gbps. When we connect only one USB-C port, the maximum speed (10Gbps) can be achieved, but when multiple USB-C ports are connected, the bandwidth will be automatically allocated, so less than 10Gbps.
2. All the four USB C 'DO NOT' support display video. The USB C marked with '1-6' are only for data transmission.
3. The seventh USB C is also an output charging port, it can charge other devices with 20W power, and the value on the display screen is the power that can be supplied to charge externally .(The value will fluctuate according to the connection between the hub and other accessories)

6 USB C are 10Gbps

data ports only !

10Gbps data and 20W

output charging

4. If the seventh USB C PD port is used to charging any devices (such as cellphones, tablets and earphones), it's not recommended to connect more than 3 additional USB peripherals. Otherwise, it may lead to disconnection of the last connected peripherals.

5. Please make sure both DC adapter and laptop are connected to the hub. Otherwise, some function may work abnormally.

Documents / Resources

	PULWTOP BD205C Powered USB C Hub [pdf] Instruction Manual BD205C, ZMUIPNG, A0, BD205C Powered USB C Hub, Powered USB C Hub, USB C Hub, C Hub

References

- **User Manual**