


PYLE PLBNPS22 Dual Subwoofer Box System User Guide

[Home](#) » [Pyle](#) » PYLE PLBNPS22 Dual Subwoofer Box System User Guide 

Contents

- [1 PLBNPS22 Dual Subwoofer Box System](#)
- [2 WIRING CONNECTION](#)
- [3 REMOTE CONTROL FEATURES](#)
- [4 PLBNPS28 8" Dual Series Vented Subwoofer Enclosure](#)
- [5 PLBNPS21 10" Dual Series Vented Subwoofer Enclosure](#)
- [6 Features](#)
- [7 What's in the Box](#)
- [8 PLBNPS22 12" Dual Series Vented Subwoofer Enclosure](#)
- [9 Documents / Resources](#)
 - [9.1 References](#)
- [10 Related Posts](#)


PYLE

PLBNPS22 Dual Subwoofer Box System




Dual Subwoofer Box System Rear Vented Design with Built-in Illuminating LED Lights

WIRING CONNECTION



Power amplifier for schematic diagram. Connect the power amplifier to the positive and negative terminals accordingly as shown.

REMOTE CONTROL FEATURES



- **1. Turn ON/Standby:** Press this key to turn on LEDs or switch to standby mode.
- **2/9. Dynamic Mode button:** Switch from dynamic mode to color mode or switch between dynamic modes.
- **3/8. Dynamic Mode Speed button:** Use these buttons to adjust dynamic mode speed. If the unit is in static mode, pressing these buttons will switch unit to dynamic mode.
- **4/5. Static Color Adjust button:** Use this button to switch between static colors. Pressing these keys while in dynamic mode will switch the unit to static mode.
- **6/7. Brightness Adjust button:** Pressing these buttons will adjust brightness while in static mode. If these buttons are pressed while unit is in dynamic mode, it will switch to static mode.
- **10. Demo Mode button:** This button will switch the unit into demo mode. While in demo mode, unit will loop through 9 of the dynamic modes with each repeating 3 times.

www.PyleUSA.com

PLBNPS28 8" Dual Series Vented Subwoofer Enclosure

Rear Vented Design with Built-in Illuminating LED Lights

Technical Specs

- **Construction Materials:** 15mm Particle Board + Multilayer Board
- **External Material:** Artificial Leather
- **Power Rating:** 2×400 Watts Max Power
- **Voice Coil:** 1.5" · Impedance: 4 Ohms
- **Magnet:** 2×30 Oz
- **Sensitivity:** 89 dB

- **Frequency Response:** 45-800 Hz
- **Remote Control** Battery Operated, Requires (1) x `CR2025' Batteries
- **Battery Type:** 3V Lithium Battery
- **Battery Life:** Up to 2+ Hours
- **Product Dimensions** (L x W x H): 25.6" x 11.0" x 11.0" -inches

PLBNPS21 10" Dual Series Vented Subwoofer Enclosure

Rear Vented Design with Built-in Illuminating LED Lights

Technical Specs

- **Construction Materials:** 15mm Particle Board + Multilayer Board
- **External Material:** Artificial Leather
- **Power Rating:** 2x500 Watts Max Power
- **Voice Coil:** 2.0"
- **Impedance:** 4 Ohms
- **Magnet:** 2x40 Oz
- **Sensitivity:** 90 dB
- **Frequency Response:** 35-500 Hz
- **Remote Control Battery Operated**, Requires (1) x `CR2025' Batteries
- **Battery Type:** 3V Lithium Battery
- **Battery Life:** Up to 2+ Hours
- **Product Dimensions** (L x W x H):28.3" x 13.8" x 13.0" -inches

Features

- Rear Vented Design
- High Powered Woofers with a Silver Paper Cone
- Rubber Edge Suspension
- Smooth Artificial Leather Finish
- 4 Layer Dual Voice Coil
- Binding Post Connectors
- Perfect for Truck and Behind the Seat
- High-Quality Construction

What's in the Box

- Subwoofer Box
- LED Remote Control

PLBNPS22 12" Dual Series Vented Subwoofer Enclosure

Rear Vented Design with Built-in Illuminating LED Lights

Technical Specs

- **Construction Materials:** 15mm Particle Board + Multilayer Board
- **External Material:** Artificial Leather
- **Power Rating:** 2×600 Watts Max Power
- **Voice Coil:** 2.0"
- **Impedance:** 4 Ohms
- **Magnet:** 2×50 Oz
- **Sensitivity:** 91 dB
- **Frequency Response:** 25-300 Hz
- **Remote Control Battery** Operated, Requires (1) x `CR2025' Batteries
- **Battery Type:** 3V Lithium Battery
- **Battery Life:** Up to 2+ Hours
- **Product Dimensions** (L x W x H): 30.9" x 15.7" x 15.1" -inches

Questions? Issues? We are here to help!

Phone: (1) 718-535-1800

Email: support@pyleusa.com

www.PyleUSA.com




California Prop 65 Warning

WARNING:

This product contains Nickel carbonate which is known to the state of California to cause cancer birth defects and other reproductive harm. Do not ingest.

For more info go to: www.P65warnings.ca.gov

Documents / Resources

	<p>PYLE PLBNPS22 Dual Subwoofer Box System [pdf] User Guide PLBNPS28, PLBNPS21, PLBNPS22, Dual Subwoofer Box System, PLBNPS22 Dual Subwoofer Box System, Subwoofer Box System, Box System</p>
	<p>PYLE PLBNPS22 Dual Subwoofer Box System [pdf] User Guide PLBNPS22, Dual Subwoofer Box System, PLBNPS22 Dual Subwoofer Box System, Subwoofer Box System, Box System</p>
	<p>PYLE PLBNPS22 Dual Subwoofer Box System [pdf] User Guide PLBNPS28, PLBNPS21, PLBNPS22, Dual Subwoofer Box System, PLBNPS22 Dual Subwoofer Box System, Subwoofer Box System, Box System</p>

References

-  [Pyle USA Electronics | Home Audio | Car Audio & More](#)

Manuals+