



PYLE PPHP1237UB Wireless BT Streaming Loudspeaker User Guide

[Home](#) » [Pyle](#) » PYLE PPHP1237UB Wireless BT Streaming Loudspeaker User Guide 

PYLE


PyleUSE.com




PPHP12371111- PPHP1537UB
Wireless BT Loudspeaker PA Cabinet Speaker System
Powered 2-Way Full Range Sound, Recording Ability,
USB/SD, FM Radio, Aux Input

Control Panel Layout

PPHP1237UB



PPHP1537UB



1. LCD screen
2. MP3 control
MODE: USB/SD/BT/FM converter
: Previous Song
Press and hold to decrease volume
: Next Song
Press and hold to increase volume
: Repeat one/Repeat all/Random
REC: Short press in BT mode to enter
the recording function
: Play/Pause
FOL: When playing USB/SD songs,
press and hold to enter folder mode
3. USB input
4. IR: remote control receiver
5. SD card input

6. Microphone input level control
7. Line input level control
8. Bass control
9. MID frequency control
10. Treble control
11. Volume control
12. Power LED indicator
13. LED clip indicator
14. XLR microphone input
15. 6.35mm microphone input
16. XLR line input
17. 6.35mm line input
18. RCA line input (R + L)
19. XLR line out
20. 110V/220V Switch
21. Main Power switch
22. IEC power socket

Wireless BT Streaming

- Instantly Stream Music from Your BT Devices
- Works with All Your Favorite BT Devices
(iPhone, Android, Smartphone, iPad, Tablet, PC, etc.)
- Wireless BT Version: 5.0

- Wireless BT Range: 100'+ Feet
- Wireless BT Network Name: 'Pyle'

Wireless BT Connection

1. Press 'MODE' to enable Wireless BT and connection to your device.
2. Once 'BT' appears on the LCD screen it will read 'connected' or 'unconnected', indicating if your device has been paired successfully.
3. To pair with your device, the PA speaker will appear as 'Pyle' in the available Wireless BT Network Devices list.
4. The LCD screen will read 'connected' and a BT connection has been established.

Feedback Prevention

Acoustic feedback occurs when sound from the PA loudspeaker finds its way back into the performer's microphone when the system is in use. This unwanted audio signal can cause interference, noise, distortion or plainly cause a non-desired and non-expected sound. Pyle PA speakers are designed with more relative response rates to aid in minimizing any type of unwanted feedback.

Factors involved with the elimination of feedback include proper system placement : placing the system well in front of any performer and/or microphone. The audio signal setting and configuration, along with EQ controls, can help one-tune the overall sound output which can be specific to the environment and type of audio generated by the loudspeakers. The shape of the performance area (including performance area, elevation, volume, etc.), the type of instrument being played, and vocals can all have their relative own relative frequencies and unique sound prints which can be uniquely enacted and picked up by any microphone.

PPHP1237UB: 1200 Watt Wireless BT Loudspeaker PA Cabinet Speaker

Features:



- Loudspeaker PA System
- Rugged, Durable & Reliable Sound
- Wireless BT Music Streaming Ability
- Speaker System: 15" Woofer, 1.75" Tweeter
- Compression Driver with Titanium Diaphragm
- 2-Way Full Range Audio Projection
- Built-in Analogue Audio Amplifier
- 1/4" Jack, XLR Microphone Input
- 1/4" Jack, XLR, RCA Input
- XLR Line Out

- Connect & Stream Audio from External Devices
- USB Flash Drive & SD Memory Card Readers
- Digital LCD Display
- Rear Panel Rotary Dial & Button Control Center
- Master Volume, Mid, Treble, Bass Adjustable, Line Volume Mic Volume.
- Heat sink with fan for cooling
- Integrated Carry Handles
- 35mm Speaker Stand Mount Compatible
- Heavy Duty Engineered ABS Housing

MP3 Audio Recording Ability:

- Short Press in BT Mode to Enter the recording function
- Record Audio as Streamed through the Speaker System
- Ability to Record Vocals via BT and FM
- Records to USB Flash & SD Memory Card
- Audio File Type Created: .WAV
- Easy Transfer to PC & Mac

Subwoofer:

- Size: 12" -inch
- Material: Stamped Steel Basket
- Impedance: 4Ohm
- Magnet: 50 oz.
- Voice Coil: 60mm, 2.5"
- Sensitivity: 97dB
- Frequency Response: 45Hz – 4kHz

Tweeter:

- Size: 1.34" -inch
- Material: Titanium
- Impedance: 8 Ohm
- Sensitivity: 110dB
- Voice Coil: Kapton
- Frequency Response: 600Hz-20kHz

Technical Specs:

- Max Power Output: 1200 Watt
- Amplifier Class: AB
- Impedance: 4 Ohm

- Digital Audio File Compatibility: MP3, WMA
- Maximum SD/USB Flash Memory Support: 32GB
- XLR and 1/4" TS/Unbalanced with 3.5 TRS Stereo jack with RC
- T.H.D.: <1%
- S/N Ratio: 74dB
- Power Supply: 110/220V, Selectable
- Dimensions (L x W x H): 13.5" x 12.2" x 22.6" -inches

PPHP1537UB: 1500 Watt Wireless BT Loudspeaker PA Cabinet Speaker
Features:



<ul style="list-style-type: none"> • Loudspeaker PA System • Rugged, Durable & Reliable Sound • Wireless BT Music Streaming Ability • Speaker System: 15" Woofer, 1.75" Tweeter • Compression Driver with Titanium Diaphragm • 2-Way Full Range Audio Projection • Built-in Analogue Audio Amplifier • 1/4" Jack, XLR Microphone Input • 1/4" Jack, XLR, RCA Input 	<ul style="list-style-type: none"> • XLR Line Out • Connect & Stream Audio from External Devices • USB Flash Drive & SD Memory Card Readers • Digital LCD Display • Rear Panel Rotary Dial & Button Control Center • Master Volume, Mid, Treble, Bass Adjustable, Line Volume Mic Volume. • Heat sink with fan for cooling • Integrated Carry Handles • 35mm Speaker Stand Mount Compatible • Heavy Duty Engineered ABS Housing
---	---

MP3 Audio Recording Ability:

- Short Press in BT Mode to Enter the recording function
- Record Audio as Streamed through the Speaker System

- Ability to Record Vocals via BT and FM
- Records to USB Flash & SD Memory Card
- Audio File Type Created: .WAV
- Easy Transfer to PC & Mac

Subwoofer:

- Size: 15" -inch
- Material: Stamped Steel Basket
- Impedance: 4 Ohm
- Magnet: 50 oz.,
- Voice Coil: 60mm, 2.5"
- Sensitivity: 98dB
- Frequency Response: 40Hz – 3.5kHz

Tweeter:

- Size: 1.75" -inch
- Material: Titanium
- Impedance: 8 Ohm
- Sensitivity: 110dB
- Voice Coil: Kapton 44.4mm
- Frequency Response: 600Hz-20kHz

Technical Specs:

- Max Power Output: 1500 Watt
- Amplifier Class: AB
- Impedance: 4 Ohm
- Digital Audio File Compatibility: MP3, WMA
- Maximum SD/USB Flash Memory Support: 32GB
- XLR and 1/4" TS/Unbalanced with 3.5 TRS Stereo jack with RCA
- T.H.D.: <1%
- S/N Ratio: 74dB
- Power Supply: 110/220V, Selectable
- Dimensions (L x W x H): 15.7" x 14.5" x 26.7" -inches

PYLE

www.PyleUSA.com

Questions? Comments?

We are here to help!
Phone: (1) 718-535-1800
Email: support@pyleusa.com

California Prop 65 Warning



WARNING: This product contains Nickel carbonate which is known to the state of California to cause cancer birth defects and other reproductive harm. Do not ingest.

For more info go to: www.P65warnings.ca.gov

Documents / Resources



[PYLE PPHP1237UB Wireless BT Streaming Loudspeaker](#) [pdf] User Guide
Wireless, Streaming, Loudspeaker, PPHP1237UB

References

- [P Pyle USA Electronics | Home Audio | Car Audio & More](#)

[Manuals+.](#)