



Q-TRAN UX8 DMX Controller Installation Guide

[Home](#) » [Q-TRAN](#) » Q-TRAN UX8 DMX Controller Installation Guide 

Contents

- [1 Q-TRAN UX8 DMX Controller](#)
- [2 INSTALLATION Accessories – UX8](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)
- [4 Related Posts](#)




Q-TRAN UX8 DMX Controller




INSTALLATION Accessories – UX8


- Install the junction box into the wall.




- Use a flathead screwdriver to pry the baseplate as shown:




- Screw the baseplate to the junction box in the wall firmly.




- Connect all components and put the power adapter into the junction box. Connect DMX GND to earth GND.



- Snap the upper portion of the touch panel into the baseplate and then snap the bottom into place.



- Program the zones.



© 2022 Q-Tran Inc. All rights reserved | 155 Hill St. Milford, CT 06460 | 203-367-8777 | sales@q-tran.com | www.q-tran.com

Documents / Resources

	Q-TRAN UX8 DMX Controller [pdf] Installation Guide UX8 DMX Controller, UX8, DMX Controller, Controller
--	---

References

- [RealNames | A more meaningful email address](#)
- [LED Lighting Systems, Linear LED Lights, LED transformers | Q-Tran](#)

