



QAZQA 103914 Don – LED Dimmable Table Lamp Instruction Manual

[Home](#) » [QAZQA](#) » QAZQA 103914 Don – LED Dimmable Table Lamp Instruction Manual 

QAZQA


INSTRUCTION MANUAL
Don TL 1 Black
103914



Wireless
charging




Touch light
modulation



Intelligent memory
stepless dimming



super wide
input voltage



low voltage
output



On/Off mode

- Touch the on/off switch, coming with an indicator light, the initial reading mode running.

Touch the switch again to turn off the lamp. It will memorize the CCT & brightness when turning on the lamp again.




Multicolor temperature Mode



LOW

HIGH

Press the light mode, coming with an indicator light, keep pressing the “key to stepless reduce or increase brightness, coming with an indicator light, which makes you find the key quickly.




Note:

The power between the lamp post and the base is connected by the “Three grades 3.5mm headphone plug “. Connect the lamp post to the base before using it and fix it with screws, Please refer to the” Installation Guide “.

103914

600	LM
10	W
3000/4300/6000	K
>80	Ra
25000	H




Qi Standard Wireless charging mode

- Wireless charging output specification: 5V/500mA-1000mA
- If the phone itself has a Qi wireless receiving coil, it can be charged directly.
- If the phone itself has no Qi wireless receive coil, it failed to charge directly or purchase a wireless charging receiver and then realizes wireless charging.
- Please make the phone aim at the platform with a wireless charging mark when charging. Different cell phones, their wireless receiver may be seated in a different place inside the phone, Please move the phone slowly until the sign of being charging.
- If the Phone's wireless receiver failed to aim at the lamp's wireless coil, it may lower the charging speed, or even generate over-heat then stop charging.
- If failed to be charged, the phone's wireless receiver may not aim at the lamp's wireless coil, out of range of the


lamp's wireless coil, or the wireless receiver failed to meet Qi standard.

- During the charging process, both the phone and the lamp's charger generate heat. To make them have good heat-dissipation, any staff to cover them is not allowed.
- please keep the lamps' charger away from any magnetic and metal staff, say magnet, bank card, ID card, scissor, coin, etc.
- If the cell phone case is too thick, it may affect the charging result. Please make sure the case or interlayer is less than 2mm thick.

Installation Guide:



1. Insert the lamppost into the base
2. Take the screws from the base hole, pay attention to the direction backside, fix them with a screwdriver. of the positioning card.
















SAFETY INSTRUCTION

Please study the instruction manual and below information carefully before installing or using this product. Please keep this user manual for further reference

1. The luminaires may only be installed by authorized and qualified technicians according to the valid regulations for electrical installation.
2. Maintenance of the luminaires is limited to their surfaces. During maintenance, no moisture can come into contact with any areas of the terminal connections or voltage control parts.
3. The electrical supply must be switched off at the outset, preferably by means of a switch in the distribution box, before any installation, maintenance, or repair work is undertaken.
4. Exterior lighting must not be installed during rain.
5. Take account of the minimum separation distance from other objects and the room required around the fitting.
6. If in any doubt, consult a professional, taking local installation requirements into account. Some countries stipulate that lighting may be installed only by registered installers.
7. Clamping screws in electrical connections must be adequately tightened. This is particularly the case with 12V low voltage conductors.
8. When replacing a halogen lamp, wait for it to cool, for a minimum of 5 minutes.
9. Clean with a clean, dry cloth or brush, use no solvents or abrasives. Avoid dampness on all electrical components
10. Take account of all available technical information.
11. Take note of the symbols when connecting wires:

N =Neutral L =Live  =Earth

12. Meaning of symbols:

	For indoor use only, where direct contact with water is impossible
	Protection Class I: the fitting must be earthed
	Protection Class II: the fitting is doubled insulated and does not require earthing
	Protection Class III: the fitting is low voltage
	Minimum distance from lighted objects (meters)
	Only the self-shielded halogen lamp should be used with the luminaire
	Strip the wire to the indicated length (mm); different items require different lengths
	Connect using the specified cable; different items require different cables
	The type of lamp and maximum size and wattage indicated in each lighting unit must not be exceeded; different items require different kinds of light sources with different bulb icons
	The armature is designed to work only with the indicated voltage. Different items require different working voltages.
	The luminaire can be used in combination with a dimmer
	The reference light angle and light space of the luminaire
	This luminaire cannot be disposed of together with normal domestic waste in standard rubbish can, but you have to bring it to a staging area for electrical waste

QAZQA

WWW.QAZQA.COM

Contents

[1 Documents / Resources](#)

[2 Related Posts](#)

Documents / Resources



[QAZQA 103914 Don - LED Dimmable Table Lamp](#) [pdf] Instruction Manual
103914, Don - LED Dimmable Table Lamp