


QGeeM LTT-M3V01 USB-C Multifunctional Converter Instruction Manual

Home » QGeeM » QGeeM LTT-M3V01 USB-C Multifunctional Converter Instruction Manual

QGeeM LTT-M3V01 USB-C Multifunctional Converter Instruction Manual



USB-C Multifunctional Converter Instruction Manual




Contents

- 1 Instructions for:
- 2 Product port usage instruction diagram:
- 3 Components:
- 4 Product introduction:
- **5 Product parameters:**
- 6 Documents / Resources
- **7 Related Posts**

Instructions for:

- Connect the computer to the USB3.1 type-c port of the product.
- Use HDMI male head to connect the HDMI master of this product to: projector, TV, monitor, etc.
- Connect USB 3.0 port to USB device.
- Connect USB 2.0 port to USB device.
- Mac computers can be charged by connecting the external adapter of the computer to the C charging port.

Product port usage instruction diagram:



Attention:

- Because the current output of the new Mac book is about load, when the load exceeds, the computer will start the self-protection function. It will be prompted that USB consumes a lot of power and is disabled. Pull the converter off {and turn off the disabled icon or restart) and reinsert it again. Priority should be given to inserting the power-consuming device such as the PD power supply (connecting hard disk). When it is not connected properly, please connect it. Electrical appliances are used in the Type-C base of the product to supply power to computers, hard disks and other equipment.
- When inserting and unplugging the PD adapter, the connected USB device will be disconnected quickly, and then recovered in a few seconds to prevent data loss or damage. Please avoid disconnecting the connection between the PD adapter and the AC power supply when transmitting data.

Components:

When you purchase QGEEM Portable Solid State Drive, make sure that all components have been included in your product package. If any component is missing or damaged, please contact the original seller directly for help.

USB-C Multifunctional Converter ! PCS Instruction manual1PCS

Product introduction:

This is a Type-c to HDM+USB 3.0+USB 2.0+PDType-c public input. USB 3.0 output can be connected to USB keyboard, USB mouse, USB 2.0 U disk, USB 3.0 U disk, USB mobile hard disk, USB CD-ROM and other devices to support wireless charging of mobile phones. Type-C master port can supply power for PC devices. Fashionable appearance It is an extension accessory for computers with Type-C interface and mobile phones.

Product parameters:

Product performance parameters		
	Project	Specification parameter
1	Type-c male (uplink port)	Connect the computer
2	Hdmi output	Support resolution: 3840*2160 30Hz、 1920*1200、 1920*1080/1280*1024、 etc.
3	USB 2.0 port	Support 480 Mbps.
4	USB 3.0 HUB Transmission speed	5Gbps, downward compatible with USB 2.0.
5	PD parameters	The input voltage(Max): 100W/20V/3A
6	Compatible models	Mac Book、xiaomi、Samsung、Dell、ASUS、HUAWEI、 Lenovo、Google,Samsung S8/S8+/S9/S9+/S10、 HUAWEI Mate 20/P20 And mobile phones with type-c etc.
7	Support system	Google Chrome OS; MAC OS; Windows 7/8/10; Huawei Matebook; Millet Book, etc. Plug and play.
8	Working current	200-1500mA; Working voltage:5V~20V.
9	Static power	<200mA(The machine power consumption).

Documents / Resources



QGeeM LTT-M3V01 USB-C Multifunctional Converter [pdf] Instruction Manual LTT-M3V01, USB-C Multifunctional Converter

Manuals+,