



[Home](#) » [Quax](#) » **Quax 54F02 Flow Chest Instruction Manual** 

Quark®

Be Inspired

V2.5 Jul 2025

FLOW 54F02-0300x

FLOW 54F02-0300x

Manual Warnings



Contents [[hide](#)]

1 54F02 Flow Chest

2 WARNINGS and USE

3 Safety and general information

4 Parts list

5 Assembling the chest of drawers

6 Documents / Resources

6.1 References

54F02 Flow Chest

IMPORTANT – RETAIN FOR FUTURE REFERENCE – READ CAREFULLY.

WARNING : DO NOT LEAVE THE CHILD UNATTENDED 

WARNINGS and USE

TO AVOID DANGER OF SUFFOCATION REMOVE PLASTIC COVER BEFORE USING THIS ARTICLE. THIS COVER SHOULD BE DESTROYED OR KEPT AWAY FROM BABIES AND CHILDREN.

Assemble the chest of drawers following the instructions hereunder.

Do not change the design and the assembly method of this cabinet.

This is a piece of furniture on legs. Please lift the furniture before every move and do not move it over the floor or carpet.

Damage incurred as a result will not be reimbursed.

Introduction : before putting into use, check if all parts of the cabinet are in good condition, well tightened, and do not show sharp edges which may injure a child or snag on its clothing (or cords, necklaces, pacifier ribbons), causing a strangulation hazard. Check all connection points.

Inspection : Regularly check the chest of drawers for broken, warped or missing parts. No longer use this furniture whenever such parts are found.

Replacement of parts : always use original parts, to obtain from the manufacturer or the distributor.

Fire hazard : Do not place the cabinet near a heat source such as electrical heating, gas heating, etc. in order to avoid any fire hazard.


Maintenance : Only clean the chest of drawers with soap or any other mild cleaning agent without toxic components and with warm water. In order to reduce swelling and possible discoloration of the wood panels any spillage should be removed immediately and cleaned up.

To get beautiful and undamaged furniture work carefully.

Use a clean blanket and remove any screws or the like.

This assembly is better done with two people.

Work slower and your satisfaction will be better.



Safety and general information

Safety

This chest of drawers does not need to meet the safety prescriptions

Product information

Dimensions of the assembled chest : 96x58x92H cm

Finish : legs in solid beech.

The superstructure in laminated chipboard.

Three painted drawers with push system

The commode can be equipped with a diaper extension. Available in option code 54F02-0300xE

Available colors (xx) : check www.quaxpro.eu

Net weight : 47,70 kg

Guarantee

This furniture comes with a two-year guarantee on manufacturing defects and through a proof of purchase, production number and date mentioned on the furniture itself, on the packaging or on this manual.

Info and Contact

General information

info@quax.eu


Sales













sales@quax.eu

Customer service



customerservice@quax.eu



Parts list



Bx10 	Cx6 	Dx31 	Ex16 	Fx13 
Gx13 	Hx3 	Ix4 	Jx1 	Mx2 
Ox2 	Px46 	Rx12 	Tx1 	

Assembling the chest of drawers








Be careful when installing the wood screws (P). They must be securely screwed into a panel.


This requires some patience, but is necessary for the components to be mounted at right angles.

The technical drawing illustrates the assembly of a wooden box. It includes an exploded view of the lid and base components, showing their dimensions and how they fit together. The lid is composed of two main parts: a front panel (14) and a back panel (17). The base is composed of two main parts: a front panel (15) and a back panel (16). The dimensions for the lid are: 8 (width), 12 (length), 14 (height), and 17 (width). The dimensions for the base are: 8 (width), 12 (length), 15 (height), and 16 (width). The drawing also shows the assembly of the lid and base, with arrows indicating the direction of movement. A detail view of the hinge mechanism is shown at the bottom left, with a label 'O' and an arrow pointing to the hinge pin.

Using the drawers



Wall mounting if desired



Assembling the extension – Code 54F02-0300xE

Warnings

AGE AND USE

For children with a body weight no more than 11 kg and a maximum age of 12 months.

Assemble the changing extension following the instructions hereunder.

Do not change the design and the assembly method of this changing extension.

Introduction : before putting into use, check if all parts of the changing extension are in good condition, well tightened, and do not show sharp edges which may injure the child or snag on its clothing (or cords, necklaces, pacifier ribbons), causing a strangulation hazard. Check all connection points.

Inspection : Regularly check the changing extension for broken, warped or missing parts. No longer use this furniture whenever such parts are found.

Replacement of parts : always use original parts, to obtain from the manufacturer or the distributor.


Fire hazard : Do not place the changing extension near a heat source such as electrical heating, gas heating, etc. in order to avoid any fire hazard.






Use of wheels : when lockable wheels/castors are fitted to the changing table, they need to be locked when the extension is in use.

Use of a changing pad : this changing extension was tested with a Quax diaper cushion with raised edges, article 54102-EU-xx


(Size : 50*70*9H cm). The use of the extension with this changing pad gives you the security described in European Standard 12221. This changing pad is separately available from your Quax dealer.

Maintenance : Only clean the changing extension with soap or any other mild cleaning agent without toxic components and with warm water. In order to counter the swelling of the wood panels any spillages should be immediately removed and cleaned up.




Ax2	Bx4	Cx2	Dx2	Ex4
				


1





2



3



4



Quax nv Karel Picquélaan 84 B-9800 Deinze Belgium

TT 0032 9 380 80 95

www.quax.eu

EE info@quax.eu

Documents / Resources



[Quax 54F02 Flow Chest \[pdf\]](#) Instruction Manual

54F02-0300x, 54F02 Flow Chest, Flow Chest, Chest

References

- [User Manual](#)

📎 54F02 Flow Chest, 54F02-0300x, Chest, Flow Chest,

📁 Quax Quax

Leave a comment

Your email address will not be published. Required fields are marked *

Comment *

Name

Email

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.