


QuickBOLT
T 15996PK
QB2
Mini
Flashing



QuickBOLT 15996PK QB2 Mini Flashing Installation Guide

[Home](#) » [QuickBOLT](#) » QuickBOLT 15996PK QB2 Mini Flashing Installation Guide 

Contents

- [1 QuickBOLT 15996PK QB2 Mini Flashing](#)
- [2 Product Usage Instructions](#)
- [3 INSTALLATION INSTRUCTIONS](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)



QuickBOLT 15996PK QB2 Mini Flashing



Specifications

- Product Name: AHJ CONDENSED PERMIT PACKAGE 2023
- Version: 6
- Model Number: 17662DF
- Compatible Roof Types: Asphalt, EPDM, & TPO
- Patent Number: 8448407
- Manufacturer: A DIVISION OF QUICKSCREWS INTERNATIONAL CORP

Product Usage Instructions

Recommended Materials

- Sealant (MFG approved)

Installation Instructions

1. Locate and mark the rafter.
2. Predrill the hole.
3. Optional: Fill the predrilled hole with MFG approved sealant.
4. Optional: Place a ring of sealant around the bottom of the product.

FAQ

- **Q: What type of roofs is this product suitable for?**

A: This product is suitable for use on Asphalt, EPDM, and TPO roofs.

- **Q: Should I always use MFG approved sealant?**


A: It is recommended to use MFG approved sealant, but it is optional depending on your installation preferences.

RECOMMENDED MATERIALS

- Tools to locate and mark rafter
- Drill with a 15/64" drill bit
- MFG approved sealant (optional)
- Tool for separating shingles
- 1/2" Nut Setter

INSTALLATION INSTRUCTIONS

1. Locate and mark the rafter
2. Predrill the hole
3. Optional: Fill the predrilled hole with MFG approved sealant



4. Optional: Place a ring of sealant around the bottom of the Microflashing® washer
5. Place the Microflashing®, then L-Foot
6. Insert the Miniflashing® under the shingles, over the L-Foot



7. Insert the Bolt over Miniflashing® and drive until the Microflashing® is compressed and Miniflashing® is secure



To compress Microflashing® properly with QB2 use a 150 minimum torque lbs/inch

Documents / Resources

	QuickBOLT 15996PK QB2 Mini Flashing [pdf] Installation Guide 15996PK, 15996PK QB2 Mini Flashing, 15996PK, QB2 Mini Flashing, Mini Flashing, Flashing
--	--

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.